

**COUNTY REPORT
OF
ENDANGERED, THREATENED, AND SPECIAL CONCERN
PLANTS, ANIMALS, AND NATURAL COMMUNITIES
OF
KENTUCKY**

**KENTUCKY STATE NATURE
PRESERVES COMMISSION
801 SCHENKEL LANE
FRANKFORT, KY 40601
(502) 573-2886 (phone)
(502) 573-2355 (fax)**

www.naturepreserves.ky.gov

Kentucky State Nature Preserves Commission

Key for County List Report

Within a county, elements are arranged first by taxonomic complexity (plants first, natural communities last), and second by scientific name. A key to status, ranks, and count data fields follows.

STATUS

KSNPC: Kentucky State Nature Preserves Commission status:

N or blank = none E = endangered T = threatened S = special concern H = historic X = extirpated

USESA: U.S. Fish and Wildlife Service status:

blank = none C = candidate LT = listed as threatened LE = listed as endangered

SOMC = Species of Management Concern

RANKS

GRANK: Estimate of element abundance on a global scale:

G1 = Critically imperiled

GU = Unrankable

G2 = Imperiled

G#? = Inexact rank (e.g. G2?)

G3 = Vulnerable

G#Q = Questionable taxonomy

G4 = Apparently secure

G#T# = Intraspecific taxa (Subspecies and variety abundances are coded with a 'T' suffix; the 'G' portion of the rank then refers to the entire species)

G5 = Secure

GH = Historic, possibly extinct

GNR = Unranked

GX = Presumed extinct

GNA = Not applicable

SRANK: Estimate of element abundance in Kentucky:

S1 = Critically imperiled

SU = Unrankable

Migratory species may have separate ranks for different population segments (e.g. S1B, S2N, S4M):

S2 = Imperiled

S#? = Inexact rank (e.g. G2?)

S3 = Vulnerable

S#Q = Questionable taxonomy

S#B = Rank of breeding population

S4 = Apparently secure

S#T# = Intraspecific taxa

S#N = Rank of non-breeding population

S5 = Secure

SNR = Unranked

S#M = Rank of transient population

SH = Historic, possibly extirpated

SNA = Not applicable

SX = Presumed extirpated

COUNT DATA FIELDS

OF OCCURRENCES: Number of occurrences of a particular element from a county. Column headings are as follows:

E - currently reported from the county

H - reported from the county but not seen for at least 20 years

F - reported from county & cannot be relocated but for which further inventory is needed

X - known to be extirpated from the county

U - reported from a county but cannot be mapped to a quadrangle or exact location.

The data from which the county report is generated is continually updated. The date on which the report was created is in the report footer. Contact KSNPC for a current copy of the report.

Please note that the quantity and quality of data collected by the Kentucky Natural Heritage Program are dependent on the research and observations of many individuals and organizations. In most cases, this information is not the result of comprehensive or site-specific field surveys; many natural areas in Kentucky have never been thoroughly surveyed, and new species of plants and animals are still being discovered. For these reasons, the Kentucky Natural Heritage Program cannot provide a definitive statement on the presence, absence, or condition of biological elements in any part of Kentucky. Heritage reports summarize the existing information known to the Kentucky Natural Heritage Program at the time of the request regarding the biological elements or locations in question. They should never be regarded as final statements on the elements or areas being considered, nor should they be substituted for on-site surveys required for environmental assessments.

KSNPC appreciates the submission of any endangered species data for Kentucky from field observations. For information on data reporting or other data services provided by KSNPC, please contact the Data Manager at:

Kentucky State Nature Preserves Commission
801 Schenkel Lane
Frankfort, KY 40601
phone: (502) 573-2886
fax: (502) 573-2355
email: naturepreserves@ky.gov
internet: www.naturepreserves.ky.gov

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------------------------|---------------------|---|------------------------------------|----------|---------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Adair | Vascular Plants | <i>Acer spicatum</i> | Mountain Maple | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Adair | Vascular Plants | <i>Aureolaria patula</i> | Spreading False Foxglove | S / | G3 / S3 | 2 | 0 | 0 | 0 | 0 |
| Adair | Vascular Plants | <i>Elymus svensonii</i> | Svenson's Wildrye | S / SOMC | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Adair | Vascular Plants | <i>Helianthus eggertii</i> | Eggert's Sunflower | T / | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Adair | Vascular Plants | <i>Heteranthera dubia</i> | Grassleaf Mud-plantain | S / | G5 / S3 | 0 | 0 | 1 | 0 | 0 |
| Adair | Vascular Plants | <i>Lespedeza capitata</i> | Round-head Bush-clover | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Adair | Vascular Plants | <i>Matelea carolinensis</i> | Carolina Anglepod | E / | G4 / S1? | 0 | 0 | 1 | 0 | 0 |
| Adair | Vascular Plants | <i>Parnassia grandifolia</i> | Large-leaved Grass-of-parnassus | E / | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Adair | Vascular Plants | <i>Ulmus serotina</i> | September Elm | S / | G4 / S3 | 2 | 0 | 0 | 0 | 0 |
| Adair | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Adair | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| Adair | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 3 | 0 | 1 | 0 | 0 |
| Adair | Freshwater Mussels | <i>Villosa ortmanni</i> | Kentucky Creekshell | T / SOMC | G2 / S2 | 4 | 1 | 0 | 0 | 0 |
| Adair | Crustaceans | <i>Barbicambarus cornutus</i> | Bottlebrush Crayfish | S / | G4 / S2 | 4 | 0 | 0 | 0 | 0 |
| Adair | Insects | <i>Allocapnia cunninghami</i> | A Capniid Stonefly | T / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Adair | Other Invertebrates | <i>Pseudotremia merops</i> | A Cave Obligate Millipede | T / | G1 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Adair | Fishes | <i>Erimystax insignis</i> | Blotched Chub | E / SOMC | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Adair | Fishes | <i>Etheostoma maculatum</i> | Spotted Darter | T / SOMC | G2 / S2 | 2 | 1 | 0 | 0 | 0 |
| Adair | Fishes | <i>Ichthyomyzon greeleyi</i> | Mountain Brook Lamprey | T / | G3G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Adair | Fishes | <i>Percina macrocephala</i> | Longhead Darter | E / SOMC | G3 / S1 | 4 | 0 | 0 | 0 | 0 |
| Adair | Fishes | <i>Phenacobius uranops</i> | Stargazing Minnow | S / | G4 / S2S3 | 2 | 1 | 0 | 0 | 0 |
| Adair | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 4 | 0 | 0 | 0 | 0 |
| Adair | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Adair | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Adair | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 6 | 0 | 0 | 1 | 0 |
| Adair | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Adair | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Adair | Communities | <i>Calcareous mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Adair County Total: | | | | | | 43 | 17 | 3 | 2 | 0 |
| Allen | Vascular Plants | <i>Hydrocotyle americana</i> | American Water-pennywort | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Allen | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Allen | Vascular Plants | <i>Ptilimnium nuttallii</i> | Nuttall's Mock Bishop's-weed | E / | G5? / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Allen | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 1 | 0 | 0 | 0 | 0 |
| Allen | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 2 | 0 | 0 |
| Allen | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Allen | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 1 | 1 | 0 | 0 | 0 |
| Allen | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Allen | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-------------------------------|---------------------|---|------------------------|--------------|----------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Allen | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 2 | 0 | 0 | 0 | 0 |
| Allen | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Allen | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Allen | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 1 | 1 | 0 | 0 |
| Allen | Freshwater Mussels | <i>Villosa ortmanni</i> | Kentucky Creekshell | T / SOMC | G2 / S2 | 1 | 0 | 5 | 0 | 0 |
| Allen | Crustaceans | <i>Barbicambarus cornutus</i> | Bottlebrush Crayfish | S / | G4 / S2 | 3 | 0 | 0 | 0 | 0 |
| Allen | Insects | <i>Allocapnia cunninghami</i> | A Capniid Stonefly | T / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Allen | Insects | <i>Pseudanopthalmus pubescens intrepidus</i> | A Cave Obligate Beetle | T / | G3T3 / S2 | 0 | 0 | 1 | 0 | 0 |
| Allen | Fishes | <i>Etheostoma maculatum</i> | Spotted Darter | T / SOMC | G2 / S2 | 0 | 1 | 0 | 0 | 0 |
| Allen | Fishes | <i>Ichthyomyzon greeleyi</i> | Mountain Brook Lamprey | T / | G3G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Allen | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Allen | Fishes | <i>Percina macrocephala</i> | Longhead Darter | E / SOMC | G3 / S1 | 2 | 0 | 0 | 1 | 0 |
| Allen | Fishes | <i>Percopsis omiscomaycus</i> | Trout-perch | S / SOMC | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Allen | Fishes | <i>Phenacobius uranops</i> | Stargazing Minnow | S / | G4 / S2S3 | 2 | 1 | 0 | 0 | 0 |
| Allen | Fishes | <i>Thoburnia atripinnis</i> | Blackfin Sucker | S / SOMC | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| Allen | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Allen | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 2 | 0 | 0 | 0 | 0 |
| Allen | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Allen | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Allen | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 3 | 0 | 0 | 0 | 0 |
| Allen | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Allen County Total: | | | | | | 25 | 24 | 9 | 4 | 0 |
| Anderson | Vascular Plants | <i>Elymus svensonii</i> | Svenson's Wildrye | S / SOMC | G3 / S3 | 2 | 0 | 0 | 0 | 0 |
| Anderson | Vascular Plants | <i>Lesquerella globosa</i> | Globe Bladderpod | E / C | G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| Anderson | Vascular Plants | <i>Lonicera prolifera</i> | Grape Honeysuckle | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Anderson | Vascular Plants | <i>Sagina fontinalis</i> | Water Stitchwort | T / | G3 / S2 | 0 | 1 | 0 | 0 | 0 |
| Anderson | Vascular Plants | <i>Viburnum molle</i> | Softleaf Arrowwood | T / | G5 / S3? | 1 | 0 | 0 | 0 | 0 |
| Anderson | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Anderson | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Anderson | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Anderson | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 3 | 0 | 0 | 0 | 0 |
| Anderson | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Anderson County Total: | | | | | | 12 | 2 | 0 | 0 | 0 |
| Ballard | Non-Vascular Plants | <i>Phaeophyscia leana</i> | Lea's Bog Lichen | E / | G2 / S1? | 2 | 0 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Armoracia lacustris</i> | Lakecress | T / | G4? / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Bolboschoenus fluviatilis</i> | River Bulrush | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Cabomba caroliniana</i> | Carolina Fanwort | T / | G3G5 / S2 | 3 | 0 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Calamagrostis canadensis var. macouniana</i> | Blue-joint Reedgrass | H / | G5T5? / SH | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------|--------------------|--|-------------------------------|----------|-------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Ballard | Vascular Plants | <i>Carex buxbaumii</i> | Brown Bog Sedge | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Carex gigantea</i> | Large Sedge | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Carex pellita</i> | Woolly Sedge | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Carya aquatica</i> | Water Hickory | T / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Clematis crispa</i> | Blue Jasmine Leather-flower | T / | G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Didiplis diandra</i> | Water-purslane | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Heteranthera limosa</i> | Blue Mud-plantain | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Heterotheca subaxillaris var. latifolia</i> | Broad-leaf Golden-aster | T / | G5T5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Hydrolea uniflora</i> | One-flower Fiddleleaf | E / | G5 / S1 | 0 | 1 | 1 | 0 | 0 |
| Ballard | Vascular Plants | <i>Hypericum adpressum</i> | Creeping St. John's-wort | H / SOMC | G3 / SH | 0 | 1 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Juncus elliotii</i> | Bog Rush | H / | G4G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Limnobium spongia</i> | American Frog's-bit | T / | G4 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Lysimachia terrestris</i> | Swamp Candles | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Melanthera nivea</i> | Snow Squarestem | S / | G5 / S3? | 1 | 0 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Mirabilis albida</i> | Pale Umbrella-wort | H / | G5 / SH | 0 | 1 | 0 | 2 | 0 |
| Ballard | Vascular Plants | <i>Muhlenbergia bushii</i> | Bush's Muhly | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Phacelia ranunculacea</i> | Blue Scorpion-weed | S / | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Potamogeton illinoensis</i> | Illinois Pondweed | S / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Rudbeckia subtomentosa</i> | Sweet Coneflower | E / | G5 / S1 | 0 | 0 | 1 | 0 | 0 |
| Ballard | Vascular Plants | <i>Salix amygdaloides</i> | Peach-leaved Willow | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Spiraea alba</i> | Narrow-leaved Meadow-sweet | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Ballard | Vascular Plants | <i>Torreyochloa pallida</i> | Pale Manna Grass | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Ballard | Vascular Plants | <i>Triplasis purpurea</i> | Purple Sandgrass | H / | G4G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Ballard | Aquatic Snails | <i>Lithasia armigera</i> | Armored Rocksnail | S / SOMC | G3G4 / S3S4 | 1 | 1 | 0 | 0 | 0 |
| Ballard | Aquatic Snails | <i>Lithasia verrucosa</i> | Varicose Rocksnail | S / SOMC | G4Q / S3S4 | 2 | 0 | 0 | 0 | 0 |
| Ballard | Terrestrial Snails | <i>Webbhelix multilineata</i> | Striped Whitelip | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Ballard | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 3 | 0 | 0 | 0 | 0 |
| Ballard | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Ballard | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 7 | 0 | 0 | 1 | 0 |
| Ballard | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 6 | 0 | 0 | 0 | 0 |
| Ballard | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Ballard | Freshwater Mussels | <i>Potamilus purpuratus</i> | Bleufer | E / | G5 / S1 | 1 | 1 | 0 | 0 | 0 |
| Ballard | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 2 | 1 | 1 | 1 | 0 |
| Ballard | Crustaceans | <i>Cambarellus shufeldtii</i> | Cajun Dwarf Crayfish | S / | G5 / S2 | 1 | 0 | 1 | 0 | 0 |
| Ballard | Crustaceans | <i>Orconectes lancifer</i> | Shrimp Crayfish | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Ballard | Crustaceans | <i>Orconectes palmeri palmeri</i> | Gray-Speckled Crayfish | E / | G5T5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Ballard | Crustaceans | <i>Procambarus viaeviridis</i> | Vernal Crayfish | T / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Ballard | Insects | <i>Amphiagrion saucium</i> | Eastern Red Damselfly | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------|-----------------|-------------------------------------|----------------------------|--------------|------------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Ballard | Insects | <i>Celithemis verna</i> | Double-ringed Pennant | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Ballard | Insects | <i>Papaipema sp. 5</i> | Rare Cane Borer Moth | T / | G1G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Atractosteus spatula</i> | Alligator Gar | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Cyprinella venusta</i> | Blacktail Shiner | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Erimyzon sucetta</i> | Lake Chubsucker | T / | G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Esox niger</i> | Chain Pickerel | S / | G5 / S3 | 3 | 0 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Etheostoma proeliare</i> | Cypress Darter | T / | G5 / S2 | 4 | 0 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Hybognathus hayi</i> | Cypress Minnow | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Hybognathus placitus</i> | Plains Minnow | S / SOMC | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Ichthyomyzon castaneus</i> | Chestnut Lamprey | S / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 4 | 0 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Lepomis miniatus</i> | Redspotted Sunfish | T / | G5 / S2 | 9 | 0 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Macrhybopsis gelida</i> | Sturgeon Chub | E / | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Macrhybopsis meeki</i> | Sicklefin Chub | E / | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Menidia beryllina</i> | Inland Silverside | T / | G5 / S2 | 3 | 0 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Notropis hudsonius</i> | Spottail Shiner | S / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Notropis maculatus</i> | Taillight Shiner | T / | G5 / S2S3 | 5 | 0 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Platygobio gracilis</i> | Flathead Chub | S / SOMC | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Ballard | Fishes | <i>Scaphirhynchus albus</i> | Pallid Sturgeon | E / LE | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Ballard | Amphibians | <i>Hyla avivoca</i> | Bird-voiced Treefrog | S / | G5 / S3 | 0 | 0 | 0 | 1 | 0 |
| Ballard | Amphibians | <i>Hyla cinerea</i> | Green Treefrog | S / | G5 / S3 | 6 | 0 | 0 | 0 | 0 |
| Ballard | Amphibians | <i>Rana areolata circumlosa</i> | Northern Crawfish Frog | S / | G4T4 / S3 | 8 | 1 | 0 | 0 | 0 |
| Ballard | Reptiles | <i>Apalone mutica mutica</i> | Midland Smooth Softshell | S / | G5T5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Ballard | Reptiles | <i>Farancia abacura reinwardtii</i> | Western Mud Snake | S / | G5T5 / S3 | 3 | 0 | 0 | 0 | 1 |
| Ballard | Reptiles | <i>Macrochelys temminckii</i> | Alligator Snapping Turtle | T / SOMC | G3G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Ballard | Reptiles | <i>Thamnophis proximus proximus</i> | Western Ribbon Snake | T / | G5T5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Ballard | Breeding Birds | <i>Ardea alba</i> | Great Egret | E / | G5 / S1B | 1 | 0 | 0 | 1 | 0 |
| Ballard | Breeding Birds | <i>Certhia americana</i> | Brown Creeper | E / | G5 / S1S2B,S4S5N | 1 | 0 | 0 | 0 | 0 |
| Ballard | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Ballard | Breeding Birds | <i>Corvus ossifragus</i> | Fish Crow | S / | G5 / S3B | 3 | 0 | 0 | 0 | 0 |
| Ballard | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 8 | 0 | 0 | 0 | 0 |
| Ballard | Breeding Birds | <i>Ictinia mississippiensis</i> | Mississippi Kite | S / | G5 / S2B | 2 | 0 | 0 | 0 | 0 |
| Ballard | Breeding Birds | <i>Ixobrychus exilis</i> | Least Bittern | T / | G5 / S1S2B | 0 | 1 | 0 | 0 | 0 |
| Ballard | Breeding Birds | <i>Lophodytes cucullatus</i> | Hooded Merganser | T / | G5 / S1S2B,S3S4N | 0 | 1 | 0 | 0 | 0 |
| Ballard | Breeding Birds | <i>Nyctanassa violacea</i> | Yellow-crowned Night-heron | T / | G5 / S2B | 1 | 0 | 0 | 0 | 0 |
| Ballard | Breeding Birds | <i>Pandion haliaetus</i> | Osprey | T / | G5 / S2B | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|--------------------|---------------------------------------|----------------------------|----------|-------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Ballard | Breeding Birds | <i>Phalacrocorax auritus</i> | Double-crested Cormorant | E / | G5 / S1B | 0 | 0 | 0 | 1 | 0 |
| Ballard | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 0 | 0 | 0 | 1 | 0 |
| Ballard | Breeding Birds | <i>Sternula antillarum athalassos</i> | Interior Least Tern | E / LE | G4T2Q / S2B | 5 | 0 | 0 | 1 | 0 |
| Ballard | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 4 | 0 | 0 | 0 | 0 |
| Ballard | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| Ballard | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 4 | 0 | 0 | 0 | 0 |
| Ballard | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 9 | 0 | 0 | 0 | 0 |
| Ballard | Communities | <i>Cypress swamp</i> | | / | GNR / S3 | 1 | 0 | 0 | 0 | 0 |
| Ballard County Total: | | | | | | 144 | 60 | 4 | 12 | 1 |
| Barren | Vascular Plants | <i>Aureolaria patula</i> | Spreading False Foxglove | S / | G3 / S3 | 1 | 1 | 0 | 0 | 0 |
| Barren | Vascular Plants | <i>Castanea dentata</i> | American Chestnut | E / | G4 / S1? | 1 | 0 | 0 | 0 | 0 |
| Barren | Vascular Plants | <i>Glyceria acutiflora</i> | Sharp-scaled Manna-grass | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Barren | Vascular Plants | <i>Helianthemum bicknellii</i> | Plains Frostweed | E / | G5 / S1S2 | 0 | 0 | 0 | 1 | 0 |
| Barren | Vascular Plants | <i>Helianthus eggertii</i> | Eggert's Sunflower | T / | G3 / S2 | 2 | 0 | 0 | 0 | 0 |
| Barren | Vascular Plants | <i>Heteranthera limosa</i> | Blue Mud-plantain | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Barren | Vascular Plants | <i>Lespedeza capitata</i> | Round-head Bush-clover | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Barren | Vascular Plants | <i>Lespedeza stuevei</i> | Tall Bush-clover | S / | G4? / S3? | 1 | 0 | 0 | 0 | 0 |
| Barren | Vascular Plants | <i>Ludwigia hirtella</i> | Hairy Ludwigia | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Barren | Vascular Plants | <i>Polygala nuttallii</i> | Nuttall's Milkwort | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Barren | Vascular Plants | <i>Sporobolus clandestinus</i> | Rough Dropseed | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Barren | Vascular Plants | <i>Symphyotrichum pratense</i> | Barrens Silky Aster | S / | G4? / S3 | 2 | 0 | 0 | 0 | 0 |
| Barren | Vascular Plants | <i>Trichostema setaceum</i> | Narrowleaved Bluecurls | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Barren | Vascular Plants | <i>Trifolium reflexum</i> | Buffalo Clover | E / | G3G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Barren | Aquatic Snails | <i>Antroselates spiralis</i> | Shaggy Cavesnail | S / | G3 / S2 | 2 | 0 | 0 | 0 | 0 |
| Barren | Aquatic Snails | <i>Pleurocera alveare</i> | Rugged Hornsnail | S / SOMC | G3 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Barren | Terrestrial Snails | <i>Helicodiscus notius specus</i> | A Snail | T / | G5T2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Barren | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 1 | 0 | 0 | 0 | 0 |
| Barren | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 1 | 0 | 0 |
| Barren | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Barren | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Barren | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Barren | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Barren | Freshwater Mussels | <i>Villosa ortmanni</i> | Kentucky Creekshell | T / SOMC | G2 / S2 | 0 | 0 | 2 | 0 | 0 |
| Barren | Crustaceans | <i>Barbicambarus cornutus</i> | Bottlebrush Crayfish | S / | G4 / S2 | 2 | 0 | 0 | 0 | 1 |
| Barren | Crustaceans | <i>Orconectes inermis inermis</i> | Ghost Crayfish | S / | G5T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Barren | Crustaceans | <i>Orconectes pellucidus</i> | Mammoth Cave Crayfish | S / SOMC | G4 / S3 | 2 | 1 | 0 | 0 | 0 |
| Barren | Crustaceans | <i>Palaemonias ganteri</i> | Mammoth Cave Shrimp | E / LE | G1 / S1 | 3 | 0 | 0 | 0 | 0 |
| Barren | Crustaceans | <i>Stygobromus vitreus</i> | An Amphipod | S / | G4 / S1 | 2 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------------------------|---------------------|--|--------------------------------|----------|--------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Barren | Insects | <i>Arrhopalites bimus</i> | A Cave Obligate Springtail | T / | G3G4 / S1S3 | 0 | 1 | 0 | 0 | 0 |
| Barren | Insects | <i>Batrisodes henroti</i> | A Cave Obligate Beetle | T / | G2G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Barren | Insects | <i>Batrisodes hubrichti</i> | A Cave Obligate Beetle | T / | G1 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Barren | Insects | <i>Erora laeta</i> | Early Hairstreak | T / | GU / S1 | 0 | 0 | 0 | 1 | 0 |
| Barren | Insects | <i>Lytrosis permagnaria</i> | A Geometrid Moth | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Barren | Insects | <i>Pseudanopthalmus pubescens intrepidus</i> | A Cave Obligate Beetle | T / | G3T3 / S2 | 0 | 1 | 0 | 0 | 0 |
| Barren | Other Invertebrates | <i>Kleptochthonius hubrichti</i> | A Cave Obligate Pseudoscorpion | T / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Barren | Other Invertebrates | <i>Scoterpes copei</i> | A Cave Obligate Milliped | T / | G1 / S1 | 0 | 1 | 0 | 0 | 0 |
| Barren | Fishes | <i>Etheostoma maculatum</i> | Spotted Darter | T / SOMC | G2 / S2 | 0 | 1 | 0 | 0 | 0 |
| Barren | Fishes | <i>Percina macrocephala</i> | Longhead Darter | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Barren | Fishes | <i>Phenacobius uranops</i> | Stargazing Minnow | S / | G4 / S2S3 | 1 | 1 | 0 | 0 | 0 |
| Barren | Fishes | <i>Thoburnia atripinnis</i> | Blackfin Sucker | S / SOMC | G2 / S2 | 1 | 1 | 0 | 0 | 0 |
| Barren | Fishes | <i>Typhlichthys subterraneus</i> | Southern Cavefish | S / SOMC | G3G4 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Barren | Reptiles | <i>Elaphe guttata</i> | Corn Snake | S / | G5 / S3 | 1 | 1 | 0 | 0 | 0 |
| Barren | Reptiles | <i>Eumeces anthracinus</i> | Coal Skink | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Barren | Reptiles | <i>Eumeces inexpectatus</i> | Southeastern Five-lined Skink | S / | G5 / S3 | 1 | 1 | 0 | 0 | 0 |
| Barren | Reptiles | <i>Lampropeltis triangulum elapsoides</i> | Scarlet Kingsnake | S / | G5T5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Barren | Reptiles | <i>Ophisaurus attenuatus longicaudus</i> | Eastern Slender Glass Lizard | T / | G5T5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Barren | Reptiles | <i>Pituophis melanoleucus melanoleucus</i> | Northern Pine Snake | T / SOMC | G4T4 / S2 | 0 | 0 | 0 | 0 | 1 |
| Barren | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Barren | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 2 | 0 |
| Barren | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 1 | 0 | 1 | 0 | 0 |
| Barren | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 7 | 0 | 0 | 0 | 0 |
| Barren | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 0 | 0 | 1 | 0 | 0 |
| Barren | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 2 | 1 | 0 | 0 | 0 |
| Barren | Communities | <i>Acidic mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Barren | Communities | <i>Calcareous mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Barren | Communities | <i>Depression swamp</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Barren | Communities | <i>Limestone slope glade</i> | | / | GNR / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Barren County Total: | | | | | | 48 | 49 | 5 | 5 | 2 |
| Bath | Vascular Plants | <i>Calamagrostis porteri ssp. porteri</i> | Porter's Reedgrass | T / | G4T4 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Bath | Vascular Plants | <i>Carex appalachica</i> | Appalachian Sedge | T / | G4 / S2? | 1 | 0 | 0 | 0 | 0 |
| Bath | Vascular Plants | <i>Carex juniperorum</i> | Cedar Sedge | E / | G3 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Bath | Vascular Plants | <i>Carex seorsa</i> | Weak Stellate Sedge | S / | G4 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Bath | Vascular Plants | <i>Carex tonsa var. rugosperma</i> | Umbel-like Sedge | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Bath | Vascular Plants | <i>Drosera intermedia</i> | Spoon-leaved Sundew | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Bath | Vascular Plants | <i>Eriophorum virginicum</i> | Tawny Cotton-grass | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------|--------------------|---|-----------------------------|--------------|----------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Bath | Vascular Plants | <i>Gratiola viscidula</i> | Short's Hedgehyssop | S / | G4G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Bath | Vascular Plants | <i>Lespedeza capitata</i> | Round-head Bush-clover | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Bath | Vascular Plants | <i>Lilium philadelphicum</i> | Wood Lily | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Bath | Vascular Plants | <i>Poa saltuensis</i> | Drooping Bluegrass | E / | G5 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Bath | Vascular Plants | <i>Podostemum ceratophyllum</i> | Threadfoot | S / | G5 / S3 | 7 | 0 | 0 | 0 | 0 |
| Bath | Vascular Plants | <i>Pogonia ophioglossoides</i> | Rose Pogonia | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Bath | Vascular Plants | <i>Potamogeton pulcher</i> | Spotted Pondweed | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Bath | Vascular Plants | <i>Prenanthes alba</i> | White Rattlesnake-root | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Bath | Vascular Plants | <i>Ranunculus ambigens</i> | Waterplantain Spearwort | S / | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Bath | Vascular Plants | <i>Rhynchospora recognita</i> | Globe Beaked-rush | S / | G5? / S3 | 2 | 0 | 0 | 0 | 0 |
| Bath | Vascular Plants | <i>Sabatia campanulata</i> | Slender Marsh Pink | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Bath | Vascular Plants | <i>Scutellaria saxatilis</i> | Rock Skullcap | T / | G3 / S2S3 | 0 | 1 | 0 | 1 | 0 |
| Bath | Vascular Plants | <i>Xyris difformis</i> | Carolina Yellow-eyed-grass | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Bath | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 2 | 1 | 0 | 0 | 0 |
| Bath | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Bath | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 9 | 0 | 6 | 0 | 0 |
| Bath | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 10 | 0 | 2 | 0 | 0 |
| Bath | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| Bath | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 8 | 0 | 0 | 0 | 0 |
| Bath | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Bath | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Bath | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 1 | 1 | 1 | 0 | 0 |
| Bath | Insects | <i>Habrophlebiodes celeteria</i> | A Leptophlebiid Mayfly | H / | G2G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Bath | Insects | <i>Papaipema speciosissima</i> | Osmunda Borer Moth | E / | G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Bath | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 3 | 1 | 0 | 0 | 0 |
| Bath | Fishes | <i>Percopsis omiscomaycus</i> | Trout-perch | S / SOMC | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Bath | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 3 | 0 | 0 | 0 | 0 |
| Bath | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 2 | 0 | 0 | 0 | 0 |
| Bath | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 2 | 0 | 0 | 0 | 0 |
| Bath | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 0 | 1 | 0 | 0 | 0 |
| Bath | Breeding Birds | <i>Gallinula chloropus</i> | Common Moorhen | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Bath | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Bath | Breeding Birds | <i>Ixobrychus exilis</i> | Least Bittern | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Bath | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Bath | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Bath | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| Bath | Communities | <i>Appalachian acid seep</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Bath | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 0 | 0 | 0 | 1 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------------------------|-----------------|--|-------------------------------|----------|--------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Bath | Communities | <i>Appalachian sub-xeric forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Bath | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Bath | Communities | <i>Xeric acidic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Bath County Total: | | | | | | 80 | 17 | 9 | 4 | 0 |
| Bell | Mosses | <i>Polytrichum pallidisetum</i> | A Hair Cap Moss | T / | G4 / S2? | 1 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Adlumia fungosa</i> | Allegheny-vine | E / | G4 / S1 | 3 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Amianthium muscitoxicum</i> | Fly Poison | T / | G4G5 / S1S2 | 1 | 1 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Aralia nudicaulis</i> | Wild Sarsaparilla | E / | G5 / S3? | 1 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Baptisia tinctoria</i> | Yellow Wild Indigo | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Boykinia aconitifolia</i> | Brook Saxifrage | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Calamagrostis porteri ssp. porteri</i> | Porter's Reedgrass | T / | G4T4 / S2S3 | 1 | 1 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Calopogon tuberosus</i> | Grass Pink | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Carex austrocaroliniana</i> | Tarheel Sedge | S / | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Carex hystericina</i> | Porcupine Sedge | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Castanea pumila</i> | Allegheny Chinkapin | T / | G5 / S2 | 1 | 0 | 0 | 2 | 0 |
| Bell | Vascular Plants | <i>Chelone obliqua var. obliqua</i> | Red Turtlehead | E / | G4T3T4Q / S1 | 1 | 1 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Chrysosplenium americanum</i> | American Golden-saxifrage | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Convallaria montana</i> | American Lily-of-the-valley | E / | G4? / S1 | 1 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Corydalis sempervirens</i> | Rock Harlequin | S / | G4G5 / S3? | 7 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Deschampsia flexuosa</i> | Crinkled Hairgrass | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Gentiana decora</i> | Showy Gentian | S / | G4? / S3 | 4 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Houstonia serpyllifolia</i> | Michaux's Bluets | E / | G4? / S1 | 1 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Hypericum pseudomaculatum</i> | Large Spotted St. John's-wort | H / | G5? / SH | 0 | 1 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Lathyrus venosus</i> | Smooth Veiny Peavine | S / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Liparis loeselii</i> | Loesel's Twayblade | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Listera smallii</i> | Kidney-leaf Twayblade | T / | G4 / S2 | 2 | 0 | 1 | 0 | 0 |
| Bell | Vascular Plants | <i>Melampyrum lineare var. latifolium</i> | American Cowwheat | T / | G5T5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Monotropsis odorata</i> | Sweet Pinesap | T / SOMC | G3 / S2 | 2 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Prosartes maculata</i> | Nodding Mandarin | S / | G3G4 / S3? | 1 | 1 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Pseudognaphalium helleri ssp. micradenium</i> | Small Rabbit-tobacco | H / | G4G5T3? / SH | 0 | 1 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Salvia urticifolia</i> | Nettle-leaf Sage | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Silene ovata</i> | Ovate Catchfly | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Solidago curtisii</i> | Curtis' Goldenrod | T / | G4G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Solidago puberula</i> | Downy Goldenrod | S / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Solidago roanensis</i> | Roan Mountain Goldenrod | T / | G4G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Trillium undulatum</i> | Painted Trillium | T / | G5 / S2 | 4 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Vaccinium erythrocarpum</i> | Southern Mountain Cranberry | E / | G5 / S1? | 2 | 0 | 0 | 0 | 0 |
| Bell | Vascular Plants | <i>Veratrum parviflorum</i> | Appalachian Bunchflower | E / | G4? / S1 | 2 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------------------------|--------------------|--|--------------------------------|----------|----------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Bell | Vascular Plants | <i>Woodsia scopulina ssp. appalachiana</i> | Appalachian Woodsia | H / | G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Bell | Terrestrial Snails | <i>Anguispira rugoderma</i> | Pine Mountain Tigersnail | E / | G2 / S2 | 1 | 1 | 0 | 0 | 0 |
| Bell | Terrestrial Snails | <i>Fumonelix wetherbyi</i> | Clifty Covert | S / | G2G3 / S2 | 1 | 1 | 0 | 0 | 0 |
| Bell | Terrestrial Snails | <i>Patera panselenus</i> | Virginia Bladetooth | S / | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Bell | Freshwater Mussels | <i>Anodontoides denigratus</i> | Cumberland Papershell | E / SOMC | G1 / S1 | 1 | 0 | 0 | 2 | 0 |
| Bell | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Bell | Crustaceans | <i>Cambarus parvoculus</i> | Mountain Midget Crayfish | T / | G5 / S2 | 3 | 0 | 0 | 0 | 0 |
| Bell | Insects | <i>Callophrys irus</i> | Frosted Elfin | T / | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Bell | Insects | <i>Calopteryx dimidiata</i> | Sparkling Jewelwing | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Bell | Insects | <i>Cheumatopsyche helma</i> | Helma's Net-spinning Caddisfly | H / SOMC | G3 / SH | 0 | 1 | 0 | 0 | 0 |
| Bell | Insects | <i>Lytrosis permagnaria</i> | A Geometrid Moth | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Bell | Insects | <i>Polygonia faunus</i> | Green Comma | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Bell | Insects | <i>Pseudanopthalmus frigidus</i> | Icebox Cave Beetle | T / C | G1 / S1 | 0 | 0 | 1 | 0 | 0 |
| Bell | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 0 | 0 | 0 | 1 |
| Bell | Fishes | <i>Phoxinus cumberlandensis</i> | Blackside Dace | T / LT | G2 / S2 | 42 | 0 | 2 | 4 | 0 |
| Bell | Reptiles | <i>Eumeces anthracinus</i> | Coal Skink | T / | G5 / S2 | 0 | 0 | 0 | 0 | 0 |
| Bell | Reptiles | <i>Eumeces inexpectatus</i> | Southeastern Five-lined Skink | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Bell | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 1 | 0 |
| Bell | Breeding Birds | <i>Corvus corax</i> | Common Raven | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Bell | Breeding Birds | <i>Dendroica fusca</i> | Blackburnian Warbler | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Bell | Breeding Birds | <i>Empidonax minimus</i> | Least Flycatcher | E / | G5 / S1B | 2 | 0 | 0 | 0 | 0 |
| Bell | Breeding Birds | <i>Junco hyemalis</i> | Dark-eyed Junco | S / | G5 / S2S3B,S5N | 1 | 0 | 0 | 0 | 0 |
| Bell | Breeding Birds | <i>Pheucticus ludovicianus</i> | Rose-breasted Grosbeak | S / | G5 / S3S4B | 1 | 0 | 0 | 0 | 0 |
| Bell | Breeding Birds | <i>Picoides borealis</i> | Red-cockaded Woodpecker | X / LE | G3 / SX | 0 | 0 | 0 | 1 | 0 |
| Bell | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Bell | Breeding Birds | <i>Vermivora chrysoptera</i> | Golden-winged Warbler | T / SOMC | G4 / S2B | 0 | 1 | 0 | 0 | 0 |
| Bell | Breeding Birds | <i>Wilsonia canadensis</i> | Canada Warbler | S / | G5 / S3B | 3 | 1 | 0 | 0 | 0 |
| Bell | Mammals | <i>Clethrionomys gapperi maurus</i> | Kentucky Red-backed Vole | S / SOMC | G5T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Bell | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Bell | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 0 | 1 | 0 | 0 | 0 |
| Bell | Mammals | <i>Sorex cinereus</i> | Cinereus Shrew | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Bell | Mammals | <i>Spilogale putorius</i> | Eastern Spotted Skunk | S / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Bell | Mammals | <i>Ursus americanus</i> | American Black Bear | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Bell | Communities | <i>Appalachian acid seep</i> | | / | GNR / S2 | 2 | 0 | 0 | 0 | 0 |
| Bell County Total: | | | | | | 110 | 43 | 4 | 11 | 1 |
| Boone | Vascular Plants | <i>Bouteloua curtipendula</i> | Side-oats Grama | S / | G5 / S3? | 0 | 1 | 0 | 0 | 0 |
| Boone | Vascular Plants | <i>Matelea carolinensis</i> | Carolina Anglepod | E / | G4 / S1? | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------------------------|--------------------|---|---------------------------|----------|------------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Boone | Vascular Plants | <i>Onosmodium hispidissimum</i> | Hairy False Gromwell | E / | G4G5T4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Boone | Vascular Plants | <i>Philadelphus inodorus</i> | Mock Orange | T / | G4G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Boone | Vascular Plants | <i>Prenanthes crepidinea</i> | Nodding Rattlesnake-root | S / | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Boone | Vascular Plants | <i>Ranunculus ambigens</i> | Waterplantain Spearwort | S / | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Boone | Vascular Plants | <i>Trifolium stoloniferum</i> | Running Buffalo Clover | T / LE | G3 / S2S3 | 8 | 0 | 0 | 1 | 0 |
| Boone | Aquatic Snails | <i>Leptoxis praerosa</i> | Onyx Rocksnail | S / SOMC | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Boone | Aquatic Snails | <i>Lithasia verrucosa</i> | Varicose Rocksnail | S / SOMC | G4Q / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Boone | Freshwater Mussels | <i>Cumberlandia monodonta</i> | Spectaclecase | E / C | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Boone | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 0 | 0 | 1 | 0 |
| Boone | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Boone | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Boone | Freshwater Mussels | <i>Leptodea leptodon</i> | Scaleshell | X / LE | G1G2 / SX | 0 | 0 | 0 | 1 | 0 |
| Boone | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Boone | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Boone | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Boone | Insects | <i>Dryobius sexnotatus</i> | Sixbanded Longhorn Beetle | T / SOMC | GNR / S1 | 0 | 0 | 1 | 0 | 0 |
| Boone | Fishes | <i>Atractosteus spatula</i> | Alligator Gar | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Boone | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Boone | Fishes | <i>Lota lota</i> | Burbot | S / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Boone | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 1 | 0 | 0 | 0 |
| Boone | Amphibians | <i>Plethodon cinereus</i> | Redback Salamander | S / | G5 / S3 | 15 | 0 | 0 | 0 | 0 |
| Boone | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 1 | 1 | 0 | 0 | 0 |
| Boone | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 1 | 0 |
| Boone | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 2 | 0 |
| Boone | Breeding Birds | <i>Bartramia longicauda</i> | Upland Sandpiper | H / | G5 / SHB | 0 | 1 | 0 | 0 | 0 |
| Boone | Breeding Birds | <i>Passerculus sandwichensis</i> | Savannah Sparrow | S / | G5 / S2S3B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Boone | Breeding Birds | <i>Poocetes gramineus</i> | Vesper Sparrow | E / | G5 / S1B | 0 | 0 | 0 | 0 | 1 |
| Boone | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 2 | 0 | 0 | 0 | 0 |
| Boone | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 3 | 0 | 0 | 0 | 0 |
| Boone | Communities | <i>Calcareous sub-xeric forest</i> | | / | GNR / S5 | 4 | 0 | 0 | 0 | 0 |
| Boone | Communities | <i>Riparian forest</i> | | / | GNR / S3 | 1 | 0 | 0 | 0 | 0 |
| Boone County Total: | | | | | | 40 | 14 | 1 | 12 | 1 |
| Bourbon | Vascular Plants | <i>Lesquerella globosa</i> | Globe Bladderpod | E / C | G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| Bourbon | Vascular Plants | <i>Trifolium stoloniferum</i> | Running Buffalo Clover | T / LE | G3 / S2S3 | 3 | 0 | 0 | 2 | 0 |
| Bourbon | Terrestrial Snails | <i>Glyphyalinia rhoadsi</i> | Sculpted Glyph | T / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Bourbon | Fishes | <i>Etheostoma maculatum</i> | Spotted Darter | T / SOMC | G2 / S2 | 0 | 1 | 0 | 0 | 0 |
| Bourbon | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 4 | 0 | 0 | 0 | 0 |
| Bourbon | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|--------------------|-----------------------------------|------------------------|----------|------------------|------------------|----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Bourbon | Breeding Birds | <i>Dolichonyx oryzivorus</i> | Bobolink | S / | G5 / S2S3B | 6 | 0 | 0 | 0 | 0 |
| Bourbon | Breeding Birds | <i>Passerculus sandwichensis</i> | Savannah Sparrow | S / | G5 / S2S3B,S2S3N | 2 | 0 | 0 | 0 | 0 |
| Bourbon | Breeding Birds | <i>Poocetes gramineus</i> | Vesper Sparrow | E / | G5 / S1B | 1 | 0 | 0 | 0 | 0 |
| Bourbon | Mammals | <i>Mustela nivalis</i> | Least Weasel | S / | G5 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Bourbon County Total: | | | | | | 22 | 3 | 0 | 2 | 0 |
| Boyd | Vascular Plants | <i>Erythronium rostratum</i> | Yellow Troutlily | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Boyd | Vascular Plants | <i>Sida hermaphrodita</i> | Virginia Mallow | S / | G3 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Boyd | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 0 | 0 | 1 | 0 |
| Boyd | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Boyd | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 2 | 0 | 0 |
| Boyd | Insects | <i>Nixe flowersi</i> | A Heptageniid Mayfly | H / | G1G3 / SH | 0 | 1 | 0 | 0 | 0 |
| Boyd | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Boyd | Fishes | <i>Percopsis omiscomaycus</i> | Trout-perch | S / SOMC | G5 / S3 | 3 | 0 | 0 | 0 | 0 |
| Boyd | Amphibians | <i>Hyla versicolor</i> | Gray Treefrog | S / | G5 / S2S3 | 4 | 0 | 0 | 0 | 0 |
| Boyd County Total: | | | | | | 10 | 2 | 3 | 1 | 0 |
| Boyle | Vascular Plants | <i>Calopogon tuberosus</i> | Grass Pink | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Boyle | Vascular Plants | <i>Lesquerella globosa</i> | Globe Bladderpod | E / C | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Boyle | Vascular Plants | <i>Malvastrum hispidum</i> | Hispid Falsemallow | T / | G3G5 / S2? | 0 | 0 | 1 | 0 | 0 |
| Boyle | Vascular Plants | <i>Viburnum molle</i> | Softleaf Arrowwood | T / | G5 / S3? | 2 | 0 | 0 | 0 | 0 |
| Boyle | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Boyle | Insects | <i>Pseudanopthalmus conditus</i> | Hidden Cave Beetle | T / SOMC | G1G2 / S1S2 | 1 | 1 | 2 | 0 | 0 |
| Boyle | Insects | <i>Pseudanopthalmus elongatus</i> | A Cave Obligate Beetle | S / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Boyle | Insects | <i>Pseudanopthalmus puteanus</i> | Old Well Cave Beetle | T / SOMC | G1G2 / S1S2 | 1 | 0 | 1 | 0 | 0 |
| Boyle | Reptiles | <i>Eumeces anthracinus</i> | Coal Skink | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Boyle | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 0 | 0 | 0 | 0 | 0 |
| Boyle | Breeding Birds | <i>Dolichonyx oryzivorus</i> | Bobolink | S / | G5 / S2S3B | 1 | 0 | 0 | 0 | 0 |
| Boyle | Breeding Birds | <i>Passerculus sandwichensis</i> | Savannah Sparrow | S / | G5 / S2S3B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Boyle | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Boyle | Communities | <i>Siltstone/shale glade</i> | | / | GNR / S3S4 | 1 | 0 | 0 | 0 | 0 |
| Boyle County Total: | | | | | | 8 | 5 | 4 | 1 | 0 |
| Bracken | Vascular Plants | <i>Angelica atropurpurea</i> | Great Angelica | E / | G5 / S1? | 0 | 1 | 0 | 0 | 0 |
| Bracken | Vascular Plants | <i>Heteranthera dubia</i> | Grassleaf Mud-plantain | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Bracken | Vascular Plants | <i>Orobanche ludoviciana</i> | Louisiana Broomrape | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Bracken | Vascular Plants | <i>Scirpus microcarpus</i> | Small-fruit Bulrush | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Bracken | Vascular Plants | <i>Sida hermaphrodita</i> | Virginia Mallow | S / | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Bracken | Vascular Plants | <i>Sparganium eurycarpum</i> | Large Bur-reed | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Bracken | Vascular Plants | <i>Vallisneria americana</i> | Eelgrass | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Bracken | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 2 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------------------------------|--------------------|--------------------------------------|----------------------------|----------|--------------|------------------|----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Bracken | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Bracken | Fishes | <i>Atractosteus spatula</i> | Alligator Gar | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Bracken | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Bracken | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Bracken | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Bracken | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Bracken | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Bracken County Total: | | | | | | 10 | 6 | 0 | 1 | 0 |
| Breathitt | Vascular Plants | <i>Acer spicatum</i> | Mountain Maple | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Breathitt | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 2 | 0 | 0 | 0 | 0 |
| Breathitt | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Breathitt | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Breathitt | Crustaceans | <i>Cambarus parvovulus</i> | Mountain Midget Crayfish | T / | G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Breathitt | Insects | <i>Maccaffertium bednariki</i> | A Heptageniid Mayfly | S / | G2G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Breathitt | Insects | <i>Ophiogomphus howei</i> | Pygmy Snaketail | T / SOMC | G3 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Breathitt | Fishes | <i>Ammocrypta clara</i> | Western Sand Darter | E / SOMC | G3 / S1 | 2 | 0 | 0 | 0 | 0 |
| Breathitt | Fishes | <i>Etheostoma maculatum</i> | Spotted Darter | T / SOMC | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| Breathitt | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Breathitt | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 1 | 1 | 0 | 0 | 0 |
| Breathitt | Reptiles | <i>Eumeces anthracinus</i> | Coal Skink | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Breathitt | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 1 | 0 | 0 | 0 |
| Breathitt | Breeding Birds | <i>Corvus corax</i> | Common Raven | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Breathitt | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Breathitt | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Breathitt | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 0 | 0 | 0 | 0 | 0 |
| Breathitt | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 0 | 0 | 0 | 1 | 0 |
| Breathitt County Total: | | | | | | 16 | 8 | 0 | 1 | 0 |
| Breckinridge | Vascular Plants | <i>Dodecatheon frenchii</i> | French's Shooting Star | S / | G3 / S3 | 2 | 1 | 0 | 0 | 0 |
| Breckinridge | Vascular Plants | <i>Draba cuneifolia</i> | Wedge-leaf Whitlow-grass | E / | G5 / S1 | 4 | 0 | 0 | 0 | 0 |
| Breckinridge | Vascular Plants | <i>Oenothera linifolia</i> | Thread-leaf Sundrops | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Breckinridge | Aquatic Snails | <i>Antroselates spiralis</i> | Shaggy Cavesnail | S / | G3 / S2 | 4 | 0 | 0 | 0 | 0 |
| Breckinridge | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Breckinridge | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Breckinridge | Crustaceans | <i>Orconectes inermis inermis</i> | Ghost Crayfish | S / | G5T4 / S3 | 12 | 0 | 0 | 0 | 0 |
| Breckinridge | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 0 | 0 | 0 | 1 |
| Breckinridge | Fishes | <i>Amblyopsis spelaea</i> | Northern Cavefish | S / SOMC | G4 / S3 | 10 | 0 | 3 | 0 | 0 |
| Breckinridge | Fishes | <i>Ichthyomyzon castaneus</i> | Chestnut Lamprey | S / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Breckinridge | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------------------------------|--------------------|---|--------------------------------|----------|---------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Breckinridge | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Breckinridge | Amphibians | <i>Hyla cinerea</i> | Green Treefrog | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Breckinridge | Amphibians | <i>Hyla versicolor</i> | Gray Treefrog | S / | G5 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Breckinridge | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 3 | 0 | 0 | 0 | 0 |
| Breckinridge | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 1 | 0 | 0 | 0 | 0 |
| Breckinridge | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 1 | 0 | 0 | 0 |
| Breckinridge | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Breckinridge | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Breckinridge | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Breckinridge | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Breckinridge | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 8 | 0 | 0 | 0 | 0 |
| Breckinridge | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 1 | 1 | 0 | 0 | 0 |
| Breckinridge | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 6 | 0 | 0 | 1 | 0 |
| Breckinridge | Communities | <i>Limestone barren</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Breckinridge | Communities | <i>Limestone slope glade</i> | | / | GNR / S2S3 | 5 | 0 | 0 | 0 | 0 |
| Breckinridge County Total: | | | | | | 66 | 16 | 4 | 2 | 1 |
| Bullitt | Vascular Plants | <i>Agrimonia gryposepala</i> | Tall Hairy Groovebur | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Bullitt | Vascular Plants | <i>Calamagrostis porteri ssp. porteri</i> | Porter's Reedgrass | T / | G4T4 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Bullitt | Vascular Plants | <i>Carex crawei</i> | Crawe's Sedge | S / | G5 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Bullitt | Vascular Plants | <i>Cheilanthes feei</i> | Fee's Lipfern | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Bullitt | Vascular Plants | <i>Fimbristylis puberula</i> | Hairy Fimbristylis | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Bullitt | Vascular Plants | <i>Hedeoma hispidum</i> | Rough Pennyroyal | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Bullitt | Vascular Plants | <i>Isoetes melanopoda</i> | Blackfoot Quillwort | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Bullitt | Vascular Plants | <i>Juncus filipendulus</i> | Ringseed Rush | T / | G5 / S2? | 2 | 0 | 1 | 0 | 0 |
| Bullitt | Vascular Plants | <i>Leavenworthia exigua var. laciniata</i> | Kentucky Gladecress | E / SOMC | G4T1T2 / S1S2 | 46 | 0 | 8 | 15 | 0 |
| Bullitt | Vascular Plants | <i>Oenothera triloba</i> | Stemless Evening-primrose | T / | G4 / S1S2 | 1 | 0 | 0 | 1 | 0 |
| Bullitt | Vascular Plants | <i>Perideridia americana</i> | Eastern Yampah | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Bullitt | Vascular Plants | <i>Sagittaria graminea</i> | Grassleaf Arrowhead | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Bullitt | Vascular Plants | <i>Spiranthes magnicamporum</i> | Great Plains Ladies'-tresses | T / | G4 / S2 | 3 | 0 | 0 | 0 | 0 |
| Bullitt | Vascular Plants | <i>Spiranthes ochroleuca</i> | Yellow Nodding Ladies'-tresses | T / | G4 / S2? | 0 | 1 | 0 | 0 | 0 |
| Bullitt | Vascular Plants | <i>Sporobolus heterolepis</i> | Northern Dropseed | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Bullitt | Vascular Plants | <i>Stellaria longifolia</i> | Longleaf Stitchwort | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Bullitt | Vascular Plants | <i>Symphotrichum pratense</i> | Barrens Silky Aster | S / | G4? / S3 | 1 | 0 | 0 | 0 | 0 |
| Bullitt | Vascular Plants | <i>Viola septemloba var. egglestonii</i> | Eggleston's Violet | S / | G4 / S3 | 22 | 0 | 0 | 2 | 0 |
| Bullitt | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Bullitt | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Bullitt | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Bullitt | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|--------------------|---|----------------------------|----------|---------------|------------------|-----------|-----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Bullitt | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Bullitt | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 1 | 0 | 0 | 0 | 0 |
| Bullitt | Crustaceans | <i>Orconectes jeffersoni</i> | Louisville Crayfish | E / SOMC | G1 / S1 | 1 | 0 | 0 | 0 | 0 |
| Bullitt | Fishes | <i>Lota lota</i> | Burbot | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Bullitt | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Bullitt | Reptiles | <i>Clonophis kirtlandii</i> | Kirtland's Snake | T / SOMC | G2 / S2 | 0 | 0 | 0 | 0 | 1 |
| Bullitt | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 1 | 0 | 0 | 0 |
| Bullitt | Breeding Birds | <i>Nyctanassa violacea</i> | Yellow-crowned Night-heron | T / | G5 / S2B | 1 | 0 | 0 | 0 | 0 |
| Bullitt | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 0 | 1 | 0 | 0 | 0 |
| Bullitt | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 3 | 0 | 0 | 1 | 0 |
| Bullitt | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 3 | 0 | 0 | 0 | 0 |
| Bullitt | Communities | <i>Dolomite glade</i> | | / | GNR / S2 | 3 | 0 | 0 | 1 | 0 |
| Bullitt | Communities | <i>Limestone barrens</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Bullitt County Total: | | | | | | 103 | 10 | 10 | 23 | 1 |
| Butler | Vascular Plants | <i>Gentiana flavida</i> | Yellow Gentian | E / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Butler | Vascular Plants | <i>Leavenworthia torulosa</i> | Necklace Gladecress | T / | G4 / S2 | 0 | 0 | 0 | 1 | 0 |
| Butler | Freshwater Mussels | <i>Cumberlandia monodonta</i> | Spectaclecase | E / C | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Butler | Freshwater Mussels | <i>Cyrogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 3 | 0 | 2 | 0 | 0 |
| Butler | Freshwater Mussels | <i>Epioblasma obliquata obliquata</i> | Catspaw | E / LE | G1T1 / S1 | 2 | 0 | 0 | 0 | 0 |
| Butler | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 1 | 0 | 0 |
| Butler | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 9 | 0 | 0 | 0 | 0 |
| Butler | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 3 | 0 | 1 | 0 | 0 |
| Butler | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 2 | 0 | 2 | 0 | 0 |
| Butler | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 2 | 0 | 0 |
| Butler | Freshwater Mussels | <i>Pleurobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 3 | 0 | 1 | 0 | 0 |
| Butler | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 3 | 0 |
| Butler | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 8 | 0 | 1 | 0 | 0 |
| Butler | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 10 | 0 | 0 | 0 | 0 |
| Butler | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Butler | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Butler | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 1 | 1 | 1 | 0 | 0 |
| Butler | Crustaceans | <i>Orconectes ronaldi</i> | A Crayfish | T / | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Butler | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 0 | 0 | 0 | 1 |
| Butler | Fishes | <i>Ichthyomyzon castaneus</i> | Chestnut Lamprey | S / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Butler | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Butler | Fishes | <i>Lepomis miniatus</i> | Redspotted Sunfish | T / | G5 / S2 | 3 | 0 | 0 | 0 | 0 |
| Butler | Fishes | <i>Phenacobius uranops</i> | Stargazing Minnow | S / | G4 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Butler | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-------------------------------|--------------------|--|----------------------------|----------|---------------|------------------|-----------|-----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Butler | Amphibians | <i>Hyla avivoca</i> | Bird-voiced Treefrog | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Butler | Reptiles | <i>Nerodia erythrogaster neglecta</i> | Copperbelly Water Snake | S / SOMC | G5T3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Butler | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 2 | 0 | 0 | 0 | 0 |
| Butler | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Butler | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 2 | 0 | 0 | 0 | 0 |
| Butler County Total: | | | | | | 56 | 13 | 11 | 4 | 1 |
| Caldwell | Vascular Plants | <i>Aesculus pavia</i> | Red Buckeye | T / | G5 / S2S3 | 0 | 0 | 0 | 1 | 0 |
| Caldwell | Vascular Plants | <i>Baptisia australis var. minor</i> | Blue Wild Indigo | S / | G5T5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Caldwell | Vascular Plants | <i>Carex stipata var. maxima</i> | Stalkgrain Sedge | H / | G5T5? / SH | 0 | 1 | 0 | 0 | 0 |
| Caldwell | Vascular Plants | <i>Chelone obliqua var. speciosa</i> | Rose Turtlehead | S / | G4T3 / S3 | 2 | 0 | 0 | 0 | 0 |
| Caldwell | Vascular Plants | <i>Cimicifuga rubifolia</i> | Appalachian Bugbane | T / SOMC | G3 / S2 | 2 | 0 | 0 | 0 | 0 |
| Caldwell | Vascular Plants | <i>Lespedeza stuevei</i> | Tall Bush-clover | S / | G4? / S3? | 0 | 1 | 0 | 0 | 0 |
| Caldwell | Vascular Plants | <i>Sedum telephioides</i> | Allegheny Stonecrop | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Caldwell | Vascular Plants | <i>Solidago buckleyi</i> | Buckley's Goldenrod | S / | G4 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Caldwell | Freshwater Mussels | <i>Toxolasma texasiensis</i> | Texas Lilliput | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Caldwell | Freshwater Mussels | <i>Villosa vanuxemensis vanuxemensis</i> | Mountain creekshell | T / | G4T4 / S2 | 0 | 0 | 0 | 1 | 0 |
| Caldwell | Fishes | <i>Erimyzon sucetta</i> | Lake Chubsucker | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Caldwell | Amphibians | <i>Hyla avivoca</i> | Bird-voiced Treefrog | S / | G5 / S3 | 3 | 0 | 0 | 0 | 0 |
| Caldwell | Amphibians | <i>Hyla gratiosa</i> | Barking Treefrog | S / | G5 / S3 | 14 | 1 | 0 | 0 | 0 |
| Caldwell | Amphibians | <i>Rana areolata circulosa</i> | Northern Crawfish Frog | S / | G4T4 / S3 | 11 | 0 | 0 | 0 | 0 |
| Caldwell | Reptiles | <i>Nerodia erythrogaster neglecta</i> | Copperbelly Water Snake | S / SOMC | G5T3 / S3 | 3 | 0 | 0 | 0 | 0 |
| Caldwell | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Caldwell | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 2 | 0 | 0 | 0 | 0 |
| Caldwell | Breeding Birds | <i>Anas discors</i> | Blue-winged Teal | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Caldwell | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 2 | 0 | 0 | 0 | 0 |
| Caldwell | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Caldwell | Communities | <i>Acidic mesophytic forest</i> | | / | GNR / S5 | 0 | 1 | 0 | 1 | 0 |
| Caldwell County Total: | | | | | | 45 | 13 | 0 | 3 | 0 |
| Calloway | Vascular Plants | <i>Aesculus pavia</i> | Red Buckeye | T / | G5 / S2S3 | 4 | 0 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Apios priceana</i> | Price's Potato-bean | E / LT | G2 / S1 | 0 | 1 | 0 | 1 | 0 |
| Calloway | Vascular Plants | <i>Arabis missouriensis</i> | Missouri Rockcress | H / | G5?Q / SH | 0 | 1 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Baptisia bracteata var. glabrescens</i> | Cream Wild Indigo | S / | G4G5T4T5 / S3 | 3 | 0 | 0 | 2 | 0 |
| Calloway | Vascular Plants | <i>Bartonia virginica</i> | Yellow Screwstem | T / | G5 / S2 | 1 | 0 | 1 | 0 | 0 |
| Calloway | Vascular Plants | <i>Carex atlantica ssp. capillacea</i> | Prickly Bog Sedge | E / | G5T5? / S1S2 | 4 | 0 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Carex reniformis</i> | Reniform Sedge | E / | G4? / S1? | 1 | 0 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Carex seorsa</i> | Weak Stellate Sedge | S / | G4 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Coreopsis pubescens</i> | Star Tickseed | S / | G5? / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Calloway | Vascular Plants | <i>Eryngium integrifolium</i> | Blue-flower Coyote-thistle | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------|--------------------|---|------------------------------|----------|---------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Calloway | Vascular Plants | <i>Eurybia hemispherica</i> | Tennessee Aster | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Gymnopogon ambiguus</i> | Bearded Skeleton-grass | S / | G4 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Halesia tetraptera</i> | Common Silverbell | E / | G5 / S1S2 | 0 | 0 | 0 | 1 | 0 |
| Calloway | Vascular Plants | <i>Helianthus silphioides</i> | Silphium Sunflower | E / | G4 / S1 | 2 | 0 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Hieracium longipilum</i> | Hairy Hawkweed | T / | G4G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Lilium superbum</i> | Turk's Cap Lily | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Lycopodiella appressa</i> | Southern Bog Clubmoss | E / | G5 / S1 | 1 | 1 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Melanthium virginicum</i> | Virginia Bunchflower | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Muhlenbergia glaberriflora</i> | Hair Grass | S / | G4? / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Oenothera linifolia</i> | Thread-leaf Sundrops | E / | G5 / S1S2 | 0 | 0 | 0 | 1 | 0 |
| Calloway | Vascular Plants | <i>Oenothera perennis</i> | Small Sundrops | E / | G5 / S1S2 | 0 | 0 | 1 | 0 | 0 |
| Calloway | Vascular Plants | <i>Oldenlandia uniflora</i> | Clustered Bluets | E / | G5 / S1 | 3 | 0 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Paspalum boscianum</i> | Bull Paspalum | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Phlox bifida ssp. bifida</i> | Cleft Phlox | T / | G5?T5? / S1S2 | 0 | 0 | 0 | 1 | 0 |
| Calloway | Vascular Plants | <i>Prenanthes crepidinea</i> | Nodding Rattlesnake-root | S / | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Ptilimnium capillaceum</i> | Mock Bishop's-weed | T / | G5 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Ptilimnium costatum</i> | Eastern Mock Bishop's-weed | H / | G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Ptilimnium nuttallii</i> | Nuttall's Mock Bishop's-weed | E / | G5? / S1S2 | 1 | 1 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Pycnanthemum albescens</i> | Whiteleaf Mountainmint | E / | G5 / S1 | 0 | 0 | 2 | 0 | 0 |
| Calloway | Vascular Plants | <i>Quercus texana</i> | Nuttall's Oak | T / | G4G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Rhododendron canescens</i> | Hoary Azalea | E / | G5 / S1 | 1 | 0 | 2 | 0 | 0 |
| Calloway | Vascular Plants | <i>Rhynchospora recognita</i> | Globe Beaked-rush | S / | G5? / S3 | 0 | 0 | 1 | 0 | 0 |
| Calloway | Vascular Plants | <i>Scleria ciliata</i> | Fringed Nutrush | E / | G5 / S2 | 1 | 1 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Sphenopholis pennsylvanica</i> | Swamp Wedgescale | S / | G4 / S1S2 | 1 | 0 | 2 | 0 | 0 |
| Calloway | Vascular Plants | <i>Spiranthes odorata</i> | Sweetscent Ladies'-tresses | E / | G5 / S1 | 0 | 0 | 1 | 0 | 0 |
| Calloway | Vascular Plants | <i>Stellaria longifolia</i> | Longleaf Stitchwort | S / | G5 / S2S3 | 2 | 0 | 1 | 0 | 0 |
| Calloway | Vascular Plants | <i>Symphyotrichum concolor</i> | Eastern Silvery Aster | T / | G5 / S2 | 1 | 0 | 1 | 0 | 0 |
| Calloway | Vascular Plants | <i>Symphyotrichum drummondii var. texanum</i> | Hairy Heart-leaved Aster | H / | G5T3T4 / SH | 0 | 1 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Trepocarpus aethusae</i> | Trepocarpus | S / | G4G5 / S3 | 3 | 0 | 0 | 0 | 0 |
| Calloway | Vascular Plants | <i>Trichostema setaceum</i> | Narrowleaved Bluecurls | E / | G5 / S1 | 0 | 0 | 1 | 0 | 0 |
| Calloway | Vascular Plants | <i>Viburnum nudum</i> | Possumhaw | E / | G5 / S1 | 2 | 1 | 2 | 0 | 0 |
| Calloway | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Calloway | Crustaceans | <i>Orconectes burri</i> | Blood River Crayfish | E / | G1 / S1 | 7 | 0 | 0 | 0 | 0 |
| Calloway | Crustaceans | <i>Procambarus viaeviridis</i> | Vernal Crayfish | T / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Insects | <i>Papaipema sp. 5</i> | Rare Cane Borer Moth | T / | G1G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Insects | <i>Papaipema speciosissima</i> | Osmunda Borer Moth | E / | G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Fishes | <i>Atractosteus spatula</i> | Alligator Gar | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Calloway | Fishes | <i>Cyprinella camura</i> | Bluntnose Shiner | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------|-----------------|---|----------------------------|--------------|----------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Calloway | Fishes | <i>Erimystax insignis</i> | Blotched Chub | E / SOMC | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Calloway | Fishes | <i>Esox niger</i> | Chain Pickerel | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Calloway | Fishes | <i>Etheostoma lynceum</i> | Brighteye Darter | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Fishes | <i>Etheostoma parvipinne</i> | Goldstripe Darter | E / | G4G5 / S1 | 1 | 1 | 0 | 0 | 0 |
| Calloway | Fishes | <i>Etheostoma proeliare</i> | Cypress Darter | T / | G5 / S2 | 3 | 0 | 0 | 0 | 0 |
| Calloway | Fishes | <i>Etheostoma swaini</i> | Gulf Darter | E / | G5 / S1 | 1 | 1 | 0 | 0 | 0 |
| Calloway | Fishes | <i>Hybopsis amnis</i> | Pallid Shiner | E / SOMC | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Calloway | Fishes | <i>Ichthyomyzon castaneus</i> | Chestnut Lamprey | S / | G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Calloway | Fishes | <i>Ichthyomyzon gagei</i> | Southern Brook Lamprey | X / | G5 / SX | 0 | 0 | 0 | 1 | 0 |
| Calloway | Fishes | <i>Lepomis marginatus</i> | Dollar Sunfish | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Calloway | Fishes | <i>Lepomis miniatus</i> | Redspotted Sunfish | T / | G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Calloway | Fishes | <i>Noturus exilis</i> | Slender Madtom | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Fishes | <i>Noturus hildebrandi</i> | Least Madtom | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Fishes | <i>Noturus phaeus</i> | Brown Madtom | E / | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Calloway | Fishes | <i>Umbra limi</i> | Central Mudminnow | T / | G5 / S2S3 | 4 | 0 | 0 | 0 | 0 |
| Calloway | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Calloway | Amphibians | <i>Eurycea guttolineata</i> | Three-lined Salamander | T / | G5 / S2 | 4 | 0 | 0 | 0 | 0 |
| Calloway | Amphibians | <i>Hyla cinerea</i> | Green Treefrog | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Amphibians | <i>Rana areolata circulosa</i> | Northern Crawfish Frog | S / | G4T4 / S3 | 1 | 1 | 0 | 0 | 0 |
| Calloway | Reptiles | <i>Apalone mutica mutica</i> | Midland Smooth Softshell | S / | G5T5 / S3 | 3 | 0 | 0 | 0 | 0 |
| Calloway | Reptiles | <i>Eumeces anthracinus</i> | Coal Skink | T / | G5 / S2 | 4 | 0 | 0 | 0 | 0 |
| Calloway | Reptiles | <i>Farancia abacura reinwardtii</i> | Western Mud Snake | S / | G5T5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Reptiles | <i>Lampropeltis triangulum elapsoides</i> | Scarlet Kingsnake | S / | G5T5 / S3 | 0 | 0 | 0 | 0 | 1 |
| Calloway | Reptiles | <i>Macrochelys temminckii</i> | Alligator Snapping Turtle | T / SOMC | G3G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Reptiles | <i>Pituophis melanoleucus melanoleucus</i> | Northern Pine Snake | T / SOMC | G4T4 / S2 | 5 | 0 | 0 | 0 | 2 |
| Calloway | Reptiles | <i>Sistrurus miliarius streckeri</i> | Western Pygmy Rattlesnake | T / | G5T5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Calloway | Reptiles | <i>Thamnophis proximus proximus</i> | Western Ribbon Snake | T / | G5T5 / S1S2 | 0 | 0 | 0 | 0 | 0 |
| Calloway | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 0 | 0 | 0 | 1 | 0 |
| Calloway | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 2 | 0 | 0 | 0 | 0 |
| Calloway | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 4 | 0 |
| Calloway | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 3 | 0 | 0 | 0 | 0 |
| Calloway | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 1 | 1 | 0 | 0 | 0 |
| Calloway | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 2 | 0 | 0 | 0 | 0 |
| Calloway | Breeding Birds | <i>Nyctanassa violacea</i> | Yellow-crowned Night-heron | T / | G5 / S2B | 1 | 0 | 0 | 0 | 0 |
| Calloway | Breeding Birds | <i>Pandion haliaetus</i> | Osprey | T / | G5 / S2B | 2 | 1 | 0 | 0 | 0 |
| Calloway | Breeding Birds | <i>Phalacrocorax auritus</i> | Double-crested Cormorant | E / | G5 / S1B | 1 | 0 | 0 | 0 | 0 |
| Calloway | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 1 | 0 | 0 | 0 |
| Calloway | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-------------------------------|--------------------|--|---------------------------|----------|-------------|------------------|-----------|-----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Calloway | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Communities | <i>Bottomland marsh</i> | | / | GNR / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Calloway | Communities | <i>Cretaceous hills forested acid seep</i> | | / | GNR / S1 | 3 | 0 | 0 | 0 | 0 |
| Calloway County Total: | | | | | | 119 | 43 | 16 | 13 | 3 |
| Campbell | Vascular Plants | <i>Agastache scrophulariifolia</i> | Purple Giant Hyssop | H / | G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Campbell | Vascular Plants | <i>Oenothera triloba</i> | Stemless Evening-primrose | T / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Campbell | Vascular Plants | <i>Orobanche ludoviciana</i> | Louisiana Broomrape | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Campbell | Vascular Plants | <i>Sida hermaphrodita</i> | Virginia Mallow | S / | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Campbell | Vascular Plants | <i>Trifolium reflexum</i> | Buffalo Clover | E / | G3G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Campbell | Aquatic Snails | <i>Leptoxis praerosa</i> | Onyx Rocksnail | S / SOMC | G5 / S3S4 | 0 | 0 | 0 | 1 | 0 |
| Campbell | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 3 | 0 | 0 | 0 | 0 |
| Campbell | Freshwater Mussels | <i>Cumberlandia monodonta</i> | Spectaclecase | E / C | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Campbell | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 7 | 0 | 0 | 1 | 0 |
| Campbell | Freshwater Mussels | <i>Epioblasma obliquata obliquata</i> | Catspaw | E / LE | G1T1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Campbell | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Campbell | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Campbell | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 1 | 0 | 1 | 1 | 0 |
| Campbell | Freshwater Mussels | <i>Hemistena lata</i> | Cracking Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 1 | 0 |
| Campbell | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 1 | 0 | 0 | 1 | 0 |
| Campbell | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Campbell | Freshwater Mussels | <i>Lasmigona compressa</i> | Creek Heelsplitter | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Campbell | Freshwater Mussels | <i>Leptodea leptodon</i> | Scaleshell | X / LE | G1G2 / SX | 0 | 0 | 0 | 1 | 0 |
| Campbell | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Campbell | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Campbell | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 5 | 0 | 0 | 1 | 0 |
| Campbell | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 2 | 0 |
| Campbell | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Campbell | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Campbell | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Campbell | Freshwater Mussels | <i>Quadrula fragosa</i> | Winged Mapleleaf | X / LE | G1 / SX | 0 | 0 | 0 | 1 | 0 |
| Campbell | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 2 | 0 | 0 | 1 | 0 |
| Campbell | Freshwater Mussels | <i>Villosa fabalis</i> | Rayed Bean | X / C | G2 / SX | 0 | 0 | 0 | 1 | 0 |
| Campbell | Insects | <i>Dryobius sexnotatus</i> | Sixbanded Longhorn Beetle | T / SOMC | GNR / S1 | 0 | 0 | 1 | 0 | 0 |
| Campbell | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Campbell | Fishes | <i>Atractosteus spatula</i> | Alligator Gar | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Campbell | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Campbell | Fishes | <i>Notropis hudsonius</i> | Spottail Shiner | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-------------------------------|--------------------|---|-----------------------------|----------|---------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Campbell | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 2 | 0 | 0 | 1 | 0 |
| Campbell | Reptiles | <i>Clonophis kirtlandii</i> | Kirtland's Snake | T / SOMC | G2 / S2 | 0 | 0 | 0 | 0 | 0 |
| Campbell | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 0 | 0 | 0 | 0 |
| Campbell | Breeding Birds | <i>Falco peregrinus</i> | Peregrine Falcon | E / SOMC | G4 / S1B | 1 | 0 | 0 | 0 | 0 |
| Campbell | Breeding Birds | <i>Poocetes gramineus</i> | Vesper Sparrow | E / | G5 / S1B | 0 | 0 | 0 | 0 | 1 |
| Campbell | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Campbell | Mammals | <i>Spilogale putorius</i> | Eastern Spotted Skunk | S / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Campbell County Total: | | | | | | 26 | 12 | 2 | 27 | 1 |
| Carlisle | Vascular Plants | <i>Aesculus pavia</i> | Red Buckeye | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Carlisle | Vascular Plants | <i>Cabomba caroliniana</i> | Carolina Fanwort | T / | G3G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Carlisle | Vascular Plants | <i>Carex decomposita</i> | Epiphytic Sedge | T / | G3 / S2 | 0 | 1 | 0 | 0 | 0 |
| Carlisle | Vascular Plants | <i>Chelone obliqua var. speciosa</i> | Rose Turtlehead | S / | G4T3 / S3 | 2 | 0 | 0 | 0 | 0 |
| Carlisle | Vascular Plants | <i>Clematis crispa</i> | Blue Jasmine Leather-flower | T / | G5 / S2 | 2 | 0 | 1 | 0 | 0 |
| Carlisle | Vascular Plants | <i>Didiplis diandra</i> | Water-purslane | S / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Carlisle | Vascular Plants | <i>Heterotheca subaxillaris var. latifolia</i> | Broad-leaf Golden-aster | T / | G5T5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Carlisle | Vascular Plants | <i>Hydrolea uniflora</i> | One-flower Fiddleleaf | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Carlisle | Vascular Plants | <i>Lilium superbum</i> | Turk's Cap Lily | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Carlisle | Vascular Plants | <i>Melanthera nivea</i> | Snow Squarestem | S / | G5 / S3? | 0 | 1 | 0 | 0 | 0 |
| Carlisle | Vascular Plants | <i>Phacelia ranunculacea</i> | Blue Scorpion-weed | S / | G4 / S3 | 2 | 1 | 0 | 0 | 0 |
| Carlisle | Vascular Plants | <i>Salix amygdaloides</i> | Peach-leaved Willow | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Carlisle | Vascular Plants | <i>Utricularia macrorhiza</i> | Greater Bladderwort | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Carlisle | Aquatic Snails | <i>Lithasia armigera</i> | Armored Rocksnail | S / SOMC | G3G4 / S3S4 | 1 | 0 | 0 | 0 | 0 |
| Carlisle | Aquatic Snails | <i>Lithasia verrucosa</i> | Varicose Rocksnail | S / SOMC | G4Q / S3S4 | 1 | 0 | 0 | 0 | 0 |
| Carlisle | Terrestrial Snails | <i>Webbhelix multilineata</i> | Striped Whitelip | T / | G5 / S1S2 | 7 | 0 | 0 | 0 | 0 |
| Carlisle | Freshwater Mussels | <i>Potamilus capax</i> | Fat Pocketbook | E / LE | G1G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| Carlisle | Freshwater Mussels | <i>Toxolasma texasiensis</i> | Texas Lilliput | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Carlisle | Crustaceans | <i>Cambarellus shufeldtii</i> | Cajun Dwarf Crayfish | S / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Carlisle | Crustaceans | <i>Orconectes lancifer</i> | Shrimp Crayfish | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Carlisle | Crustaceans | <i>Orconectes palmeri palmeri</i> | Gray-Speckled Crayfish | E / | G5T5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Carlisle | Insects | <i>Arigomphus maxwelli</i> | Bayou Clubtail | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Carlisle | Insects | <i>Papaipema sp. 5</i> | Rare Cane Borer Moth | T / | G1G2 / S1S2 | 4 | 0 | 0 | 0 | 0 |
| Carlisle | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Carlisle | Fishes | <i>Atractosteus spatula</i> | Alligator Gar | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Carlisle | Fishes | <i>Cyprinella venusta</i> | Blacktail Shiner | S / | G5 / S3 | 5 | 0 | 0 | 0 | 0 |
| Carlisle | Fishes | <i>Erimyzon sucetta</i> | Lake Chubsucker | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Carlisle | Fishes | <i>Esox niger</i> | Chain Pickerel | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Carlisle | Fishes | <i>Hybognathus hayi</i> | Cypress Minnow | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Carlisle | Fishes | <i>Lepomis miniatus</i> | Redspotted Sunfish | T / | G5 / S2 | 2 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-------------------------------|--------------------|---|----------------------------|--------------|------------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Carlisle | Fishes | <i>Macrhybopsis gelida</i> | Sturgeon Chub | E / | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Carlisle | Fishes | <i>Macrhybopsis meeki</i> | Sicklefin Chub | E / | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Carlisle | Fishes | <i>Menidia beryllina</i> | Inland Silverside | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Carlisle | Fishes | <i>Notropis maculatus</i> | Taillight Shiner | T / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Carlisle | Amphibians | <i>Hyla cinerea</i> | Green Treefrog | S / | G5 / S3 | 7 | 0 | 0 | 0 | 0 |
| Carlisle | Amphibians | <i>Rana areolata circulosa</i> | Northern Crawfish Frog | S / | G4T4 / S3 | 4 | 0 | 2 | 0 | 0 |
| Carlisle | Reptiles | <i>Apalone mutica mutica</i> | Midland Smooth Softshell | S / | G5T5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Carlisle | Reptiles | <i>Chrysemys dorsalis</i> | Southern Painted Turtle | T / | G5 / S2 | 0 | 0 | 0 | 0 | 1 |
| Carlisle | Reptiles | <i>Farancia abacura reinwardtii</i> | Western Mud Snake | S / | G5T5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Carlisle | Reptiles | <i>Macrochelys temminckii</i> | Alligator Snapping Turtle | T / SOMC | G3G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Carlisle | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 1 | 0 |
| Carlisle | Breeding Birds | <i>Ardea alba</i> | Great Egret | E / | G5 / S1B | 1 | 0 | 0 | 1 | 0 |
| Carlisle | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 1 | 0 | 0 | 0 |
| Carlisle | Breeding Birds | <i>Corvus ossifragus</i> | Fish Crow | S / | G5 / S3B | 2 | 0 | 0 | 0 | 0 |
| Carlisle | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 3 | 0 | 0 | 0 | 0 |
| Carlisle | Breeding Birds | <i>Ictinia mississippiensis</i> | Mississippi Kite | S / | G5 / S2B | 2 | 0 | 0 | 0 | 0 |
| Carlisle | Breeding Birds | <i>Lophodytes cucullatus</i> | Hooded Merganser | T / | G5 / S1S2B,S3S4N | 1 | 0 | 0 | 0 | 0 |
| Carlisle | Breeding Birds | <i>Sternula antillarum athalassos</i> | Interior Least Tern | E / LE | G4T2Q / S2B | 2 | 0 | 0 | 0 | 0 |
| Carlisle | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Carlisle | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 1 | 0 | 0 | 1 | 0 |
| Carlisle | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Carlisle | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Carlisle | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Carlisle | Mammals | <i>Peromyscus gossypinus</i> | Cotton Mouse | T / | G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Carlisle | Communities | <i>Coastal plain mesophytic cane forest</i> | | / | GNR / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Carlisle | Communities | <i>Cypress swamp</i> | | / | GNR / S3 | 1 | 0 | 0 | 0 | 0 |
| Carlisle County Total: | | | | | | 75 | 38 | 3 | 3 | 1 |
| Carroll | Freshwater Mussels | <i>Hemistena lata</i> | Cracking Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 1 | 0 |
| Carroll | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Carroll | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Carroll | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Carroll | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Carroll | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 2 | 0 | 1 | 0 | 0 |
| Carroll | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Carroll | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Carroll | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Carroll | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 4 | 1 | 0 | 0 | 0 |
| Carroll | Breeding Birds | <i>Falco peregrinus</i> | Peregrine Falcon | E / SOMC | G4 / S1B | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|---------------------|--|------------------------------------|----------|-------------|------------------|----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Carroll | Breeding Birds | <i>Ixobrychus exilis</i> | Least Bittern | T / | G5 / S1S2B | 0 | 0 | 0 | 1 | 0 |
| Carroll | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Carroll | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Carroll | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Carroll County Total: | | | | | | 9 | 6 | 2 | 6 | 0 |
| Carter | Vascular Plants | <i>Acer spicatum</i> | Mountain Maple | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Calopogon tuberosus</i> | Grass Pink | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Carex tonsa var. rugosperma</i> | Umbel-like Sedge | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Castilleja coccinea</i> | Scarlet Indian Paintbrush | E / | G5 / S1 | 0 | 0 | 1 | 0 | 0 |
| Carter | Vascular Plants | <i>Cypripedium kentuckiense</i> | Kentucky Lady's-slipper | E / SOMC | G3 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Cypripedium parviflorum</i> | Small Yellow Lady's-slipper | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Dodecatheon frenchii</i> | French's Shooting Star | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Erythronium rostratum</i> | Yellow Troutlily | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 2 | 0 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Lathyrus palustris</i> | Vetchling Peavine | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Lilium philadelphicum</i> | Wood Lily | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Lonicera dioica var. orientalis</i> | Wild Honeysuckle | E / | G5TNRQ / S1 | 1 | 0 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Maianthemum stellatum</i> | Starflower False Solomon's-seal | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Najas gracillima</i> | Thread-like Naiad | S / | G5? / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Paxistima canbyi</i> | Canby's Mountain-lover | T / SOMC | G2 / S2 | 5 | 0 | 1 | 0 | 0 |
| Carter | Vascular Plants | <i>Spiranthes ochroleuca</i> | Yellow Nodding Ladies'-tresses | T / | G4 / S2? | 0 | 1 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Taxus canadensis</i> | Canadian Yew | T / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Thaspium pinnatifidum</i> | Cutleaf Meadow-parsnip | T / SOMC | G2G3 / S2S3 | 4 | 0 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Toxicodendron vernix</i> | Poison Sumac | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Viburnum rafinesquianum var. rafinesquianum</i> | Downy Arrowwood | T / | G5T4T5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Carter | Vascular Plants | <i>Viola walteri</i> | Walter's Violet | T / | G4G5 / S2 | 6 | 0 | 0 | 0 | 0 |
| Carter | Terrestrial Snails | <i>Glyphyalinia raderi</i> | Maryland Glyph | S / SOMC | G2 / S1 | 0 | 0 | 0 | 0 | 1 |
| Carter | Freshwater Mussels | <i>Cyrogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 1 | 0 | 0 | 0 |
| Carter | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 3 | 1 | 0 | 0 | 0 |
| Carter | Freshwater Mussels | <i>Lasmigona compressa</i> | Creek Heelsplitter | E / | G5 / S1 | 4 | 0 | 0 | 0 | 0 |
| Carter | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 1 | 1 | 0 | 0 |
| Carter | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 1 | 1 | 0 | 0 | 0 |
| Carter | Insects | <i>Calopteryx dimidiata</i> | Sparkling Jewelwing | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Carter | Insects | <i>Manophylax butleri</i> | A Limnephilid Caddisfly | S / | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| Carter | Insects | <i>Ophiogomphus howei</i> | Pygmy Snaketail | T / SOMC | G3 / S1S2 | 1 | 1 | 0 | 0 | 0 |
| Carter | Other Invertebrates | <i>Hesperonemastoma inops</i> | A Cave Obligate Harvestman | S / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------------------------|---------------------|---|-----------------------------|----------|---------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Carter | Other Invertebrates | <i>Macrocheles stygius</i> | A Cave Obligate Mite | T / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Carter | Other Invertebrates | <i>Pseudotremia carterensis</i> | A Cave Obligate Milliped | S / | G2G3 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Carter | Fishes | <i>Ichthyomyzon fossor</i> | Northern Brook Lamprey | T / | G4 / S2 | 2 | 1 | 0 | 0 | 0 |
| Carter | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Carter | Fishes | <i>Percopsis omiscomaycus</i> | Trout-perch | S / SOMC | G5 / S3 | 13 | 0 | 0 | 0 | 0 |
| Carter | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Carter | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Carter | Breeding Birds | <i>Poocetes gramineus</i> | Vesper Sparrow | E / | G5 / S1B | 0 | 1 | 0 | 0 | 0 |
| Carter | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Carter | Mammals | <i>Mustela nivalis</i> | Least Weasel | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Carter | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Carter | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Carter | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 7 | 0 | 0 | 0 | 0 |
| Carter | Communities | <i>Pine savanna-woodland</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Carter | Communities | <i>Virginia pine forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Carter | Communities | <i>Xeric calcareous forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Carter County Total: | | | | | | 72 | 33 | 3 | 0 | 1 |
| Casey | Vascular Plants | <i>Calopogon tuberosus</i> | Grass Pink | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Casey | Vascular Plants | <i>Lilium superbum</i> | Turk's Cap Lily | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Casey | Vascular Plants | <i>Trillium pusillum</i> | Least Trillium | E / SOMC | G3 / S1 | 3 | 0 | 0 | 0 | 0 |
| Casey | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Casey | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Casey | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 0 | 0 | 1 | 0 | 0 |
| Casey | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Casey | Crustaceans | <i>Barbicambarus cornutus</i> | Bottlebrush Crayfish | S / | G4 / S2 | 0 | 0 | 0 | 0 | 1 |
| Casey | Insects | <i>Maccaffertium bednariki</i> | A Heptageniid Mayfly | S / | G2G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Casey | Insects | <i>Ophiogomphus mainensis</i> | Maine Snaketail | E / | G4 / S1 | 2 | 0 | 0 | 0 | 0 |
| Casey | Insects | <i>Stylurus scudderii</i> | Zebra Clubtail | E / | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Casey | Fishes | <i>Percina macrocephala</i> | Longhead Darter | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Casey | Fishes | <i>Percopsis omiscomaycus</i> | Trout-perch | S / SOMC | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Casey | Fishes | <i>Phenacobius uranops</i> | Stargazing Minnow | S / | G4 / S2S3 | 1 | 1 | 0 | 0 | 0 |
| Casey | Reptiles | <i>Pituophis melanoleucus melanoleucus</i> | Northern Pine Snake | T / SOMC | G4T4 / S2 | 0 | 0 | 0 | 0 | 1 |
| Casey | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Casey | Communities | <i>Siltstone/shale glade</i> | | / | GNR / S3S4 | 2 | 0 | 0 | 0 | 0 |
| Casey County Total: | | | | | | 12 | 10 | 1 | 0 | 2 |
| Christian | Vascular Plants | <i>Agalinis auriculata</i> | Earleaf False Foxglove | E / | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Baptisia australis var. minor</i> | Blue Wild Indigo | S / | G5T5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Carex alata</i> | Broadwing Sedge | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------|--------------------|---|----------------------------------|----------|---------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Christian | Vascular Plants | <i>Carex stipata var. maxima</i> | Stalkgrain Sedge | H / | G5T5? / SH | 0 | 1 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Delphinium carolinianum</i> | Carolina Larkspur | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Draba cuneifolia</i> | Wedge-leaf Whitlow-grass | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Echinodorus parvulus</i> | Dwarf Burhead | E / SOMC | G3Q / S1 | 1 | 0 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Heteranthera limosa</i> | Blue Mud-plantain | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Hieracium longipilum</i> | Hairy Hawkweed | T / | G4G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Lespedeza capitata</i> | Round-head Bush-clover | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Lespedeza stuevei</i> | Tall Bush-clover | S / | G4? / S3? | 0 | 1 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Malvastrum hispidum</i> | Hispid Falsemallow | T / | G3G5 / S2? | 0 | 0 | 1 | 0 | 0 |
| Christian | Vascular Plants | <i>Muhlenbergia glabrifloris</i> | Hair Grass | S / | G4? / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Oenothera linifolia</i> | Thread-leaf Sundrops | E / | G5 / S1S2 | 1 | 1 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Onosmodium hispidissimum</i> | Hairy False Gromwell | E / | G4G5T4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Phacelia ranunculacea</i> | Blue Scorpion-weed | S / | G4 / S3 | 2 | 0 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Rhynchosia tomentosa</i> | Hairy Snoutbean | E / | G5 / S1S2 | 0 | 0 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Rudbeckia subtomentosa</i> | Sweet Coneflower | E / | G5 / S1 | 2 | 1 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Schoenoplectus hallii</i> | Hall's Bulrush | E / SOMC | G2G3 / S1 | 1 | 0 | 0 | 1 | 0 |
| Christian | Vascular Plants | <i>Silene regia</i> | Royal Catchfly | E / | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Silphium laciniatum</i> | Compassplant | T / | G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Trillium pusillum</i> | Least Trillium | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Christian | Vascular Plants | <i>Zizaniopsis miliacea</i> | Southern Wild Rice | T / | G5 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Christian | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 0 | 0 | 1 | 0 |
| Christian | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Christian | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Christian | Freshwater Mussels | <i>Pegias fabula</i> | Littlewing Pearlymussel | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Christian | Freshwater Mussels | <i>Ptychobranthus subtentum</i> | Fluted Kidneyshell | E / C | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Christian | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Christian | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 1 | 0 | 1 | 0 | 0 |
| Christian | Freshwater Mussels | <i>Villosa vanuxemensis vanuxemensis</i> | Mountain creekshell | T / | G4T4 / S2 | 4 | 0 | 4 | 0 | 0 |
| Christian | Crustaceans | <i>Cambarus friaufi</i> | Hairy Crayfish | S / | G4 / S3S4 | 1 | 0 | 0 | 0 | 0 |
| Christian | Crustaceans | <i>Orconectes pellucidus</i> | Mammoth Cave Crayfish | S / SOMC | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Christian | Insects | <i>Calephelis muticum</i> | Swamp Metalmark | T / | G3 / S2 | 0 | 0 | 1 | 0 | 0 |
| Christian | Insects | <i>Papaipema eryngii</i> | Rattlesnake-master Borer Moth | E / | G1G2 / S1 | 0 | 0 | 1 | 0 | 0 |
| Christian | Insects | <i>Satyrium favonius ontario</i> | Northern Hairstreak | S / | G4T4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Christian | Fishes | <i>Etheostoma microlepidum</i> | Smallscale Darter | E / SOMC | G2G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Christian | Fishes | <i>Etheostoma tecumsehi</i> | Shawnee Darter | S / SOMC | G1 / S2S3 | 8 | 0 | 0 | 0 | 0 |
| Christian | Fishes | <i>Lepomis miniatus</i> | Redspotted Sunfish | T / | G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Christian | Fishes | <i>Typhlichthys subterraneus</i> | Southern Cavefish | S / SOMC | G3G4 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Christian | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------------------------------|--------------------|---|----------------------------|----------|--------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Christian | Amphibians | <i>Hyla avivoca</i> | Bird-voiced Treefrog | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Christian | Amphibians | <i>Hyla gratiosa</i> | Barking Treefrog | S / | G5 / S3 | 10 | 0 | 0 | 0 | 0 |
| Christian | Reptiles | <i>Nerodia erythrogaster neglecta</i> | Copperbelly Water Snake | S / SOMC | G5T3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Christian | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 3 | 0 | 0 | 0 | 0 |
| Christian | Breeding Birds | <i>Anas clypeata</i> | Northern Shoveler | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Christian | Breeding Birds | <i>Anas discors</i> | Blue-winged Teal | T / | G5 / S1S2B | 2 | 0 | 0 | 0 | 0 |
| Christian | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 1 | 0 | 0 | 0 | 0 |
| Christian | Breeding Birds | <i>Nyctanassa violacea</i> | Yellow-crowned Night-heron | T / | G5 / S2B | 1 | 0 | 0 | 0 | 0 |
| Christian | Breeding Birds | <i>Podilymbus podiceps</i> | Pied-billed Grebe | E / | G5 / S1B,S4N | 1 | 0 | 0 | 0 | 0 |
| Christian | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Christian | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Christian | Breeding Birds | <i>Vireo bellii</i> | Bell's Vireo | S / SOMC | G5 / S2S3B | 1 | 0 | 0 | 0 | 0 |
| Christian | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Christian | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Christian | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Christian | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Christian | Communities | <i>Depression swamp</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Christian | Communities | <i>Limestone barrens</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Christian | Communities | <i>Limestone prairie</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Christian | Communities | <i>Sandstone barrens</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Christian | Communities | <i>Shawnee hills sandstone glade</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Christian | Communities | <i>Tallgrass prairie</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Christian County Total: | | | | | | 73 | 17 | 8 | 6 | 0 |
| Clark | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Clark | Vascular Plants | <i>Lesquerella globosa</i> | Globe Bladderpod | E / C | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Clark | Vascular Plants | <i>Liparis loeselii</i> | Loesel's Twayblade | T / | G5 / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Clark | Vascular Plants | <i>Malvastrum hispidum</i> | Hispid Falsemallow | T / | G3G5 / S2? | 0 | 1 | 0 | 0 | 0 |
| Clark | Vascular Plants | <i>Oenothera triloba</i> | Stemless Evening-primrose | T / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Clark | Vascular Plants | <i>Poa saltuensis</i> | Drooping Bluegrass | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Clark | Vascular Plants | <i>Prenanthes crepidinea</i> | Nodding Rattlesnake-root | S / | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Clark | Vascular Plants | <i>Sagina fontinalis</i> | Water Stitchwort | T / | G3 / S2 | 2 | 0 | 0 | 1 | 0 |
| Clark | Vascular Plants | <i>Salix amygdaloides</i> | Peach-leaved Willow | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Clark | Vascular Plants | <i>Schizachne purpurascens</i> | Purple Oat | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Clark | Vascular Plants | <i>Spiranthes lucida</i> | Shining Ladies'-tresses | T / | G5 / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Clark | Vascular Plants | <i>Trifolium stoloniferum</i> | Running Buffalo Clover | T / LE | G3 / S2S3 | 4 | 0 | 1 | 1 | 0 |
| Clark | Vascular Plants | <i>Viburnum molle</i> | Softleaf Arrowwood | T / | G5 / S3? | 2 | 0 | 0 | 0 | 0 |
| Clark | Vascular Plants | <i>Viburnum rafinesquianum</i> var. <i>rafinesquianum</i> | Downy Arrowwood | T / | G5T4T5 / S2 | 1 | 1 | 0 | 0 | 0 |
| Clark | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 1 | 1 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------------------------|--------------------|---------------------------------|----------------------------|----------|--------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Clark | Crustaceans | <i>Cambarus veteranus</i> | Big Sandy Crayfish | S / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Clark | Insects | <i>Speyeria idalia</i> | Regal Fritillary | H / SOMC | G3 / SH | 0 | 1 | 0 | 0 | 0 |
| Clark | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 0 | 0 | 0 | 0 | 0 |
| Clark | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 1 | 0 | 0 | 0 |
| Clark | Breeding Birds | <i>Dolichonyx oryzivorus</i> | Bobolink | S / | G5 / S2S3B | 1 | 0 | 0 | 0 | 0 |
| Clark | Breeding Birds | <i>Nycticorax nycticorax</i> | Black-crowned Night-heron | T / | G5 / S1S2B | 1 | 0 | 0 | 1 | 0 |
| Clark | Mammals | <i>Mustela nivalis</i> | Least Weasel | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Clark | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Clark | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Clark | Communities | <i>Acidic mesophytic forest</i> | | / | GNR / S5 | 0 | 0 | 0 | 1 | 0 |
| Clark | Communities | <i>Limestone slope glade</i> | | / | GNR / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Clark | Communities | <i>Moist limestone cliff</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Clark County Total: | | | | | | 18 | 10 | 4 | 6 | 0 |
| Clay | Vascular Plants | <i>Hypericum crux-andreae</i> | St. Peter's-wort | T / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Clay | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Clay | Vascular Plants | <i>Lathyrus venosus</i> | Smooth Veiny Peavine | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Clay | Vascular Plants | <i>Podostemum ceratophyllum</i> | Threadfoot | S / | G5 / S3 | 12 | 0 | 0 | 0 | 0 |
| Clay | Vascular Plants | <i>Prenanthes crepidinea</i> | Nodding Rattlesnake-root | S / | G4 / S3 | 4 | 0 | 0 | 0 | 0 |
| Clay | Vascular Plants | <i>Silphium wasiotense</i> | Appalachian Rosinweed | S / SOMC | G3 / S3 | 27 | 0 | 2 | 0 | 0 |
| Clay | Vascular Plants | <i>Solidago curtisii</i> | Curtis' Goldenrod | T / | G4G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Clay | Vascular Plants | <i>Thermopsis mollis</i> | Soft-haired Thermopsis | E / | G3G4 / S1 | 4 | 0 | 0 | 0 | 0 |
| Clay | Vascular Plants | <i>Vallisneria americana</i> | Eelgrass | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Clay | Terrestrial Snails | <i>Anguispira rugoderma</i> | Pine Mountain Tigersnail | E / | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| Clay | Terrestrial Snails | <i>Mesomphix rugeli</i> | Wrinkled Button | T / | G4 / S2 | 3 | 0 | 0 | 0 | 0 |
| Clay | Freshwater Mussels | <i>Anodontooides denigratus</i> | Cumberland Papershell | E / SOMC | G1 / S1 | 1 | 0 | 0 | 0 | 0 |
| Clay | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 6 | 0 | 1 | 0 | 0 |
| Clay | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 2 | 0 | 0 | 0 | 0 |
| Clay | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 5 | 1 | 0 | 0 | 0 |
| Clay | Crustaceans | <i>Cambarus parvoculus</i> | Mountain Midget Crayfish | T / | G5 / S2 | 3 | 0 | 0 | 0 | 0 |
| Clay | Insects | <i>Dryobius sexnotatus</i> | Sixbanded Longhorn Beetle | T / SOMC | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Clay | Insects | <i>Maccaffertium bednariki</i> | A Heptageniid Mayfly | S / | G2G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Clay | Insects | <i>Ophiogomphus howei</i> | Pygmy Snaketail | T / SOMC | G3 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Clay | Fishes | <i>Ichthyomyzon fossor</i> | Northern Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Clay | Fishes | <i>Percina macrocephala</i> | Longhead Darter | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Clay | Reptiles | <i>Eumeces anthracinus</i> | Coal Skink | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Clay | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Clay | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 0 | 1 | 0 | 0 | 0 |
| Clay | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 3 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|---------------------|----------------------------------|--|----------|--------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Clay | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Clay County Total: | | | | | | 80 | 10 | 3 | 0 | 0 |
| Clinton | Vascular Plants | <i>Aureolaria patula</i> | Spreading False Foxglove | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Clinton | Vascular Plants | <i>Bartonia virginica</i> | Yellow Screwstem | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Clinton | Vascular Plants | <i>Euphorbia mercurialina</i> | Mercury Spurge | T / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Clinton | Vascular Plants | <i>Parnassia asarifolia</i> | Kidneyleaf | E / | G4 / S1 | 0 | 0 | 0 | 1 | 0 |
| Clinton | Vascular Plants | <i>Parnassia grandifolia</i> | Grass-of-parnassus Large-leaved | E / | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Clinton | Vascular Plants | <i>Potamogeton pulcher</i> | Grass-of-parnassus Spotted Pondweed | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Clinton | Vascular Plants | <i>Sabatia campanulata</i> | Slender Marsh Pink | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Clinton | Vascular Plants | <i>Thaspium pinnatifidum</i> | Cutleaf Meadow-parsnip | T / SOMC | G2G3 / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Clinton | Freshwater Mussels | <i>Cumberlandia monodonta</i> | Spectaclecase | E / C | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Clinton | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 0 | 0 | 1 | 0 |
| Clinton | Freshwater Mussels | <i>Dromus dromas</i> | Dromedary Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 3 | 0 |
| Clinton | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Clinton | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Clinton | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 3 | 0 |
| Clinton | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Clinton | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Clinton | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 0 | 1 | 0 |
| Clinton | Freshwater Mussels | <i>Villosa trabalis</i> | Cumberland Bean | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Clinton | Insects | <i>Calopteryx dimidiata</i> | Sparkling Jewelwing | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Clinton | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Clinton | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 0 | 1 | 0 | 0 | 0 |
| Clinton | Breeding Birds | <i>Rallus elegans</i> | King Rail | E / | G4 / S1B | 0 | 1 | 0 | 0 | 0 |
| Clinton | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 2 | 0 | 0 | 0 | 0 |
| Clinton | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 3 | 0 | 0 | 0 | 0 |
| Clinton | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Clinton | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Clinton | Communities | <i>Acidic mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Clinton | Communities | <i>Acidic sub-xeric forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Clinton | Communities | <i>Calcareous seep</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Clinton | Communities | <i>Depression swamp</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Clinton | Communities | <i>Limestone slope glade</i> | | / | GNR / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Clinton | Communities | <i>Sinkhole/depression marsh</i> | | / | GNR / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Clinton County Total: | | | | | | 19 | 7 | 1 | 15 | 0 |
| Crittenden | Non-Vascular Plants | <i>Phaeophyscia leana</i> | Lea's Bog Lichen | E / | G2 / S1? | 1 | 0 | 0 | 0 | 0 |
| Crittenden | Vascular Plants | <i>Aesculus pavia</i> | Red Buckeye | T / | G5 / S2S3 | 0 | 0 | 0 | 1 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------------------------------|--------------------|--|------------------------------|----------|---------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Crittenden | Vascular Plants | <i>Baptisia bracteata var. glabrescens</i> | Cream Wild Indigo | S / | G4G5T4T5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Crittenden | Vascular Plants | <i>Cimicifuga rubifolia</i> | Appalachian Bugbane | T / SOMC | G3 / S2 | 2 | 1 | 0 | 0 | 0 |
| Crittenden | Vascular Plants | <i>Dodecatheon frenchii</i> | French's Shooting Star | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Crittenden | Vascular Plants | <i>Fimbristylis puberula</i> | Hairy Fimbristylis | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Crittenden | Vascular Plants | <i>Gentiana puberulenta</i> | Prairie Gentian | E / | G4G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Crittenden | Vascular Plants | <i>Gymnopogon ambiguus</i> | Bearded Skeleton-grass | S / | G4 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Crittenden | Vascular Plants | <i>Hieracium longipilum</i> | Hairy Hawkweed | T / | G4G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Crittenden | Vascular Plants | <i>Muhlenbergia glabrifloris</i> | Hair Grass | S / | G4? / S2S3 | 1 | 1 | 0 | 0 | 0 |
| Crittenden | Vascular Plants | <i>Philadelphus pubescens</i> | Hoary Mock Orange | E / | G5? / S1 | 0 | 1 | 0 | 0 | 0 |
| Crittenden | Vascular Plants | <i>Schoenoplectus heterochaetus</i> | Slender Bulrush | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Crittenden | Vascular Plants | <i>Sedum telephioides</i> | Allegheny Stonecrop | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Crittenden | Vascular Plants | <i>Solidago buckleyi</i> | Buckley's Goldenrod | S / | G4 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Crittenden | Vascular Plants | <i>Spiranthes magnicamporum</i> | Great Plains Ladies'-tresses | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Crittenden | Vascular Plants | <i>Sporobolus clandestinus</i> | Rough Dropseed | T / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Crittenden | Vascular Plants | <i>Sporobolus heterolepis</i> | Northern Dropseed | E / | G5 / S1 | 1 | 1 | 0 | 0 | 0 |
| Crittenden | Vascular Plants | <i>Thaspium pinnatifidum</i> | Cutleaf Meadow-parsnip | T / SOMC | G2G3 / S2S3 | 0 | 0 | 0 | 1 | 0 |
| Crittenden | Aquatic Snails | <i>Lithasia armigera</i> | Armored Rocksnail | S / SOMC | G3G4 / S3S4 | 1 | 0 | 0 | 1 | 0 |
| Crittenden | Aquatic Snails | <i>Lithasia geniculata</i> | Ornate Rocksnail | S / SOMC | G3Q / S1 | 1 | 0 | 0 | 0 | 0 |
| Crittenden | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 1 | 0 | 0 |
| Crittenden | Freshwater Mussels | <i>Potamilus capax</i> | Fat Pocketbook | E / LE | G1G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| Crittenden | Crustaceans | <i>Orconectes bisectus</i> | Crittenden Crayfish | T / SOMC | G1 / S1 | 5 | 0 | 0 | 0 | 0 |
| Crittenden | Crustaceans | <i>Orconectes margorectus</i> | A Crayfish | T / | G2 / S2 | 2 | 1 | 0 | 0 | 0 |
| Crittenden | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Crittenden | Fishes | <i>Atractosteus spatula</i> | Alligator Gar | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Crittenden | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Crittenden | Amphibians | <i>Hyla gratiosa</i> | Barking Treefrog | S / | G5 / S3 | 6 | 0 | 0 | 0 | 0 |
| Crittenden | Amphibians | <i>Rana areolata circulosa</i> | Northern Crawfish Frog | S / | G4T4 / S3 | 5 | 0 | 0 | 0 | 0 |
| Crittenden | Reptiles | <i>Nerodia erythrogaster neglecta</i> | Copperbelly Water Snake | S / SOMC | G5T3 / S3 | 1 | 1 | 0 | 0 | 0 |
| Crittenden | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 2 | 0 | 0 | 0 | 0 |
| Crittenden | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 0 | 0 | 0 | 0 |
| Crittenden | Breeding Birds | <i>Vireo bellii</i> | Bell's Vireo | S / SOMC | G5 / S2S3B | 1 | 0 | 0 | 0 | 0 |
| Crittenden | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Crittenden | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 0 | 1 | 0 | 0 | 0 |
| Crittenden | Communities | <i>Limestone slope glade</i> | | / | GNR / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Crittenden County Total: | | | | | | 40 | 17 | 1 | 3 | 0 |
| Cumberland | Vascular Plants | <i>Aureolaria patula</i> | Spreading False Foxglove | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Cumberland | Vascular Plants | <i>Matelea carolinensis</i> | Carolina Anglepod | E / | G4 / S1? | 0 | 0 | 1 | 0 | 0 |
| Cumberland | Vascular Plants | <i>Philadelphus inodorus</i> | Mock Orange | T / | G4G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------------------------------|--------------------|---------------------------------------|------------------------------|----------|--------------|------------------|----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Cumberland | Vascular Plants | <i>Viburnum molle</i> | Softleaf Arrowwood | T / | G5 / S3? | 1 | 0 | 0 | 0 | 0 |
| Cumberland | Vascular Plants | <i>Vitis rupestris</i> | Sand Grape | T / | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Cumberland | Aquatic Snails | <i>Lithasia armigera</i> | Armored Rocksnail | S / SOMC | G3G4 / S3S4 | 0 | 0 | 0 | 1 | 0 |
| Cumberland | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 0 | 0 | 0 | 3 | 0 |
| Cumberland | Freshwater Mussels | <i>Cumberlandia monodonta</i> | Spectaclecase | E / C | G3 / S1 | 1 | 0 | 0 | 3 | 0 |
| Cumberland | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 0 | 0 | 3 | 0 |
| Cumberland | Freshwater Mussels | <i>Dromus dromas</i> | Dromedary Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 5 | 0 |
| Cumberland | Freshwater Mussels | <i>Epioblasma brevidens</i> | Cumberlandian Combshell | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Cumberland | Freshwater Mussels | <i>Epioblasma capsaeformis</i> | Oyster Mussel | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Cumberland | Freshwater Mussels | <i>Epioblasma obliquata obliquata</i> | Catspaw | E / LE | G1T1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Cumberland | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 0 | 3 | 0 |
| Cumberland | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 0 | 0 | 3 | 0 |
| Cumberland | Freshwater Mussels | <i>Hemistena lata</i> | Cracking Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 5 | 0 |
| Cumberland | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 0 | 0 | 0 | 4 | 0 |
| Cumberland | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 0 | 0 | 5 | 0 |
| Cumberland | Freshwater Mussels | <i>Leptodea leptodon</i> | Scaleshell | X / LE | G1G2 / SX | 0 | 0 | 0 | 2 | 0 |
| Cumberland | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 5 | 0 |
| Cumberland | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 7 | 0 |
| Cumberland | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 0 | 0 | 0 | 3 | 0 |
| Cumberland | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 0 | 0 | 0 | 3 | 0 |
| Cumberland | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 5 | 0 |
| Cumberland | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 5 | 0 |
| Cumberland | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| Cumberland | Freshwater Mussels | <i>Villosa trabalis</i> | Cumberland Bean | E / LE | G1 / S1 | 0 | 0 | 0 | 3 | 0 |
| Cumberland | Insects | <i>Allocapnia cunninghami</i> | A Capniid Stonefly | T / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Cumberland | Insects | <i>Gomphus hybridus</i> | Cocoa Clubtail | E / | G4 / S1 | 0 | 0 | 0 | 1 | 0 |
| Cumberland | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Cumberland | Fishes | <i>Erimystax insignis</i> | Blotched Chub | E / SOMC | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Cumberland | Fishes | <i>Notropis albizonatus</i> | Palezone Shiner | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Cumberland | Fishes | <i>Phenacobius uranops</i> | Stargazing Minnow | S / | G4 / S2S3 | 0 | 0 | 0 | 1 | 0 |
| Cumberland | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 2 | 0 | 0 | 0 | 0 |
| Cumberland County Total: | | | | | | 7 | 5 | 1 | 75 | 0 |
| Daviess | Vascular Plants | <i>Ptilimnium costatum</i> | Eastern Mock Bishop's-weed | H / | G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Daviess | Vascular Plants | <i>Ptilimnium nuttallii</i> | Nuttall's Mock Bishop's-weed | E / | G5? / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Daviess | Vascular Plants | <i>Ranunculus ambigens</i> | Waterplantain Spearwort | S / | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Daviess | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Daviess | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 3 | 0 | 0 | 0 | 0 |
| Daviess | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|--------------------|--|---------------------------|--------------|----------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Daviess | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Daviess | Fishes | <i>Hybognathus hayi</i> | Cypress Minnow | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Daviess | Amphibians | <i>Rana areolata circulosa</i> | Northern Crawfish Frog | S / | G4T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Daviess | Reptiles | <i>Nerodia erythrogaster neglecta</i> | Copperbelly Water Snake | S / SOMC | G5T3 / S3 | 5 | 0 | 0 | 1 | 0 |
| Daviess | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Daviess | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 1 | 0 | 0 | 0 |
| Daviess | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Daviess | Breeding Birds | <i>Ixobrychus exilis</i> | Least Bittern | T / | G5 / S1S2B | 0 | 1 | 0 | 0 | 0 |
| Daviess | Breeding Birds | <i>Podilymbus podiceps</i> | Pied-billed Grebe | E / | G5 / S1B,S4N | 1 | 0 | 0 | 0 | 0 |
| Daviess | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Daviess | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 0 | 1 | 0 | 0 | 0 |
| Daviess | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Daviess | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Daviess | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Daviess County Total: | | | | | | 17 | 10 | 0 | 1 | 0 |
| Edmonson | Vascular Plants | <i>Aureolaria patula</i> | Spreading False Foxglove | S / | G3 / S3 | 8 | 1 | 0 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Carex decomposita</i> | Epiphytic Sedge | T / | G3 / S2 | 2 | 0 | 0 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Dodecatheon frenchii</i> | French's Shooting Star | S / | G3 / S3 | 2 | 0 | 0 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Gentiana puberulenta</i> | Prairie Gentian | E / | G4G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Helianthemum bicknellii</i> | Plains Frostweed | E / | G5 / S1S2 | 0 | 0 | 0 | 1 | 0 |
| Edmonson | Vascular Plants | <i>Helianthus eggertii</i> | Eggert's Sunflower | T / | G3 / S2 | 4 | 0 | 0 | 1 | 0 |
| Edmonson | Vascular Plants | <i>Heteranthera limosa</i> | Blue Mud-plantain | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Krigia occidentalis</i> | Western Dwarf Dandelion | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Lespedeza stuevei</i> | Tall Bush-clover | S / | G4? / S3? | 1 | 0 | 0 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Ludwigia hirtella</i> | Hairy Ludwigia | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Polygala cruciata</i> | Crossleaf Milkwort | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Potamogeton pulcher</i> | Spotted Pondweed | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Pseudognaphalium helleri ssp. micradenium</i> | Small Rabbit-tobacco | H / | G4G5T3? / SH | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Sagittaria graminea</i> | Grassleaf Arrowhead | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Sagittaria rigida</i> | Sessile-fruited Arrowhead | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Scleria ciliata</i> | Fringed Nutrush | E / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Symphyotrichum pratense</i> | Barrens Silky Aster | S / | G4? / S3 | 2 | 0 | 0 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Trifolium reflexum</i> | Buffalo Clover | E / | G3G4 / S1S2 | 2 | 0 | 1 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Veratrum woodii</i> | Wood's Bunchflower | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Verbena canadensis</i> | Rose Mock-verbain | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Vascular Plants | <i>Viola septemloba var. egglestonii</i> | Eggleston's Violet | S / | G4 / S3 | 0 | 0 | 1 | 0 | 0 |
| Edmonson | Aquatic Snails | <i>Antroselates spiralis</i> | Shaggy Cavesnail | S / | G3 / S2 | 9 | 0 | 2 | 0 | 0 |
| Edmonson | Terrestrial Snails | <i>Helicodiscus punctatellus</i> | Punctate Coil | S / | G1 / S1 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------|---------------------|---------------------------------------|-----------------------------------|----------|-------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Edmonson | Terrestrial Snails | <i>Paravitrea lapilla</i> | Gem Supercoil | T / | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Freshwater Mussels | <i>Cumberlandia monodonta</i> | Spectaclecase | E / C | G3 / S1 | 7 | 0 | 9 | 0 | 0 |
| Edmonson | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 19 | 0 | 2 | 0 | 0 |
| Edmonson | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 1 | 1 | 7 | 0 | 0 |
| Edmonson | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 3 | 0 | 5 | 0 | 0 |
| Edmonson | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 14 | 0 | 1 | 0 | 0 |
| Edmonson | Freshwater Mussels | <i>Hemistena lata</i> | Cracking Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 1 | 0 |
| Edmonson | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 11 | 0 | 1 | 0 | 0 |
| Edmonson | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 1 | 0 | 2 | 0 | 0 |
| Edmonson | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 14 | 0 | 1 | 0 | 0 |
| Edmonson | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 1 | 0 | 3 | 0 | 0 |
| Edmonson | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 4 | 1 | 2 | 0 | 0 |
| Edmonson | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 6 | 0 | 2 | 0 | 0 |
| Edmonson | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 1 | 0 | 2 | 0 | 0 |
| Edmonson | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 1 | 0 | 0 |
| Edmonson | Freshwater Mussels | <i>Villosa ortmanni</i> | Kentucky Creekshell | T / SOMC | G2 / S2 | 3 | 0 | 1 | 0 | 0 |
| Edmonson | Crustaceans | <i>Barbicambarus cornutus</i> | Bottlebrush Crayfish | S / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Crustaceans | <i>Orconectes pellucidus</i> | Mammoth Cave Crayfish | S / SOMC | G4 / S3 | 11 | 0 | 0 | 0 | 0 |
| Edmonson | Crustaceans | <i>Palaemonias ganteri</i> | Mammoth Cave Shrimp | E / LE | G1 / S1 | 6 | 0 | 0 | 0 | 0 |
| Edmonson | Crustaceans | <i>Sagittocythere stygia</i> | An Ectocommensal Ostracod | T / | G1 / S1 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Crustaceans | <i>Stygobromus vitreus</i> | An Amphipod | S / | G4 / S1 | 2 | 0 | 0 | 0 | 0 |
| Edmonson | Insects | <i>Arrhopalites altus</i> | A Cave Obligate Springtail | T / | G2G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Insects | <i>Batrisodes henroti</i> | A Cave Obligate Beetle | T / | G2G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Insects | <i>Celithemis verna</i> | Double-ringed Pennant | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Insects | <i>Lytrosis permagnaria</i> | A Geometrid Moth | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Insects | <i>Nannothemis bella</i> | Elfin Skimmer | E / | G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Edmonson | Insects | <i>Pseudanopthalmus audax</i> | Bold Cave Beetle | T / SOMC | G1G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Insects | <i>Pseudanopthalmus inexpectatus</i> | Surprising Cave Beetle | T / | G1G2 / S1S2 | 1 | 1 | 0 | 0 | 0 |
| Edmonson | Insects | <i>Pseudosinella espanita</i> | A Cave Obligate Springtail | S / | G1 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 0 | 0 | 0 | 1 |
| Edmonson | Other Invertebrates | <i>Belba bulbipedata</i> | A Cave Obligate Mite | T / | G1 / S1 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Other Invertebrates | <i>Galumna alata</i> | A Cave Obligate Mite | T / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Other Invertebrates | <i>Kleptochthonius cerberus</i> | A Cave Obligate Pseudoscorpion | S / | G1 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Other Invertebrates | <i>Kleptochthonius hageni</i> | A Cave Obligate Pseudoscorpion | S / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Other Invertebrates | <i>Macrocheles troglodytes</i> | A Cave Obligate Mite | T / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Other Invertebrates | <i>Scoterpes copei</i> | A Cave Obligate Milliped | T / | G1 / S1 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-------------------------------|---------------------|---|-----------------------------------|----------|---------------|------------------|-----------|-----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Edmonson | Other Invertebrates | <i>Sphalloplana buchanani</i> | A Cave Obligate Planarian | T / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Other Invertebrates | <i>Tyrannochthonius hypogeus</i> | A Cave Obligate Pseudoscorpion | S / | G1 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Fishes | <i>Amblyopsis spelaea</i> | Northern Cavefish | S / SOMC | G4 / S3 | 7 | 0 | 0 | 0 | 0 |
| Edmonson | Fishes | <i>Ammocrypta clara</i> | Western Sand Darter | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Edmonson | Fishes | <i>Etheostoma maculatum</i> | Spotted Darter | T / SOMC | G2 / S2 | 4 | 0 | 0 | 0 | 0 |
| Edmonson | Fishes | <i>Noturus exilis</i> | Slender Madtom | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Edmonson | Fishes | <i>Phenacobius uranops</i> | Stargazing Minnow | S / | G4 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Edmonson | Fishes | <i>Typhlichthys subterraneus</i> | Southern Cavefish | S / SOMC | G3G4 / S2S3 | 7 | 0 | 0 | 0 | 0 |
| Edmonson | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Reptiles | <i>Elaphe guttata</i> | Corn Snake | S / | G5 / S3 | 6 | 0 | 0 | 0 | 1 |
| Edmonson | Reptiles | <i>Eumeces anthracinus</i> | Coal Skink | T / | G5 / S2 | 1 | 1 | 0 | 0 | 0 |
| Edmonson | Reptiles | <i>Eumeces inexpectatus</i> | Southeastern Five-lined Skink | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Edmonson | Reptiles | <i>Lampropeltis triangulum elapsoides</i> | Scarlet Kingsnake | S / | G5T5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Reptiles | <i>Ophisaurus attenuatus longicaudus</i> | Eastern Slender Glass Lizard | T / | G5T5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Edmonson | Reptiles | <i>Pituophis melanoleucus melanoleucus</i> | Northern Pine Snake | T / SOMC | G4T4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Edmonson | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 2 | 0 |
| Edmonson | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Edmonson | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 0 | 1 | 0 | 0 | 0 |
| Edmonson | Breeding Birds | <i>Picoides borealis</i> | Red-cockaded Woodpecker | X / LE | G3 / SX | 0 | 0 | 0 | 1 | 0 |
| Edmonson | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Edmonson | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 19 | 0 | 0 | 1 | 0 |
| Edmonson | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 2 | 0 | 1 | 0 | 0 |
| Edmonson | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 8 | 0 | 0 | 1 | 0 |
| Edmonson | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Edmonson | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 10 | 0 | 1 | 1 | 0 |
| Edmonson | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 1 | 1 | 0 | 0 | 0 |
| Edmonson | Communities | <i>Acidic mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Edmonson | Communities | <i>Acidic sub-xeric forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Edmonson | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Edmonson County Total: | | | | | | 222 | 87 | 45 | 10 | 2 |
| Elliott | Mosses | <i>Cirriphyllum piliferum</i> | | T / | G5 / S2? | 2 | 0 | 0 | 0 | 0 |
| Elliott | Mosses | <i>Polytrichum pallidisetum</i> | A Hair Cap Moss | T / | G4 / S2? | 1 | 0 | 0 | 0 | 0 |
| Elliott | Vascular Plants | <i>Acer spicatum</i> | Mountain Maple | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Elliott | Vascular Plants | <i>Circaea alpina</i> | Small Enchanter's Nightshade | S / | G5 / S3 | 3 | 0 | 0 | 0 | 0 |
| Elliott | Vascular Plants | <i>Cypripedium parviflorum</i> | Small Yellow Lady's-slipper | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Elliott | Vascular Plants | <i>Eleocharis flavescens</i> | Bright Green Spikerush | S / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|--------------------|--|--------------------------|----------|-------------|------------------|----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Elliott | Vascular Plants | <i>Erythronium rostratum</i> | Yellow Troutlily | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Elliott | Vascular Plants | <i>Hydrocotyle americana</i> | American Water-pennywort | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Elliott | Vascular Plants | <i>Juncus articulatus</i> | Jointed Rush | S / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Elliott | Vascular Plants | <i>Scutellaria saxatilis</i> | Rock Skullcap | T / | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Elliott | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Elliott | Freshwater Mussels | <i>Lasmigona compressa</i> | Creek Heelsplitter | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Elliott | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Elliott | Fishes | <i>Ichthyomyzon fossor</i> | Northern Brook Lamprey | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Elliott | Fishes | <i>Percopsis omiscomaycus</i> | Trout-perch | S / SOMC | G5 / S3 | 7 | 0 | 0 | 0 | 0 |
| Elliott | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Elliott | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Elliott | Mammals | <i>Spilogale putorius</i> | Eastern Spotted Skunk | S / | G5 / S2S3 | 0 | 0 | 0 | 0 | 0 |
| Elliott | Communities | <i>Hemlock-mixed forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Elliott County Total: | | | | | | 24 | 5 | 0 | 1 | 0 |
| Estill | Mosses | <i>Abietinella abietina</i> | Wire Fern Moss | T / | G4G5 / S2? | 2 | 0 | 0 | 0 | 0 |
| Estill | Mosses | <i>Tortula norvegica</i> | Tortula | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Bouteloua curtipendula</i> | Side-oats Grama | S / | G5 / S3? | 3 | 0 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Calamagrostis porteri ssp. insperata</i> | Bent Reedgrass | E / SOMC | G4T3 / S1S2 | 4 | 0 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Castanea pumila</i> | Allegheny Chinkapin | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Dichanthelium boreale</i> | Northern Witchgrass | S / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Dodecatheon frenchii</i> | French's Shooting Star | S / | G3 / S3 | 0 | 0 | 1 | 0 | 0 |
| Estill | Vascular Plants | <i>Elymus svensonii</i> | Svenson's Wildrye | S / SOMC | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Gratiola viscidula</i> | Short's Hedgehyssop | S / | G4G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Juncus articulatus</i> | Jointed Rush | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Lathyrus venosus</i> | Smooth Veiny Peavine | S / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Muhlenbergia cuspidata</i> | Plains Muhly | T / | G4 / S2 | 9 | 0 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Paxistima canbyi</i> | Canby's Mountain-lover | T / SOMC | G2 / S2 | 3 | 0 | 1 | 0 | 0 |
| Estill | Vascular Plants | <i>Poa saltuensis</i> | Drooping Bluegrass | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Prenanthes alba</i> | White Rattlesnake-root | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Salix amygdaloides</i> | Peach-leaved Willow | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Solidago puberula</i> | Downy Goldenrod | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Spiranthes lucida</i> | Shining Ladies'-tresses | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Symphoricarpos albus</i> | Snowberry | E / | G5 / S1 | 8 | 0 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Thaspium pinnatifidum</i> | Cutleaf Meadow-parsnip | T / SOMC | G2G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Trichostema setaceum</i> | Narrowleaved Bluecurls | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Estill | Vascular Plants | <i>Viburnum rafinesquianum var. rafinesquianum</i> | Downy Arrowwood | T / | G5T4T5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Estill | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------------------------|--------------------|---|--------------------------------|----------|-------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Estill | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 1 | 2 | 0 | 0 |
| Estill | Crustaceans | <i>Cambarus veteranus</i> | Big Sandy Crayfish | S / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Estill | Insects | <i>Pseudanopthalmus exoticus</i> | Exotic Cave Beetle | H / SOMC | G1 / SH | 0 | 1 | 0 | 0 | 0 |
| Estill | Fishes | <i>Ichthyomyzon fossor</i> | Northern Brook Lamprey | T / | G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Estill | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 9 | 0 | 0 | 0 | 0 |
| Estill | Mammals | <i>Corynorhinus townsendii virginianus</i> | Virginia Big-eared Bat | E / LE | G4T2 / S1 | 4 | 0 | 0 | 0 | 0 |
| Estill | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 6 | 0 | 0 | 0 | 0 |
| Estill | Mammals | <i>Ursus americanus</i> | American Black Bear | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Estill | Communities | <i>Acidic sub-xeric forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Estill | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 3 | 0 | 0 | 1 | 0 |
| Estill | Communities | <i>Appalachian sub-xeric forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Estill | Communities | <i>Calcareous mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 1 | 0 |
| Estill | Communities | <i>Calcareous sub-xeric forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Estill County Total: | | | | | | 73 | 13 | 4 | 2 | 0 |
| Fayette | Vascular Plants | <i>Elymus svensonii</i> | Svenson's Wildrye | S / SOMC | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Fayette | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Fayette | Vascular Plants | <i>Lesquerella globosa</i> | Globe Bladderpod | E / C | G2 / S1 | 0 | 0 | 1 | 2 | 0 |
| Fayette | Vascular Plants | <i>Lonicera prolifera</i> | Grape Honeysuckle | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Fayette | Vascular Plants | <i>Malvastrum hispidum</i> | Hispid Falsemallow | T / | G3G5 / S2? | 2 | 1 | 0 | 0 | 0 |
| Fayette | Vascular Plants | <i>Oenothera triloba</i> | Stemless Evening-primrose | T / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Fayette | Vascular Plants | <i>Onosmodium hispidissimum</i> | Hairy False Gromwell | E / | G4G5T4 / S1 | 1 | 1 | 0 | 0 | 0 |
| Fayette | Vascular Plants | <i>Prenanthes crepidinea</i> | Nodding Rattlesnake-root | S / | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Fayette | Vascular Plants | <i>Sagina fontinalis</i> | Water Stitchwort | T / | G3 / S2 | 1 | 0 | 0 | 1 | 0 |
| Fayette | Vascular Plants | <i>Salix amygdaloides</i> | Peach-leaved Willow | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Fayette | Vascular Plants | <i>Schizachne purpurascens</i> | Purple Oat | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Fayette | Vascular Plants | <i>Spiranthes ochroleuca</i> | Yellow Nodding Ladies'-tresses | T / | G4 / S2? | 0 | 1 | 0 | 0 | 0 |
| Fayette | Vascular Plants | <i>Trifolium reflexum</i> | Buffalo Clover | E / | G3G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Fayette | Vascular Plants | <i>Trifolium stoloniferum</i> | Running Buffalo Clover | T / LE | G3 / S2S3 | 2 | 0 | 1 | 4 | 0 |
| Fayette | Vascular Plants | <i>Viburnum molle</i> | Softleaf Arrowwood | T / | G5 / S3? | 1 | 0 | 0 | 0 | 0 |
| Fayette | Vascular Plants | <i>Viburnum rafinesquianum</i> var. <i>rafinesquianum</i> | Downy Arrowwood | T / | G5T4T5 / S2 | 1 | 1 | 0 | 0 | 0 |
| Fayette | Vascular Plants | <i>Viola walteri</i> | Walter's Violet | T / | G4G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Fayette | Insects | <i>Nehalennia irene</i> | Sedge Sprite | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Fayette | Insects | <i>Nicrophorus americanus</i> | American Burying Beetle | X / LE | G2G3 / SX | 0 | 0 | 0 | 1 | 0 |
| Fayette | Insects | <i>Pseudanopthalmus horni</i> | Garman's Cave Beetle | S / SOMC | G3 / S2S3 | 1 | 0 | 2 | 0 | 0 |
| Fayette | Insects | <i>Satyrium favonius ontario</i> | Northern Hairstreak | S / | G4T4 / S2 | 0 | 0 | 0 | 1 | 0 |
| Fayette | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 0 | 1 | 0 | 1 | 0 |
| Fayette | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|--------------------|---|----------------------------|----------|------------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Fayette | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 0 | 0 | 0 | 0 |
| Fayette | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 0 | 1 | 0 | 0 | 0 |
| Fayette | Breeding Birds | <i>Dolichonyx oryzivorus</i> | Bobolink | S / | G5 / S2S3B | 2 | 0 | 0 | 0 | 0 |
| Fayette | Breeding Birds | <i>Nyctanassa violacea</i> | Yellow-crowned Night-heron | T / | G5 / S2B | 1 | 1 | 0 | 0 | 0 |
| Fayette | Breeding Birds | <i>Passerculus sandwichensis</i> | Savannah Sparrow | S / | G5 / S2S3B,S2S3N | 3 | 0 | 0 | 0 | 0 |
| Fayette | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Fayette | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Fayette | Mammals | <i>Mustela nivalis</i> | Least Weasel | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Fayette | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Fayette County Total: | | | | | | 23 | 24 | 4 | 10 | 0 |
| Fleming | Vascular Plants | <i>Gentiana flavida</i> | Yellow Gentian | E / | G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Fleming | Vascular Plants | <i>Rhynchospora recognita</i> | Globe Beaked-rush | S / | G5? / S3 | 1 | 0 | 0 | 0 | 0 |
| Fleming | Vascular Plants | <i>Solidago shortii</i> | Short's Goldenrod | E / LE | G1 / S1 | 3 | 0 | 0 | 0 | 0 |
| Fleming | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Fleming | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 2 | 0 | 0 | 0 | 0 |
| Fleming | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Fleming | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 4 | 0 | 1 | 0 | 0 |
| Fleming | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 17 | 0 | 0 | 0 | 0 |
| Fleming | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 9 | 0 | 0 | 0 | 0 |
| Fleming | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Fleming | Insects | <i>Dryobius sexnotatus</i> | Sixbanded Longhorn Beetle | T / SOMC | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Fleming | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Fleming | Fishes | <i>Percopsis omiscomaycus</i> | Trout-perch | S / SOMC | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Fleming | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 2 | 0 | 0 | 0 | 0 |
| Fleming | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 2 | 0 | 0 | 0 | 0 |
| Fleming | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Fleming | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Fleming County Total: | | | | | | 48 | 2 | 1 | 1 | 0 |
| Floyd | Vascular Plants | <i>Erythronium rostratum</i> | Yellow Troutlily | S / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Floyd | Vascular Plants | <i>Hydrophyllum virginianum</i> | Eastern Waterleaf | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Floyd | Vascular Plants | <i>Lathyrus venosus</i> | Smooth Veiny Peavine | S / | G5 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Floyd | Terrestrial Snails | <i>Patera panselenus</i> | Virginia Bladetooth | S / | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Floyd | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 0 | 1 | 0 | 0 |
| Floyd | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Floyd | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Floyd | Insects | <i>Calopteryx dimidiata</i> | Sparkling Jewelwing | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Floyd | Insects | <i>Pseudanopthalmus hypolithos</i> | Ashcamp Cave Beetle | T / SOMC | G1 / S1 | 1 | 0 | 0 | 0 | 0 |
| Floyd | Fishes | <i>Ichthyomyzon fossor</i> | Northern Brook Lamprey | T / | G4 / S2 | 1 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-------------------------------|--------------------|---|----------------------------|----------|------------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Floyd | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Floyd | Fishes | <i>Percina macrocephala</i> | Longhead Darter | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Floyd | Fishes | <i>Percopsis omiscomaycus</i> | Trout-perch | S / SOMC | G5 / S3 | 3 | 0 | 0 | 0 | 0 |
| Floyd | Reptiles | <i>Lampropeltis triangulum elapsoides</i> | Scarlet Kingsnake | S / | G5T5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Floyd | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Floyd | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Floyd County Total: | | | | | | 13 | 10 | 1 | 1 | 0 |
| Franklin | Vascular Plants | <i>Arabis perstellata</i> | Braun's Rockcress | T / LE | G2 / S2 | 38 | 0 | 0 | 4 | 0 |
| Franklin | Vascular Plants | <i>Elymus svensonii</i> | Svenson's Wildrye | S / SOMC | G3 / S3 | 19 | 0 | 0 | 0 | 0 |
| Franklin | Vascular Plants | <i>Lesquerella globosa</i> | Globe Bladderpod | E / C | G2 / S1 | 6 | 0 | 3 | 2 | 0 |
| Franklin | Vascular Plants | <i>Lonicera prolifera</i> | Grape Honeysuckle | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Franklin | Vascular Plants | <i>Oenothera triloba</i> | Stemless Evening-primrose | T / | G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Franklin | Vascular Plants | <i>Onosmodium hispidissimum</i> | Hairy False Gromwell | E / | G4G5T4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Franklin | Vascular Plants | <i>Onosmodium occidentale</i> | Western False Gromwell | E / | G4? / S1 | 1 | 0 | 0 | 0 | 0 |
| Franklin | Vascular Plants | <i>Perideridia americana</i> | Eastern Yampah | T / | G4 / S2 | 3 | 0 | 0 | 0 | 0 |
| Franklin | Vascular Plants | <i>Philadelphus inodorus</i> | Mock Orange | T / | G4G5 / S1S2 | 1 | 1 | 0 | 0 | 0 |
| Franklin | Vascular Plants | <i>Sagina fontinalis</i> | Water Stitchwort | T / | G3 / S2 | 2 | 0 | 0 | 0 | 0 |
| Franklin | Vascular Plants | <i>Veratrum woodii</i> | Wood's Bunchflower | T / | G5 / S2 | 7 | 0 | 0 | 0 | 0 |
| Franklin | Vascular Plants | <i>Viburnum molle</i> | Softleaf Arrowwood | T / | G5 / S3? | 1 | 0 | 0 | 0 | 0 |
| Franklin | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 1 | 0 | 3 | 0 | 0 |
| Franklin | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Franklin | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 1 | 1 | 0 | 0 |
| Franklin | Insects | <i>Dryobius sexnotatus</i> | Sixbanded Longhorn Beetle | T / SOMC | GNR / S1 | 0 | 1 | 0 | 0 | 0 |
| Franklin | Fishes | <i>Nocomis biguttatus</i> | Hornyhead Chub | S / | G5 / S2 | 1 | 1 | 0 | 0 | 0 |
| Franklin | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Franklin | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 1 | 0 | 1 | 0 | 0 |
| Franklin | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Franklin | Breeding Birds | <i>Actitis macularia</i> | Spotted Sandpiper | E / | G5 / S1B | 0 | 1 | 0 | 0 | 0 |
| Franklin | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Franklin | Breeding Birds | <i>Gallinula chloropus</i> | Common Moorhen | T / | G5 / S1S2B | 0 | 0 | 0 | 1 | 0 |
| Franklin | Breeding Birds | <i>Lophodytes cucullatus</i> | Hooded Merganser | T / | G5 / S1S2B,S3S4N | 1 | 0 | 0 | 0 | 0 |
| Franklin | Breeding Birds | <i>Poocetes gramineus</i> | Vesper Sparrow | E / | G5 / S1B | 0 | 1 | 0 | 0 | 0 |
| Franklin | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 1 | 0 | 0 | 0 |
| Franklin | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Franklin | Communities | <i>Calcareous mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Franklin County Total: | | | | | | 90 | 15 | 8 | 8 | 0 |
| Fulton | Vascular Plants | <i>Armoracia lacustris</i> | Lakecress | T / | G4? / S1S2 | 7 | 0 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Berchemia scandens</i> | Supple-jack | T / | G5 / S1S2 | 6 | 1 | 0 | 1 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------|--------------------|--|-----------------------------|----------|-----------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Fulton | Vascular Plants | <i>Bolboschoenus fluviatilis</i> | River Bulrush | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Cabomba caroliniana</i> | Carolina Fanwort | T / | G3G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Calylophus serrulatus</i> | Yellow Evening Primrose | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Carex gigantea</i> | Large Sedge | T / | G4 / S2 | 0 | 0 | 0 | 1 | 0 |
| Fulton | Vascular Plants | <i>Clematis crispa</i> | Blue Jasmine Leather-flower | T / | G5 / S2 | 3 | 0 | 1 | 2 | 0 |
| Fulton | Vascular Plants | <i>Echinodorus berteri</i> | Burhead | T / | G5 / S2 | 6 | 0 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Gleditsia aquatica</i> | Water Locust | S / | G5 / S3? | 0 | 1 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Heteranthera limosa</i> | Blue Mud-plantain | S / | G5 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Heterotheca subaxillaris var. latifolia</i> | Broad-leaf Golden-aster | T / | G5T5 / S2 | 2 | 0 | 1 | 0 | 0 |
| Fulton | Vascular Plants | <i>Iris fulva</i> | Copper Iris | E / | G5 / S1 | 8 | 0 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Limnobium spongia</i> | American Frog's-bit | T / | G4 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Magnolia pyramidata</i> | Pyramid Magnolia | H / | G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Myriophyllum heterophyllum</i> | Broadleaf Water-milfoil | S / | G5 / S3? | 0 | 1 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Nemophila aphylla</i> | Small-flower Baby-blue-eyes | T / | G5 / S2? | 2 | 0 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Phacelia ranunculacea</i> | Blue Scorpion-weed | S / | G4 / S3 | 3 | 0 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Polymnia laevigata</i> | Tennessee Leafcup | E / | G3 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Pontederia cordata</i> | Pickereel-weed | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Sagittaria graminea</i> | Grassleaf Arrowhead | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Sagittaria platyphylla</i> | Delta Arrowhead | T / | G5 / S2? | 1 | 1 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Sedum telephioides</i> | Allegheny Stonecrop | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Trepocarpus aethusae</i> | Trepocarpus | S / | G4G5 / S3 | 1 | 1 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Utricularia macrorhiza</i> | Greater Bladderwort | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Vascular Plants | <i>Verbena canadensis</i> | Rose Mock-verbain | H / | G5 / SH | 0 | 0 | 0 | 1 | 0 |
| Fulton | Vascular Plants | <i>Zizaniopsis miliacea</i> | Southern Wild Rice | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Terrestrial Snails | <i>Webbhelix multilineata</i> | Striped Whitelip | T / | G5 / S1S2 | 1 | 1 | 0 | 0 | 0 |
| Fulton | Freshwater Mussels | <i>Potamilus purpuratus</i> | Bleufer | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Freshwater Mussels | <i>Toxolasma texasiensis</i> | Texas Lilliput | E / | G4 / S1 | 2 | 0 | 0 | 0 | 0 |
| Fulton | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Crustaceans | <i>Cambarellus shufeldtii</i> | Cajun Dwarf Crayfish | S / | G5 / S2 | 0 | 1 | 1 | 1 | 0 |
| Fulton | Crustaceans | <i>Orconectes lancifer</i> | Shrimp Crayfish | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Crustaceans | <i>Procambarus viaeviridis</i> | Vernal Crayfish | T / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Insects | <i>Euphyes dukesi</i> | Dukes' Skipper | S / | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Fulton | Insects | <i>Poanes viator</i> | Broad-winged Skipper | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Fulton | Fishes | <i>Alosa alabamae</i> | Alabama Shad | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Fishes | <i>Atractosteus spatula</i> | Alligator Gar | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Fulton | Fishes | <i>Cyprinella venusta</i> | Blacktail Shiner | S / | G5 / S3 | 3 | 0 | 0 | 0 | 0 |
| Fulton | Fishes | <i>Erimyzon sucetta</i> | Lake Chubsucker | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------|-----------------|-------------------------------------|--------------------------|--------------|------------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Fulton | Fishes | <i>Esox niger</i> | Chain Pickerel | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Fulton | Fishes | <i>Etheostoma chienense</i> | Relict Darter | E / LE | G1 / S1 | 0 | 0 | 1 | 0 | 0 |
| Fulton | Fishes | <i>Etheostoma fusiforme</i> | Swamp Darter | E / | G5 / S1 | 1 | 0 | 0 | 1 | 0 |
| Fulton | Fishes | <i>Etheostoma proeliare</i> | Cypress Darter | T / | G5 / S2 | 5 | 0 | 0 | 0 | 0 |
| Fulton | Fishes | <i>Fundulus chrysotus</i> | Golden Topminnow | E / | G5 / S1 | 6 | 0 | 0 | 1 | 0 |
| Fulton | Fishes | <i>Fundulus dispar</i> | Starhead Topminnow | E / | G4 / S1 | 3 | 0 | 0 | 1 | 0 |
| Fulton | Fishes | <i>Hybognathus hayi</i> | Cypress Minnow | E / | G5 / S1 | 1 | 1 | 0 | 0 | 0 |
| Fulton | Fishes | <i>Hybognathus placitus</i> | Plains Minnow | S / SOMC | G4 / S1 | 2 | 0 | 0 | 0 | 0 |
| Fulton | Fishes | <i>Ichthyomyzon castaneus</i> | Chestnut Lamprey | S / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 1 | 1 | 0 | 0 | 0 |
| Fulton | Fishes | <i>Lepomis marginatus</i> | Dollar Sunfish | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Fishes | <i>Lepomis miniatus</i> | Redspotted Sunfish | T / | G5 / S2 | 2 | 1 | 0 | 0 | 0 |
| Fulton | Fishes | <i>Menidia beryllina</i> | Inland Silverside | T / | G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Fulton | Fishes | <i>Notropis maculatus</i> | Taillight Shiner | T / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Fulton | Fishes | <i>Platygobio gracilis</i> | Flathead Chub | S / SOMC | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Fulton | Fishes | <i>Umbra limi</i> | Central Mudminnow | T / | G5 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Fulton | Amphibians | <i>Amphiuma tridactylum</i> | Three-toed Amphiuma | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Amphibians | <i>Hyla avivoca</i> | Bird-voiced Treefrog | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Amphibians | <i>Hyla cinerea</i> | Green Treefrog | S / | G5 / S3 | 9 | 0 | 0 | 0 | 0 |
| Fulton | Reptiles | <i>Apalone mutica mutica</i> | Midland Smooth Softshell | S / | G5T5 / S3 | 3 | 0 | 0 | 0 | 0 |
| Fulton | Reptiles | <i>Chrysemys dorsalis</i> | Southern Painted Turtle | T / | G5 / S2 | 9 | 0 | 0 | 0 | 0 |
| Fulton | Reptiles | <i>Farancia abacura reinwardtii</i> | Western Mud Snake | S / | G5T5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Fulton | Reptiles | <i>Nerodia cyclopion</i> | Green Water Snake | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Reptiles | <i>Nerodia fasciata confluens</i> | Broad-banded Water Snake | E / | G5T5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Fulton | Reptiles | <i>Thamnophis proximus proximus</i> | Western Ribbon Snake | T / | G5T5 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| Fulton | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 1 | 0 |
| Fulton | Breeding Birds | <i>Anas discors</i> | Blue-winged Teal | T / | G5 / S1S2B | 3 | 0 | 0 | 0 | 0 |
| Fulton | Breeding Birds | <i>Ardea alba</i> | Great Egret | E / | G5 / S1B | 1 | 0 | 1 | 1 | 0 |
| Fulton | Breeding Birds | <i>Bubulcus ibis</i> | Cattle Egret | S / | G5 / S1S2B | 0 | 0 | 0 | 1 | 0 |
| Fulton | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 0 | 0 | 0 | 0 |
| Fulton | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Fulton | Breeding Birds | <i>Corvus ossifragus</i> | Fish Crow | S / | G5 / S3B | 4 | 0 | 0 | 0 | 0 |
| Fulton | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 7 | 0 | 0 | 0 | 0 |
| Fulton | Breeding Birds | <i>Ictinia mississippiensis</i> | Mississippi Kite | S / | G5 / S2B | 5 | 0 | 0 | 0 | 0 |
| Fulton | Breeding Birds | <i>Ixobrychus exilis</i> | Least Bittern | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Fulton | Breeding Birds | <i>Lophodytes cucullatus</i> | Hooded Merganser | T / | G5 / S1S2B,S3S4N | 2 | 0 | 0 | 0 | 0 |
| Fulton | Breeding Birds | <i>Phalacrocorax auritus</i> | Double-crested Cormorant | E / | G5 / S1B | 0 | 0 | 0 | 1 | 0 |
| Fulton | Breeding Birds | <i>Podilymbus podiceps</i> | Pied-billed Grebe | E / | G5 / S1B,S4N | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-------------------------------|--------------------|--|----------------------------|----------|-------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Fulton | Breeding Birds | <i>Rallus elegans</i> | King Rail | E / | G4 / S1B | 1 | 0 | 0 | 1 | 0 |
| Fulton | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 1 | 0 | 0 | 1 | 0 |
| Fulton | Breeding Birds | <i>Sternula antillarum athalassos</i> | Interior Least Tern | E / LE | G4T2Q / S2B | 6 | 0 | 0 | 0 | 0 |
| Fulton | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 1 | 0 | 2 | 0 | 0 |
| Fulton | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 2 | 0 | 0 | 0 | 0 |
| Fulton | Communities | <i>Bottomland marsh</i> | | / | GNR / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Fulton | Communities | <i>Coastal plain slough</i> | | / | GNR / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Fulton | Communities | <i>Cypress swamp</i> | | / | GNR / S3 | 1 | 0 | 0 | 0 | 0 |
| Fulton County Total: | | | | | | 167 | 46 | 7 | 15 | 0 |
| Gallatin | Vascular Plants | <i>Philadelphus inodorus</i> | Mock Orange | T / | G4G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Gallatin | Vascular Plants | <i>Sida hermaphrodita</i> | Virginia Mallow | S / | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Gallatin | Aquatic Snails | <i>Lioplax sulculosa</i> | Furrowed Lioplax | S / | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Gallatin | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Gallatin | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 2 | 0 |
| Gallatin | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 2 | 1 | 1 | 0 | 0 |
| Gallatin | Freshwater Mussels | <i>Villosa fabalis</i> | Rayed Bean | X / C | G2 / SX | 0 | 0 | 0 | 1 | 0 |
| Gallatin | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Gallatin | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Gallatin | Breeding Birds | <i>Poocetes gramineus</i> | Vesper Sparrow | E / | G5 / S1B | 0 | 0 | 0 | 0 | 1 |
| Gallatin | Communities | <i>Riparian forest</i> | | / | GNR / S3 | 1 | 0 | 0 | 0 | 0 |
| Gallatin County Total: | | | | | | 7 | 3 | 1 | 3 | 1 |
| Garrard | Vascular Plants | <i>Agrimonia gryposepala</i> | Tall Hairy Groovebur | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Garrard | Vascular Plants | <i>Calopogon tuberosus</i> | Grass Pink | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Garrard | Vascular Plants | <i>Carex hystericina</i> | Porcupine Sedge | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Garrard | Vascular Plants | <i>Deschampsia cespitosa</i> | Tufted Hairgrass | E / | G5 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Garrard | Vascular Plants | <i>Elymus svensonii</i> | Svenson's Wildrye | S / SOMC | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Garrard | Vascular Plants | <i>Lesquerella globosa</i> | Globe Bladderpod | E / C | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Garrard | Vascular Plants | <i>Malvastrum hispidum</i> | Hispid Falsemallow | T / | G3G5 / S2? | 0 | 0 | 1 | 0 | 0 |
| Garrard | Vascular Plants | <i>Muhlenbergia cuspidata</i> | Plains Muhly | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Garrard | Vascular Plants | <i>Phlox bifida ssp. stellaria</i> | Starry-cleft Phlox | E / SOMC | G5?T3 / S1 | 2 | 0 | 0 | 0 | 0 |
| Garrard | Vascular Plants | <i>Schizachne purpurascens</i> | Purple Oat | T / | G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Garrard | Vascular Plants | <i>Viburnum molle</i> | Softleaf Arrowwood | T / | G5 / S3? | 1 | 1 | 0 | 0 | 0 |
| Garrard | Vascular Plants | <i>Viburnum rafinesquianum var. rafinesquianum</i> | Downy Arrowwood | T / | G5T4T5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Garrard | Vascular Plants | <i>Viola septemloba var. egglestonii</i> | Eggleston's Violet | S / | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Garrard | Vascular Plants | <i>Vitis labrusca</i> | Northern Fox Grape | S / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Garrard | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|--------------------|---|--------------------------|----------|---------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Garrard | Freshwater Mussels | <i>Hemistena lata</i> | Cracking Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 1 | 0 |
| Garrard | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Garrard | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 2 | 0 |
| Garrard | Insects | <i>Callophrys irus</i> | Frosted Elfin | T / | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Garrard | Insects | <i>Pseudanopthalmus elongatus</i> | A Cave Obligate Beetle | S / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Garrard | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Garrard | Reptiles | <i>Eumeces anthracinus</i> | Coal Skink | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Garrard | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Garrard | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Garrard | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Garrard | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 0 | 1 | 0 | 0 | 0 |
| Garrard | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 0 | 0 | 1 | 0 | 0 |
| Garrard County Total: | | | | | | 17 | 13 | 2 | 3 | 0 |
| Grant | Vascular Plants | <i>Philadelphus inodorus</i> | Mock Orange | T / | G4G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Grant | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Grant | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 1 | 1 | 1 | 0 | 0 |
| Grant | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Grant | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Grant | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 0 | 0 | 0 | 0 |
| Grant | Breeding Birds | <i>Poocetes gramineus</i> | Vesper Sparrow | E / | G5 / S1B | 0 | 1 | 0 | 0 | 0 |
| Grant | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 3 | 0 | 0 | 0 | 0 |
| Grant | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Grant | Mammals | <i>Ursus americanus</i> | American Black Bear | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Grant | Communities | <i>Deep soil mesophytic forest</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Grant County Total: | | | | | | 9 | 5 | 1 | 0 | 0 |
| Graves | Vascular Plants | <i>Carex hystericina</i> | Porcupine Sedge | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Graves | Vascular Plants | <i>Carex seorsa</i> | Weak Stellate Sedge | S / | G4 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Graves | Vascular Plants | <i>Chelone obliqua var. speciosa</i> | Rose Turtlehead | S / | G4T3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Graves | Vascular Plants | <i>Gleditsia aquatica</i> | Water Locust | S / | G5 / S3? | 1 | 0 | 0 | 0 | 0 |
| Graves | Vascular Plants | <i>Hieracium longipilum</i> | Hairy Hawkweed | T / | G4G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Graves | Vascular Plants | <i>Hydrocotyle ranunculoides</i> | Floating Pennywort | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Graves | Vascular Plants | <i>Limnobium spongia</i> | American Frog's-bit | T / | G4 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Graves | Vascular Plants | <i>Najas gracillima</i> | Thread-like Naiad | S / | G5? / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Graves | Vascular Plants | <i>Paspalum boscianum</i> | Bull Paspalum | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Graves | Vascular Plants | <i>Prenanthes crepidinea</i> | Nodding Rattlesnake-root | S / | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Graves | Vascular Plants | <i>Ptilimnium capillaceum</i> | Mock Bishop's-weed | T / | G5 / S1S2 | 1 | 1 | 0 | 0 | 0 |
| Graves | Vascular Plants | <i>Rudbeckia subtomentosa</i> | Sweet Coneflower | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Graves | Vascular Plants | <i>Verbena canadensis</i> | Rose Mock-verbain | H / | G5 / SH | 0 | 0 | 0 | 1 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------------------------|--------------------|--|---|----------|---------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Graves | Freshwater Mussels | <i>Toxolasma texasiensis</i> | Texas Lilliput | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Graves | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 1 | 0 | 0 | 0 | 0 |
| Graves | Crustaceans | <i>Cambarellus puer</i> | Swamp Dwarf Crayfish | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Graves | Crustaceans | <i>Orconectes palmeri palmeri</i> | Gray-Speckled Crayfish | E / | G5T5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Graves | Insects | <i>Amphiagrion saucium</i> | Eastern Red Damsel | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Graves | Insects | <i>Papaipema sp. 5</i> | Rare Cane Borer Moth | T / | G1G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Graves | Fishes | <i>Cyprinella camura</i> | Bluntnose Shiner | E / | G5 / S1 | 13 | 0 | 0 | 0 | 0 |
| Graves | Fishes | <i>Cyprinella venusta</i> | Blacktail Shiner | S / | G5 / S3 | 1 | 1 | 0 | 0 | 0 |
| Graves | Fishes | <i>Erimyzon sucetta</i> | Lake Chubsucker | T / | G5 / S2 | 2 | 1 | 0 | 0 | 0 |
| Graves | Fishes | <i>Etheostoma chienense</i> | Relict Darter | E / LE | G1 / S1 | 10 | 0 | 0 | 0 | 0 |
| Graves | Fishes | <i>Etheostoma lynceum</i> | Brighteye Darter | E / | G5 / S1 | 5 | 0 | 0 | 0 | 0 |
| Graves | Fishes | <i>Etheostoma parvipinne</i> | Goldstripe Darter | E / | G4G5 / S1 | 5 | 0 | 0 | 0 | 0 |
| Graves | Fishes | <i>Etheostoma pyrrhogaster</i> | Firebelly Darter | E / SOMC | G2G3 / S1 | 9 | 0 | 0 | 0 | 0 |
| Graves | Fishes | <i>Etheostoma swaini</i> | Gulf Darter | E / | G5 / S1 | 11 | 0 | 0 | 0 | 0 |
| Graves | Fishes | <i>Hybognathus hayi</i> | Cypress Minnow | E / | G5 / S1 | 1 | 0 | 0 | 1 | 0 |
| Graves | Fishes | <i>Lampetra sp. 1</i> | Undescribed Terrapin Creek brook lamprey | E / | GNR / S1 | 9 | 0 | 0 | 0 | 0 |
| Graves | Fishes | <i>Lepomis marginatus</i> | Dollar Sunfish | E / | G5 / S1 | 13 | 0 | 0 | 1 | 0 |
| Graves | Fishes | <i>Lepomis miniatus</i> | Redspotted Sunfish | T / | G5 / S2 | 3 | 0 | 0 | 0 | 0 |
| Graves | Fishes | <i>Moxostoma poecilurum</i> | Blacktail Redhorse | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Graves | Fishes | <i>Notropis maculatus</i> | Taillight Shiner | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Graves | Fishes | <i>Noturus hildebrandi</i> | Least Madtom | E / | G5 / S1 | 3 | 0 | 0 | 0 | 0 |
| Graves | Fishes | <i>Noturus phaeus</i> | Brown Madtom | E / | G4 / S1 | 5 | 0 | 0 | 0 | 0 |
| Graves | Fishes | <i>Umbra limi</i> | Central Mudminnow | T / | G5 / S2S3 | 15 | 0 | 0 | 1 | 0 |
| Graves | Amphibians | <i>Eurycea guttolineata</i> | Three-lined Salamander | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Graves | Amphibians | <i>Hyla avivoca</i> | Bird-voiced Treefrog | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Graves | Amphibians | <i>Hyla cinerea</i> | Green Treefrog | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Graves | Amphibians | <i>Rana areolata circulosa</i> | Northern Crawfish Frog | S / | G4T4 / S3 | 7 | 1 | 0 | 0 | 0 |
| Graves | Reptiles | <i>Clonophis kirtlandii</i> | Kirtland's Snake | T / SOMC | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| Graves | Reptiles | <i>Farancia abacura reinwardtii</i> | Western Mud Snake | S / | G5T5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Graves | Reptiles | <i>Thamnophis proximus proximus</i> | Western Ribbon Snake | T / | G5T5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Graves | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Graves | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 2 | 0 |
| Graves | Breeding Birds | <i>Ardea alba</i> | Great Egret | E / | G5 / S1B | 0 | 0 | 1 | 0 | 0 |
| Graves | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Graves | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Graves | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Graves County Total: | | | | | | 139 | 27 | 1 | 6 | 0 |
| Grayson | Vascular Plants | <i>Baptisia bracteata var. glabrescens</i> | Cream Wild Indigo | S / | G4G5T4T5 / S3 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------|--------------------|---|------------------------------|--------------|----------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Grayson | Vascular Plants | <i>Carex crawei</i> | Crawe's Sedge | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Grayson | Vascular Plants | <i>Dodecatheon frenchii</i> | French's Shooting Star | S / | G3 / S3 | 3 | 1 | 0 | 0 | 0 |
| Grayson | Vascular Plants | <i>Helianthemum bicknellii</i> | Plains Frostweed | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Grayson | Vascular Plants | <i>Helianthus eggertii</i> | Eggert's Sunflower | T / | G3 / S2 | 2 | 0 | 0 | 0 | 0 |
| Grayson | Vascular Plants | <i>Hieracium longipilum</i> | Hairy Hawkweed | T / | G4G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Grayson | Vascular Plants | <i>Lespedeza capitata</i> | Round-head Bush-clover | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Grayson | Vascular Plants | <i>Prenanthes aspera</i> | Rough Rattlesnake-root | E / | G4? / S1 | 0 | 1 | 0 | 0 | 0 |
| Grayson | Vascular Plants | <i>Spiranthes magnicamporum</i> | Great Plains Ladies'-tresses | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Grayson | Vascular Plants | <i>Viola walteri</i> | Walter's Violet | T / | G4G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Grayson | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 0 | 1 | 0 | 1 | 0 |
| Grayson | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 2 | 0 | 0 |
| Grayson | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 0 | 2 | 0 | 0 |
| Grayson | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Grayson | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 2 | 0 |
| Grayson | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Grayson | Freshwater Mussels | <i>Villosa fabalis</i> | Rayed Bean | X / C | G2 / SX | 0 | 0 | 0 | 1 | 0 |
| Grayson | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 4 | 0 | 1 | 0 | 0 |
| Grayson | Freshwater Mussels | <i>Villosa ortmanni</i> | Kentucky Creekshell | T / SOMC | G2 / S2 | 1 | 0 | 3 | 0 | 0 |
| Grayson | Crustaceans | <i>Barbicambarus cornutus</i> | Bottlebrush Crayfish | S / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Grayson | Crustaceans | <i>Orconectes inermis inermis</i> | Ghost Crayfish | S / | G5T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Grayson | Crustaceans | <i>Orconectes pellucidus</i> | Mammoth Cave Crayfish | S / SOMC | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Grayson | Fishes | <i>Ichthyomyzon castaneus</i> | Chestnut Lamprey | S / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Grayson | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Grayson | Fishes | <i>Phenacobius uranops</i> | Stargazing Minnow | S / | G4 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Grayson | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Grayson | Reptiles | <i>Elaphe guttata</i> | Corn Snake | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Grayson | Reptiles | <i>Ophisaurus attenuatus longicaudus</i> | Eastern Slender Glass Lizard | T / | G5T5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Grayson | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Grayson | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 2 | 0 | 0 | 0 | 0 |
| Grayson | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Grayson | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 3 | 0 | 0 | 0 | 0 |
| Grayson | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Grayson | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Grayson | Communities | <i>Acidic mesophytic forest</i> | | / | GNR / S5 | 3 | 0 | 0 | 1 | 0 |
| Grayson | Communities | <i>Acidic sub-xeric forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 1 | 0 |
| Grayson | Communities | <i>Calcareous mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Grayson | Communities | <i>Calcareous sub-xeric forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Grayson | Communities | <i>Hemlock-mixed forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|--------------------|---------------------------------------|--------------------------|----------|-------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Grayson | Communities | <i>Limestone barren</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Grayson | Communities | <i>Limestone prairie</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Grayson | Communities | <i>Limestone slope glade</i> | | / | GNR / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Grayson | Communities | <i>Tallgrass prairie</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Grayson | Communities | <i>Xeric acidic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Grayson | Communities | <i>Xerohydric flatwoods</i> | | / | GNR / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Grayson County Total: | | | | | | 41 | 16 | 8 | 8 | 0 |
| Green | Vascular Plants | <i>Adiantum capillus-veneris</i> | Southern Maidenhair-fern | T / | G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Green | Vascular Plants | <i>Aureolaria patula</i> | Spreading False Foxglove | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Green | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 2 | 0 | 0 | 0 | 0 |
| Green | Vascular Plants | <i>Ludwigia hirtella</i> | Hairy Ludwigia | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Green | Vascular Plants | <i>Ulmus serotina</i> | September Elm | S / | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Green | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Green | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 6 | 0 | 1 | 0 | 0 |
| Green | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Green | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 2 | 1 | 4 | 0 | 0 |
| Green | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 12 | 0 | 0 | 0 | 0 |
| Green | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 5 | 0 | 0 | 0 | 0 |
| Green | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 5 | 0 | 1 | 0 | 0 |
| Green | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 1 | 0 | 0 | 0 | 0 |
| Green | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 20 | 0 | 1 | 0 | 0 |
| Green | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Green | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 3 | 0 | 0 | 0 | 0 |
| Green | Freshwater Mussels | <i>Villosa fabalis</i> | Rayed Bean | X / C | G2 / SX | 0 | 0 | 0 | 1 | 0 |
| Green | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 2 | 0 | 3 | 0 | 0 |
| Green | Freshwater Mussels | <i>Villosa ortmanni</i> | Kentucky Creekshell | T / SOMC | G2 / S2 | 0 | 1 | 1 | 0 | 0 |
| Green | Crustaceans | <i>Barbicambarus cornutus</i> | Bottlebrush Crayfish | S / | G4 / S2 | 6 | 0 | 0 | 0 | 0 |
| Green | Crustaceans | <i>Orconectes inermis inermis</i> | Ghost Crayfish | S / | G5T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Green | Insects | <i>Allocapnia cunninghami</i> | A Capniid Stonefly | T / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Green | Insects | <i>Erora laeta</i> | Early Hairstreak | T / | GU / S1 | 0 | 0 | 0 | 1 | 0 |
| Green | Insects | <i>Ophiogomphus aspersus</i> | Brook Snaketail | H / | G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Green | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Green | Fishes | <i>Ammocrypta clara</i> | Western Sand Darter | E / SOMC | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Green | Fishes | <i>Etheostoma maculatum</i> | Spotted Darter | T / SOMC | G2 / S2 | 18 | 0 | 0 | 0 | 0 |
| Green | Fishes | <i>Ichthyomyzon greeleyi</i> | Mountain Brook Lamprey | T / | G3G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Green | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Green | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Green | Fishes | <i>Percina macrocephala</i> | Longhead Darter | E / SOMC | G3 / S1 | 3 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------------------------|--------------------|---|--------------------------------|----------|---------------|------------------|-----------|-----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Green | Fishes | <i>Phenacobius uranops</i> | Stargazing Minnow | S / | G4 / S2S3 | 11 | 1 | 0 | 0 | 0 |
| Green | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 3 | 0 | 0 | 0 | 0 |
| Green | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Green | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Green | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 3 | 0 | 0 | 0 | 0 |
| Green | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Green | Communities | <i>Limestone barrens</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Green | Communities | <i>Sinkhole/depression pond</i> | | / | GNR / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Green | Communities | <i>Xerohydric flatwoods</i> | | / | GNR / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Green County Total: | | | | | | 116 | 34 | 11 | 3 | 0 |
| Greenup | Vascular Plants | <i>Gratiola viscidula</i> | Short's Hedgehyssop | S / | G4G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Greenup | Vascular Plants | <i>Pontederia cordata</i> | Pickereel-weed | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Greenup | Vascular Plants | <i>Sida hermaphrodita</i> | Virginia Mallow | S / | G3 / S2S3 | 1 | 1 | 0 | 0 | 0 |
| Greenup | Vascular Plants | <i>Solidago curtisii</i> | Curtis' Goldenrod | T / | G4G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Greenup | Vascular Plants | <i>Spiranthes ochroleuca</i> | Yellow Nodding Ladies'-tresses | T / | G4 / S2? | 1 | 0 | 0 | 0 | 0 |
| Greenup | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 0 | 1 | 1 | 0 |
| Greenup | Freshwater Mussels | <i>Epioblasma obliquata obliquata</i> | Catspaw | E / LE | G1T1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Greenup | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 2 | 1 | 0 | 0 | 0 |
| Greenup | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 0 | 0 | 2 | 0 |
| Greenup | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 0 | 1 | 0 | 1 | 0 |
| Greenup | Freshwater Mussels | <i>Lasmigona compressa</i> | Creek Heelsplitter | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Greenup | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Greenup | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Greenup | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Greenup | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 3 | 0 |
| Greenup | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Greenup | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Greenup | Fishes | <i>Ichthyomyzon fossor</i> | Northern Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Greenup | Fishes | <i>Percopsis omiscomaycus</i> | Trout-perch | S / SOMC | G5 / S3 | 15 | 0 | 1 | 0 | 0 |
| Greenup | Amphibians | <i>Hyla versicolor</i> | Gray Treefrog | S / | G5 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Greenup | Reptiles | <i>Eumeces anthracinus</i> | Coal Skink | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Greenup | Breeding Birds | <i>Falco peregrinus</i> | Peregrine Falcon | E / SOMC | G4 / S1B | 1 | 0 | 0 | 0 | 0 |
| Greenup | Breeding Birds | <i>Nyctanassa violacea</i> | Yellow-crowned Night-heron | T / | G5 / S2B | 1 | 0 | 0 | 0 | 0 |
| Greenup | Breeding Birds | <i>Nycticorax nycticorax</i> | Black-crowned Night-heron | T / | G5 / S1S2B | 0 | 0 | 1 | 0 | 0 |
| Greenup | Breeding Birds | <i>Pandion haliaetus</i> | Osprey | T / | G5 / S2B | 1 | 0 | 0 | 0 | 0 |
| Greenup | Breeding Birds | <i>Poocetes gramineus</i> | Vesper Sparrow | E / | G5 / S1B | 0 | 1 | 0 | 0 | 0 |
| Greenup | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Greenup | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|--------------------|---------------------------------------|----------------------------|----------|--------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Greenup County Total: | | | | | | 33 | 19 | 3 | 12 | 0 |
| Hancock | Vascular Plants | <i>Dodecatheon frenchii</i> | French's Shooting Star | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Hancock | Vascular Plants | <i>Sedum telephioides</i> | Allegheny Stonecrop | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Hancock | Aquatic Snails | <i>Lithasia armigera</i> | Armored Rocksnail | S / SOMC | G3G4 / S3S4 | 0 | 0 | 0 | 1 | 0 |
| Hancock | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Hancock | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Hancock | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 1 | 1 | 0 | 0 | 0 |
| Hancock | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 1 | 0 | 0 | 1 | 0 |
| Hancock | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Hancock | Reptiles | <i>Nerodia erythrogaster neglecta</i> | Copperbelly Water Snake | S / SOMC | G5T3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Hancock | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Hancock | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Hancock | Breeding Birds | <i>Sternula antillarum athalassos</i> | Interior Least Tern | E / LE | G4T2Q / S2B | 1 | 0 | 0 | 0 | 0 |
| Hancock County Total: | | | | | | 9 | 3 | 0 | 4 | 0 |
| Hardin | Vascular Plants | <i>Carex crawei</i> | Crawe's Sedge | S / | G5 / S2S3 | 3 | 1 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Carex tetanica</i> | Rigid Sedge | E / | G4G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Cypripedium candidum</i> | Small White Lady's-slipper | E / | G4 / S1 | 4 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Dalea purpurea</i> | Purple Prairie-clover | S / | G5 / S3? | 3 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Dodecatheon frenchii</i> | French's Shooting Star | S / | G3 / S3 | 0 | 1 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Fimbristylis puberula</i> | Hairy Fimbristylis | T / | G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Gentiana puberulenta</i> | Prairie Gentian | E / | G4G5 / S1 | 3 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Gymnopogon ambiguus</i> | Bearded Skeleton-grass | S / | G4 / S2S3 | 4 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Helianthemum bicknellii</i> | Plains Frostweed | E / | G5 / S1S2 | 1 | 1 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Helianthus eggertii</i> | Eggert's Sunflower | T / | G3 / S2 | 4 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Hieracium longipilum</i> | Hairy Hawkweed | T / | G4G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Juncus filipendulus</i> | Ringseed Rush | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Leavenworthia torulosa</i> | Necklace Gladecress | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Lespedeza capitata</i> | Round-head Bush-clover | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Liatris cylindracea</i> | Slender Blazingstar | T / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Lonicera prolifera</i> | Grape Honeysuckle | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Malvastrum hispidum</i> | Hispid Falsemallow | T / | G3G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Oenothera perennis</i> | Small Sundrops | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Philadelphus pubescens</i> | Hoary Mock Orange | E / | G5? / S1 | 0 | 0 | 1 | 0 | 0 |
| Hardin | Vascular Plants | <i>Pontederia cordata</i> | Pickereel-weed | T / | G5 / S1S2 | 0 | 0 | 0 | 1 | 0 |
| Hardin | Vascular Plants | <i>Prenanthes aspera</i> | Rough Rattlesnake-root | E / | G4? / S1 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Psoraleidium tenuiflorum</i> | Few-flowered Scurf-pea | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Ranunculus ambigens</i> | Waterplantain Spearwort | S / | G4 / S3 | 0 | 0 | 1 | 0 | 0 |
| Hardin | Vascular Plants | <i>Rhynchospora recognita</i> | Globe Beaked-rush | S / | G5? / S3 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------|--------------------|---|----------------------------------|----------|---------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Hardin | Vascular Plants | <i>Sagittaria graminea</i> | Grassleaf Arrowhead | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Scleria ciliata</i> | Fringed Nutrush | E / | G5 / S2 | 1 | 0 | 0 | 1 | 0 |
| Hardin | Vascular Plants | <i>Sedum telephioides</i> | Allegheny Stonecrop | T / | G4 / S2 | 0 | 0 | 1 | 0 | 0 |
| Hardin | Vascular Plants | <i>Silene regia</i> | Royal Catchfly | E / | G3 / S1 | 4 | 0 | 1 | 6 | 0 |
| Hardin | Vascular Plants | <i>Silphium pinnatifidum</i> | Tansy Rosinweed | S / | G3Q / S3 | 8 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Spiranthes magnicamporum</i> | Great Plains Ladies'-tresses | T / | G4 / S2 | 10 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Symphyotrichum pratense</i> | Barrens Silky Aster | S / | G4? / S3 | 8 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Viola septemloba var. egglestonii</i> | Eggleston's Violet | S / | G4 / S3 | 3 | 0 | 0 | 0 | 0 |
| Hardin | Vascular Plants | <i>Viola walteri</i> | Walter's Violet | T / | G4G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Hardin | Aquatic Snails | <i>Antroselates spiralis</i> | Shaggy Cavesnail | S / | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 0 | 0 | 2 | 0 | 0 |
| Hardin | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 0 | 1 | 0 | 1 | 0 |
| Hardin | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 1 | 0 | 0 |
| Hardin | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 0 | 2 | 0 | 0 |
| Hardin | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Hardin | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 2 | 0 |
| Hardin | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Hardin | Freshwater Mussels | <i>Villosa fabalis</i> | Rayed Bean | X / C | G2 / SX | 0 | 0 | 0 | 1 | 0 |
| Hardin | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 2 | 0 | 0 | 0 | 0 |
| Hardin | Freshwater Mussels | <i>Villosa ortmanni</i> | Kentucky Creekshell | T / SOMC | G2 / S2 | 5 | 0 | 6 | 1 | 0 |
| Hardin | Crustaceans | <i>Orconectes inermis inermis</i> | Ghost Crayfish | S / | G5T4 / S3 | 5 | 1 | 0 | 0 | 0 |
| Hardin | Insects | <i>Mesamia stramineus</i> | Helianthus Leafhopper | E / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Insects | <i>Nannothemis bella</i> | Elfin Skimmer | E / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Hardin | Insects | <i>Papaipema beeriana</i> | Blazing Star Stem Borer | E / | G2G3 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Insects | <i>Papaipema eryngii</i> | Rattlesnake-master Borer Moth | E / | G1G2 / S1 | 2 | 0 | 0 | 0 | 0 |
| Hardin | Insects | <i>Prairiana kansana</i> | A Cicadellid Leafhopper | E / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Insects | <i>Satyrium favonius ontario</i> | Northern Hairstreak | S / | G4T4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Insects | <i>Tychobythinus hubrichti</i> | A Cave Obligate Beetle | T / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Hardin | Fishes | <i>Amblyopsis spelaea</i> | Northern Cavefish | S / SOMC | G4 / S3 | 1 | 0 | 2 | 0 | 0 |
| Hardin | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Hardin | Fishes | <i>Lota lota</i> | Burbot | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Fishes | <i>Phenacobius uranops</i> | Stargazing Minnow | S / | G4 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Hardin | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Hardin | Amphibians | <i>Hyla versicolor</i> | Gray Treefrog | S / | G5 / S2S3 | 14 | 0 | 0 | 0 | 0 |
| Hardin | Reptiles | <i>Clonophis kirtlandii</i> | Kirtland's Snake | T / SOMC | G2 / S2 | 0 | 0 | 0 | 0 | 1 |
| Hardin | Reptiles | <i>Elaphe guttata</i> | Corn Snake | S / | G5 / S3 | 5 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------------------------|-----------------|--|------------------------------|----------|--------------|------------------|-----------|-----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Hardin | Reptiles | <i>Ophisaurus attenuatus longicaudus</i> | Eastern Slender Glass Lizard | T / | G5T5 / S2 | 5 | 0 | 0 | 0 | 0 |
| Hardin | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Hardin | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Hardin | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 3 | 0 |
| Hardin | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 2 | 0 | 1 | 0 | 0 |
| Hardin | Breeding Birds | <i>Anas discors</i> | Blue-winged Teal | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Hardin | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 1 | 0 | 0 | 0 |
| Hardin | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 0 | 1 | 0 | 0 | 0 |
| Hardin | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 2 | 0 | 0 | 0 | 0 |
| Hardin | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 3 | 0 | 0 | 0 | 0 |
| Hardin | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 4 | 0 | 0 | 0 | 0 |
| Hardin | Communities | <i>Acidic mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 3 | 0 | 0 | 0 | 0 |
| Hardin | Communities | <i>Calcareous mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Communities | <i>Floodplain ridge/terrace forest</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Communities | <i>Hemlock-mixed forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Communities | <i>Limestone barrens</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Communities | <i>Limestone flat rock glade</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Communities | <i>Limestone prairie</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Communities | <i>Limestone slope glade</i> | | / | GNR / S2S3 | 9 | 0 | 0 | 0 | 0 |
| Hardin | Communities | <i>Redcedar-oak forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 0 | 0 |
| Hardin | Communities | <i>Sandstone barrens</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Communities | <i>Sandstone prairie</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Hardin | Communities | <i>Tallgrass prairie</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Hardin County Total: | | | | | | 155 | 32 | 18 | 17 | 1 |
| Harlan | Mosses | <i>Anomodon rugelii</i> | | T / | G5 / S2? | 2 | 0 | 0 | 0 | 0 |
| Harlan | Mosses | <i>Entodon brevisetus</i> | | E / | G4? / S1? | 1 | 0 | 0 | 0 | 0 |
| Harlan | Mosses | <i>Herzogiella turfacea</i> | | E / | G4G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Harlan | Mosses | <i>Neckera pennata</i> | | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Harlan | Mosses | <i>Oncophorus raii</i> | | E / | G3 / S1? | 2 | 0 | 0 | 0 | 0 |
| Harlan | Mosses | <i>Polytrichum strictum</i> | | E / | G4 / S1? | 1 | 0 | 0 | 0 | 0 |
| Harlan | Mosses | <i>Sphagnum quinquefarium</i> | A Sphagnum Moss | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Acer spicatum</i> | Mountain Maple | E / | G5 / S1S2 | 0 | 0 | 1 | 0 | 0 |
| Harlan | Vascular Plants | <i>Adlumia fungosa</i> | Allegheny-vine | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Agrimonia gryposepala</i> | Tall Hairy Groovebur | T / | G5 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Amianthium muscivomicum</i> | Fly Poison | T / | G4G5 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Angelica triquinata</i> | Filmy Angelica | E / | G4 / S1S2 | 5 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------|-----------------|----------------------------------|---------------------------------|----------|------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Harlan | Vascular Plants | <i>Aralia nudicaulis</i> | Wild Sarsaparilla | E / | G5 / S3? | 0 | 1 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Baptisia tinctoria</i> | Yellow Wild Indigo | T / | G5 / S1S2 | 6 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Bartonia virginica</i> | Yellow Screwstem | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Botrychium oneidense</i> | Blunt-lobe Grape-fern | H / | G4Q / SH | 0 | 1 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Boykinia aconitifolia</i> | Brook Saxifrage | T / | G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Carex aestivalis</i> | Summer Sedge | E / | G4 / S1 | 2 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Carex appalachica</i> | Appalachian Sedge | T / | G4 / S2? | 3 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Carex austrocaroliniana</i> | Tarheel Sedge | S / | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Carex leptoneuria</i> | Finely-nerved Sedge | E / | G4 / S1 | 2 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Carex roanensis</i> | Roan Mountain Sedge | E / | G3 / S1 | 2 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Castanea dentata</i> | American Chestnut | E / | G4 / S1? | 1 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Chrysosplenium americanum</i> | American Golden-saxifrage | T / | G5 / S2? | 2 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Circaea alpina</i> | Small Enchanter's Nightshade | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Corallorhiza maculata</i> | Spotted Coralroot | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Corydalis sempervirens</i> | Rock Harlequin | S / | G4G5 / S3? | 3 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Cymophyllus fraserianus</i> | Fraser's Sedge | E / | G4 / S1 | 2 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Cypripedium parviflorum</i> | Small Yellow Lady's-slipper | T / | G5 / S2 | 1 | 0 | 0 | 1 | 0 |
| Harlan | Vascular Plants | <i>Deschampsia flexuosa</i> | Crinkled Hairgrass | T / | G5 / S2 | 4 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Dryopteris carthusiana</i> | Spinulose Wood Fern | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Eriophorum virginicum</i> | Tawny Cotton-grass | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Eupatorium maculatum</i> | Spotted Joe-pye-weed | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Eupatorium steelei</i> | Steele's Joe-pye-weed | T / | G4 / S2 | 9 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Gentiana decora</i> | Showy Gentian | S / | G4? / S3 | 7 | 0 | 1 | 0 | 0 |
| Harlan | Vascular Plants | <i>Helianthemum canadense</i> | Canada Frostweed | E / | G5 / S1? | 2 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Heracleum lanatum</i> | Cow-parsnip | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Hydrophyllum virginianum</i> | Eastern Waterleaf | T / | G5 / S2? | 0 | 1 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Hypericum pseudomaculatum</i> | Large Spotted St. John's-wort | H / | G5? / SH | 0 | 1 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 2 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Juncus articulatus</i> | Jointed Rush | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Lathyrus venosus</i> | Smooth Veiny Peavine | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Leucothoe recurva</i> | Red-twig Doghobble | E / | G4G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Lilium superbum</i> | Turk's Cap Lily | T / | G5 / S1S2 | 7 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Liparis loeselii</i> | Loesel's Twayblade | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Listera smallii</i> | Kidney-leaf Twayblade | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Lycopodiella appressa</i> | Southern Bog Clubmoss | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Lycopodium clavatum</i> | Running Pine | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Lycopodium inundatum</i> | Northern Bog Clubmoss | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Maianthemum canadense</i> | Wild Lily-of-the-valley | T / | G5 / S2 | 3 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------|--------------------|---|-----------------------------|----------|---------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Harlan | Vascular Plants | <i>Melampyrum lineare var. latifolium</i> | American Cowwheat | T / | G5T5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Minuartia glabra</i> | Appalachian Sandwort | T / | G4 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Oclemena acuminata</i> | Whorled Aster | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Oenothera oakesiana</i> | Evening Primrose | H / | G4G5Q / SH | 0 | 1 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Paronychia argyrocoma</i> | Silverling | E / | G4 / S1 | 2 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Platanthera psycodes</i> | Small Purple-fringed Orchid | E / | G5 / S1 | 4 | 0 | 1 | 0 | 0 |
| Harlan | Vascular Plants | <i>Prosartes maculata</i> | Nodding Mandarin | S / | G3G4 / S3? | 0 | 1 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Rubus canadensis</i> | Smooth Blackberry | E / | G5 / S1? | 1 | 1 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Sambucus racemosa ssp. pubens</i> | Red Elderberry | E / | G5T4T5 / S1S2 | 4 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Saxifraga michauxii</i> | Michaux's Saxifrage | T / | G4G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Saxifraga micranthidifolia</i> | Lettuce-leaf Saxifrage | E / | G5 / S1 | 5 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Silene ovata</i> | Ovate Catchfly | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Solidago curtisii</i> | Curtis' Goldenrod | T / | G4G5 / S2S3 | 10 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Solidago puberula</i> | Downy Goldenrod | S / | G5 / S2 | 3 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Solidago roanensis</i> | Roan Mountain Goldenrod | T / | G4G5 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Stachys eplingii</i> | Epling's Hedgenettle | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Streptopus lanceolatus</i> | Rosy Twisted-stalk | H / | G5 / SH | 1 | 1 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Trillium undulatum</i> | Painted Trillium | T / | G5 / S2 | 6 | 0 | 1 | 0 | 0 |
| Harlan | Vascular Plants | <i>Vaccinium erythrocarpum</i> | Southern Mountain Cranberry | E / | G5 / S1? | 2 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Veratrum parviflorum</i> | Appalachian Bunchflower | E / | G4? / S1 | 2 | 0 | 0 | 0 | 0 |
| Harlan | Vascular Plants | <i>Viburnum lantanoides</i> | Alderleaved Viburnum | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Harlan | Terrestrial Snails | <i>Anguispira rugoderma</i> | Pine Mountain Tigersnail | E / | G2 / S2 | 2 | 0 | 0 | 0 | 0 |
| Harlan | Terrestrial Snails | <i>Glyphyalinia rhoadsi</i> | Sculpted Glyph | T / | G5 / S1 | 7 | 0 | 0 | 0 | 0 |
| Harlan | Terrestrial Snails | <i>Mesomphix rugeli</i> | Wrinkled Button | T / | G4 / S2 | 10 | 0 | 0 | 0 | 0 |
| Harlan | Terrestrial Snails | <i>Neohelix dentifera</i> | Big-tooth Whitelip | T / | G5 / S2 | 14 | 0 | 0 | 0 | 0 |
| Harlan | Terrestrial Snails | <i>Pilsbryna sp. 1</i> | A Snail | E / | G1 / S1 | 5 | 0 | 0 | 0 | 0 |
| Harlan | Terrestrial Snails | <i>Vertigo bollesiana</i> | Delicate Vertigo | E / | G4 / S1 | 3 | 0 | 0 | 0 | 0 |
| Harlan | Terrestrial Snails | <i>Vertigo clappi</i> | Cupped Vertigo | E / | G1G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Terrestrial Snails | <i>Vitrinizonites latissimus</i> | Glassy Grapeskin | T / | G4 / S2 | 15 | 0 | 0 | 0 | 0 |
| Harlan | Freshwater Mussels | <i>Anodontoides denigratus</i> | Cumberland Papershell | E / SOMC | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Harlan | Crustaceans | <i>Cambarus parvoculus</i> | Mountain Midget Crayfish | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Insects | <i>Amphiagrion saucium</i> | Eastern Red Damselfly | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Insects | <i>Callophrys irus</i> | Frosted Elf | T / | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Insects | <i>Erora laeta</i> | Early Hairstreak | T / | GU / S1 | 1 | 1 | 0 | 0 | 0 |
| Harlan | Insects | <i>Phycodes batesii</i> | Tawny Crescent | H / SOMC | G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Harlan | Insects | <i>Polygonia progne</i> | Gray Comma | H / | G4G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Harlan | Insects | <i>Pseudanopthalmus rogersae</i> | Rogers' Cave Beetle | T / SOMC | G1 / S1 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Insects | <i>Pseudanopthalmus scholasticus</i> | Scholarly Cave Beetle | T / SOMC | G1 / S1 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------------------------|--------------------|--|-----------------------------|----------|----------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Harlan | Fishes | <i>Ichthyomyzon fossor</i> | Northern Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Harlan | Fishes | <i>Phoxinus cumberlandensis</i> | Blackside Dace | T / LT | G2 / S2 | 16 | 0 | 1 | 2 | 0 |
| Harlan | Amphibians | <i>Plethodon wehrlei</i> | Wehrle's Salamander | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Reptiles | <i>Eumeces anthracinus</i> | Coal Skink | T / | G5 / S2 | 0 | 0 | 0 | 0 | 1 |
| Harlan | Reptiles | <i>Pituophis melanoleucus melanoleucus</i> | Northern Pine Snake | T / SOMC | G4T4 / S2 | 0 | 0 | 0 | 0 | 1 |
| Harlan | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Harlan | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 1 | 0 |
| Harlan | Breeding Birds | <i>Corvus corax</i> | Common Raven | T / | G5 / S1S2 | 5 | 0 | 0 | 0 | 0 |
| Harlan | Breeding Birds | <i>Dendroica fusca</i> | Blackburnian Warbler | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Harlan | Breeding Birds | <i>Empidonax minimus</i> | Least Flycatcher | E / | G5 / S1B | 2 | 0 | 0 | 0 | 0 |
| Harlan | Breeding Birds | <i>Falco peregrinus</i> | Peregrine Falcon | E / SOMC | G4 / S1B | 1 | 0 | 0 | 0 | 0 |
| Harlan | Breeding Birds | <i>Junco hyemalis</i> | Dark-eyed Junco | S / | G5 / S2S3B,S5N | 2 | 0 | 0 | 0 | 0 |
| Harlan | Breeding Birds | <i>Pheucticus ludovicianus</i> | Rose-breasted Grosbeak | S / | G5 / S3S4B | 3 | 0 | 0 | 0 | 0 |
| Harlan | Breeding Birds | <i>Picoides borealis</i> | Red-cockaded Woodpecker | X / LE | G3 / SX | 0 | 0 | 0 | 1 | 0 |
| Harlan | Breeding Birds | <i>Vermivora chrysoptera</i> | Golden-winged Warbler | T / SOMC | G4 / S2B | 2 | 1 | 0 | 0 | 0 |
| Harlan | Breeding Birds | <i>Wilsonia canadensis</i> | Canada Warbler | S / | G5 / S3B | 2 | 0 | 0 | 0 | 0 |
| Harlan | Mammals | <i>Clethrionomys gapperi maurus</i> | Kentucky Red-backed Vole | S / SOMC | G5T3T4 / S3 | 9 | 0 | 0 | 0 | 0 |
| Harlan | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 2 | 0 | 0 | 0 | 0 |
| Harlan | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 9 | 0 | 0 | 0 | 0 |
| Harlan | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 9 | 0 | 0 | 0 | 0 |
| Harlan | Mammals | <i>Sorex cinereus</i> | Cinereus Shrew | S / | G5 / S3 | 8 | 0 | 0 | 0 | 0 |
| Harlan | Mammals | <i>Sorex dispar blitchi</i> | Long-tailed Shrew | E / | G4T3T4 / S1 | 3 | 0 | 0 | 0 | 0 |
| Harlan | Mammals | <i>Spilogale putorius</i> | Eastern Spotted Skunk | S / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Harlan | Mammals | <i>Ursus americanus</i> | American Black Bear | S / | G5 / S2 | 5 | 0 | 0 | 0 | 0 |
| Harlan | Communities | <i>Appalachian acid seep</i> | | / | GNR / S2 | 11 | 0 | 0 | 0 | 0 |
| Harlan | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Communities | <i>Appalachian pine-oak forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Communities | <i>Appalachian sub-xeric forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 0 | 0 |
| Harlan | Communities | <i>Cumberland highlands forest</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Communities | <i>Cumberland mountains xeric virginia pine woodland</i> | | / | GNR / S4 | 3 | 0 | 0 | 0 | 0 |
| Harlan | Communities | <i>Hemlock-mixed forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Communities | <i>Pine savanna-woodland</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Harlan | Communities | <i>Xeric acidic forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 0 | 0 |
| Harlan County Total: | | | | | | 311 | 59 | 5 | 6 | 2 |
| Harrison | Vascular Plants | <i>Trifolium stoloniferum</i> | Running Buffalo Clover | T / LE | G3 / S2S3 | 0 | 0 | 0 | 1 | 0 |
| Harrison | Aquatic Snails | <i>Lioplax sulculosa</i> | Furrowed Lioplax | S / | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Harrison | Terrestrial Snails | <i>Glyphyalinia rhoadsi</i> | Sculpted Glyph | T / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-------------------------------|--------------------|---|---------------------------------|----------|---------------|------------------|----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Harrison | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 5 | 0 | 2 | 0 | 0 |
| Harrison | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 6 | 0 | 0 | 0 | 0 |
| Harrison | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 3 | 0 |
| Harrison | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Harrison | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 0 | 2 | 1 | 0 |
| Harrison | Insects | <i>Nehalennia irene</i> | Sedge Sprite | E / | G5 / S1 | 0 | 0 | 0 | 0 | 1 |
| Harrison | Insects | <i>Pseudanopthalmus major</i> | Beaver Cave Beetle | T / SOMC | G1 / S1 | 1 | 0 | 0 | 0 | 0 |
| Harrison | Insects | <i>Satyrrium favonius ontario</i> | Northern Hairstreak | S / | G4T4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Harrison | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 0 | 0 | 0 | 1 |
| Harrison | Fishes | <i>Etheostoma maculatum</i> | Spotted Darter | T / SOMC | G2 / S2 | 0 | 1 | 0 | 0 | 0 |
| Harrison | Fishes | <i>Lota lota</i> | Burbot | S / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Harrison | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Harrison | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 4 | 0 | 0 | 0 | 0 |
| Harrison | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 2 | 0 | 0 | 0 | 0 |
| Harrison | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 1 | 0 | 0 | 0 | 0 |
| Harrison | Breeding Birds | <i>Poocetes gramineus</i> | Vesper Sparrow | E / | G5 / S1B | 0 | 0 | 0 | 0 | 1 |
| Harrison | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Harrison | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Harrison | Mammals | <i>Mustela nivalis</i> | Least Weasel | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Harrison | Communities | <i>Bluegrass savanna-woodland</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Harrison | Communities | <i>Calcareous mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Harrison County Total: | | | | | | 27 | 4 | 4 | 6 | 3 |
| Hart | Vascular Plants | <i>Adiantum capillus-veneris</i> | Southern Maidenhair-fern | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Hart | Vascular Plants | <i>Aureolaria patula</i> | Spreading False Foxglove | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Hart | Vascular Plants | <i>Carex decomposita</i> | Epiphytic Sedge | T / | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Hart | Vascular Plants | <i>Carex straminea</i> | Straw Sedge | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Hart | Vascular Plants | <i>Circaea alpina</i> | Small Enchanter's Nightshade | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Hart | Vascular Plants | <i>Dodecatheon frenchii</i> | French's Shooting Star | S / | G3 / S3 | 0 | 1 | 0 | 0 | 0 |
| Hart | Vascular Plants | <i>Gentiana puberulenta</i> | Prairie Gentian | E / | G4G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Hart | Vascular Plants | <i>Glyceria acutiflora</i> | Sharp-scaled Manna-grass | E / | G5 / S1S2 | 1 | 1 | 0 | 0 | 0 |
| Hart | Vascular Plants | <i>Gratiola viscidula</i> | Short's Hedgehyssop | S / | G4G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Hart | Vascular Plants | <i>Helianthemum bicknellii</i> | Plains Frostweed | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Hart | Vascular Plants | <i>Helianthus eggertii</i> | Eggert's Sunflower | T / | G3 / S2 | 16 | 0 | 0 | 1 | 0 |
| Hart | Vascular Plants | <i>Heteranthera limosa</i> | Blue Mud-plantain | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Hart | Vascular Plants | <i>Liatris cylindracea</i> | Slender Blazingstar | T / | G5 / S2S3 | 3 | 0 | 1 | 0 | 0 |
| Hart | Vascular Plants | <i>Podostemum ceratophyllum</i> | Threadfoot | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Hart | Vascular Plants | <i>Pontederia cordata</i> | Pickereel-weed | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Hart | Vascular Plants | <i>Potamogeton pulcher</i> | Spotted Pondweed | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------|--------------------|--|-----------------------|----------|---------------|------------------|---|----|---|---|
| | | | | | | E | H | F | X | U |
| Hart | Vascular Plants | <i>Rhynchospora macrostachya</i> | Tall Beaked-rush | E / | G4 / S1 | 0 | 0 | 1 | 0 | 0 |
| Hart | Vascular Plants | <i>Silene regia</i> | Royal Catchfly | E / | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Hart | Vascular Plants | <i>Silphium pinnatifidum</i> | Tansy Rosinweed | S / | G3Q / S3 | 5 | 0 | 0 | 0 | 0 |
| Hart | Vascular Plants | <i>Symphyotrichum pratense</i> | Barrens Silky Aster | S / | G4? / S3 | 3 | 0 | 0 | 0 | 0 |
| Hart | Vascular Plants | <i>Trifolium reflexum</i> | Buffalo Clover | E / | G3G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Hart | Vascular Plants | <i>Viola septemloba var. egglestonii</i> | Eggleston's Violet | S / | G4 / S3 | 0 | 0 | 1 | 0 | 0 |
| Hart | Aquatic Snails | <i>Antroselates spiralis</i> | Shaggy Cavesnail | S / | G3 / S2 | 5 | 0 | 0 | 0 | 0 |
| Hart | Aquatic Snails | <i>Leptoxis praerosa</i> | Onyx Rocksnail | S / SOMC | G5 / S3S4 | 1 | 0 | 0 | 0 | 0 |
| Hart | Aquatic Snails | <i>Rhodacme elatior</i> | Domed Ancyliid | S / | G1 / S1 | 0 | 1 | 0 | 0 | 0 |
| Hart | Terrestrial Snails | <i>Paravitrea lapilla</i> | Gem Supercoil | T / | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Hart | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 10 | 0 | 0 | 0 | 0 |
| Hart | Freshwater Mussels | <i>Cumberlandia monodonta</i> | Spectaclecase | E / C | G3 / S1 | 4 | 0 | 3 | 1 | 0 |
| Hart | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 31 | 0 | 9 | 0 | 0 |
| Hart | Freshwater Mussels | <i>Epioblasma obliquata obliquata</i> | Catspaw | E / LE | G1T1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Hart | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 1 | 0 | 5 | 1 | 0 |
| Hart | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 3 | 0 | 12 | 1 | 0 |
| Hart | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 25 | 1 | 9 | 1 | 0 |
| Hart | Freshwater Mussels | <i>Hemistena lata</i> | Cracking Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 2 | 0 |
| Hart | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| Hart | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 26 | 0 | 4 | 0 | 0 |
| Hart | Freshwater Mussels | <i>Leptodea leptodon</i> | Scaleshell | X / LE | G1G2 / SX | 0 | 0 | 0 | 3 | 0 |
| Hart | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 4 | 1 | 6 | 1 | 0 |
| Hart | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 22 | 0 | 3 | 0 | 0 |
| Hart | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 1 | 3 | 2 | 0 |
| Hart | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 5 | 0 | 3 | 0 | 0 |
| Hart | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 6 | 0 | 3 | 0 | 0 |
| Hart | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 15 | 0 | 3 | 1 | 0 |
| Hart | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Hart | Freshwater Mussels | <i>Villosa fabalis</i> | Rayed Bean | X / C | G2 / SX | 0 | 0 | 0 | 2 | 0 |
| Hart | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 1 | 0 | 4 | 0 | 0 |
| Hart | Freshwater Mussels | <i>Villosa ortmanni</i> | Kentucky Creekshell | T / SOMC | G2 / S2 | 5 | 0 | 13 | 0 | 0 |
| Hart | Crustaceans | <i>Barbicambarus cornutus</i> | Bottlebrush Crayfish | S / | G4 / S2 | 3 | 0 | 0 | 0 | 0 |
| Hart | Crustaceans | <i>Bryocamptus morrisoni elegans</i> | A Copepod | T / | G3G4T3T4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Hart | Crustaceans | <i>Orconectes inermis inermis</i> | Ghost Crayfish | S / | G5T4 / S3 | 2 | 0 | 1 | 0 | 0 |
| Hart | Crustaceans | <i>Orconectes pellucidus</i> | Mammoth Cave Crayfish | S / SOMC | G4 / S3 | 1 | 1 | 0 | 0 | 0 |
| Hart | Crustaceans | <i>Palaemonias ganteri</i> | Mammoth Cave Shrimp | E / LE | G1 / S1 | 5 | 0 | 0 | 0 | 0 |
| Hart | Crustaceans | <i>Stygobromus vitreus</i> | An Amphipod | S / | G4 / S1 | 2 | 0 | 0 | 0 | 0 |
| Hart | Insects | <i>Celithemis verna</i> | Double-ringed Pennant | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------|---------------------|---|-----------------------------------|----------|----------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Hart | Insects | <i>Erora laeta</i> | Early Hairstreak | T / | GU / S1 | 0 | 0 | 0 | 1 | 0 |
| Hart | Insects | <i>Lytrosis permagnaria</i> | A Geometrid Moth | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Hart | Insects | <i>Pseudanopthalmus audax</i> | Bold Cave Beetle | T / SOMC | G1G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Hart | Insects | <i>Pseudanopthalmus globiceps</i> | Round-headed Cave Beetle | T / SOMC | G1 / S1 | 1 | 0 | 0 | 0 | 0 |
| Hart | Insects | <i>Pseudanopthalmus simulans</i> | Cub Run Cave Beetle | T / SOMC | G1 / S1 | 0 | 0 | 1 | 0 | 0 |
| Hart | Insects | <i>Soyedina calcarea</i> | A Stonefly | E / | G1 / S1 | 1 | 0 | 0 | 0 | 0 |
| Hart | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Hart | Insects | <i>Tychobythinus hubrichti</i> | A Cave Obligate Beetle | T / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Hart | Other Invertebrates | <i>Kleptochthonius attenuatus</i> | A Cave Obligate Pseudoscorpion | T / | G1 / S1 | 0 | 1 | 0 | 0 | 0 |
| Hart | Fishes | <i>Amblyopsis spelaea</i> | Northern Cavefish | S / SOMC | G4 / S3 | 1 | 0 | 1 | 0 | 0 |
| Hart | Fishes | <i>Etheostoma maculatum</i> | Spotted Darter | T / SOMC | G2 / S2 | 13 | 0 | 0 | 0 | 0 |
| Hart | Fishes | <i>Hybopsis amnis</i> | Pallid Shiner | E / SOMC | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Hart | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Hart | Fishes | <i>Percina macrocephala</i> | Longhead Darter | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Hart | Fishes | <i>Phenacobius uranops</i> | Stargazing Minnow | S / | G4 / S2S3 | 6 | 0 | 0 | 0 | 0 |
| Hart | Fishes | <i>Typhlichthys subterraneus</i> | Southern Cavefish | S / SOMC | G3G4 / S2S3 | 1 | 1 | 0 | 0 | 0 |
| Hart | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 2 | 0 | 0 | 0 | 0 |
| Hart | Reptiles | <i>Elaphe guttata</i> | Corn Snake | S / | G5 / S3 | 9 | 0 | 0 | 0 | 0 |
| Hart | Reptiles | <i>Eumeces inexpectatus</i> | Southeastern Five-lined Skink | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Hart | Reptiles | <i>Lampropeltis triangulum elapsoides</i> | Scarlet Kingsnake | S / | G5T5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Hart | Reptiles | <i>Ophisaurus attenuatus longicaudus</i> | Eastern Slender Glass Lizard | T / | G5T5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Hart | Reptiles | <i>Pituophis melanoleucus melanoleucus</i> | Northern Pine Snake | T / SOMC | G4T4 / S2 | 1 | 0 | 0 | 0 | 2 |
| Hart | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 1 | 0 |
| Hart | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Hart | Breeding Birds | <i>Circus cyaneus</i> | Northern Harrier | T / | G5 / S1S2B,S4N | 1 | 0 | 0 | 0 | 0 |
| Hart | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Hart | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Hart | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 3 | 0 | 0 | 0 | 0 |
| Hart | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Hart | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 2 | 1 | 0 | 0 | 0 |
| Hart | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 0 | 1 | 0 | 0 | 0 |
| Hart | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| Hart | Communities | <i>Acidic mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Hart | Communities | <i>Acidic sub-xeric forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Hart | Communities | <i>Limestone barrens</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Hart | Communities | <i>Limestone prairie</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Hart | Communities | <i>Sinkhole/depression pond</i> | | / | GNR / S2S3 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------------------------|--------------------|---------------------------------------|-----------------------------|----------|------------------|------------------|-----------|-----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Hart County Total: | | | | | | 273 | 82 | 87 | 19 | 2 |
| Henderson | Vascular Plants | <i>Bolboschoenus fluviatilis</i> | River Bulrush | E / | G5 / S1S2 | 2 | 0 | 1 | 1 | 0 |
| Henderson | Vascular Plants | <i>Chelone obliqua var. speciosa</i> | Rose Turtlehead | S / | G4T3 / S3 | 2 | 1 | 0 | 0 | 0 |
| Henderson | Vascular Plants | <i>Echinodorus berteri</i> | Burhead | T / | G5 / S2 | 1 | 0 | 0 | 1 | 0 |
| Henderson | Vascular Plants | <i>Hydrocotyle ranunculoides</i> | Floating Pennywort | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Henderson | Vascular Plants | <i>Nemophila aphylla</i> | Small-flower Baby-blue-eyes | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Henderson | Vascular Plants | <i>Phacelia ranunculacea</i> | Blue Scorpion-weed | S / | G4 / S3 | 2 | 0 | 0 | 0 | 0 |
| Henderson | Vascular Plants | <i>Polymnia laevigata</i> | Tennessee Leafcup | E / | G3 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Henderson | Vascular Plants | <i>Pontederia cordata</i> | Pickereel-weed | T / | G5 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Henderson | Vascular Plants | <i>Sparganium eurycarpum</i> | Large Bur-reed | E / | G5 / S1? | 0 | 1 | 0 | 0 | 0 |
| Henderson | Freshwater Mussels | <i>Cyrogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 0 | 0 | 1 | 0 |
| Henderson | Freshwater Mussels | <i>Epioblasma obliquata obliquata</i> | Catspaw | E / LE | G1T1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Henderson | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Henderson | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Henderson | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Henderson | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 1 | 0 | 1 | 0 |
| Henderson | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Henderson | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 1 | 0 | 0 | 1 | 0 |
| Henderson | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 2 | 0 |
| Henderson | Freshwater Mussels | <i>Potamilus capax</i> | Fat Pocketbook | E / LE | G1G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Henderson | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Henderson | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 1 | 0 | 0 |
| Henderson | Insects | <i>Nicrophorus americanus</i> | American Burying Beetle | X / LE | G2G3 / SX | 0 | 0 | 0 | 1 | 0 |
| Henderson | Insects | <i>Traverella lewisi</i> | A Leptophlebiid Mayfly | H / | G1G3 / SH | 0 | 1 | 0 | 0 | 0 |
| Henderson | Fishes | <i>Erimyzon sucetta</i> | Lake Chubsucker | T / | G5 / S2 | 0 | 0 | 1 | 0 | 0 |
| Henderson | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Henderson | Amphibians | <i>Hyla avivoca</i> | Bird-voiced Treefrog | S / | G5 / S3 | 3 | 0 | 0 | 0 | 0 |
| Henderson | Amphibians | <i>Hyla cinerea</i> | Green Treefrog | S / | G5 / S3 | 4 | 0 | 0 | 0 | 0 |
| Henderson | Amphibians | <i>Rana areolata circulosa</i> | Northern Crawfish Frog | S / | G4T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Henderson | Reptiles | <i>Apalone mutica mutica</i> | Midland Smooth Softshell | S / | G5T5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Henderson | Reptiles | <i>Nerodia erythrogaster neglecta</i> | Copperbelly Water Snake | S / SOMC | G5T3 / S3 | 10 | 0 | 0 | 0 | 0 |
| Henderson | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 3 | 1 | 0 | 0 | 0 |
| Henderson | Breeding Birds | <i>Actitis macularius</i> | Spotted Sandpiper | E / | G5 / S1B | 1 | 0 | 0 | 0 | 0 |
| Henderson | Breeding Birds | <i>Ardea alba</i> | Great Egret | E / | G5 / S1B | 0 | 0 | 0 | 2 | 0 |
| Henderson | Breeding Birds | <i>Certhia americana</i> | Brown Creeper | E / | G5 / S1S2B,S4S5N | 1 | 0 | 0 | 0 | 0 |
| Henderson | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Henderson | Breeding Birds | <i>Corvus ossifragus</i> | Fish Crow | S / | G5 / S3B | 2 | 0 | 0 | 0 | 0 |
| Henderson | Breeding Birds | <i>Gallinula chloropus</i> | Common Moorhen | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------------------------------|--------------------|---|-----------------------------|--------------|------------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Henderson | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 5 | 0 | 0 | 0 | 0 |
| Henderson | Breeding Birds | <i>Ixobrychus exilis</i> | Least Bittern | T / | G5 / S1S2B | 2 | 0 | 0 | 0 | 0 |
| Henderson | Breeding Birds | <i>Lophodytes cucullatus</i> | Hooded Merganser | T / | G5 / S1S2B,S3S4N | 4 | 0 | 0 | 0 | 0 |
| Henderson | Breeding Birds | <i>Phalacrocorax auritus</i> | Double-crested Cormorant | E / | G5 / S1B | 0 | 0 | 0 | 1 | 0 |
| Henderson | Breeding Birds | <i>Rallus elegans</i> | King Rail | E / | G4 / S1B | 1 | 0 | 0 | 0 | 0 |
| Henderson | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 2 | 1 | 0 | 0 | 0 |
| Henderson | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Henderson | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 2 | 1 | 0 | 0 | 0 |
| Henderson | Mammals | <i>Sorex cinereus</i> | Cinereus Shrew | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Henderson | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 2 | 0 | 0 | 0 | 0 |
| Henderson | Communities | <i>Bottomland marsh</i> | | / | GNR / S1S2 | 4 | 0 | 0 | 0 | 0 |
| Henderson | Communities | <i>Coastal plain slough</i> | | / | GNR / S2S3 | 5 | 0 | 0 | 0 | 0 |
| Henderson | Communities | <i>Deep soil mesophytic forest</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Henderson County Total: | | | | | | 71 | 20 | 3 | 17 | 0 |
| Henry | Vascular Plants | <i>Arabis perstellata</i> | Braun's Rockcress | T / LE | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| Henry | Vascular Plants | <i>Onosmodium hispidissimum</i> | Hairy False Gromwell | E / | G4G5T4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Henry | Vascular Plants | <i>Salix discolor</i> | Pussy Willow | H / | G5 / SH | 0 | 0 | 0 | 1 | 0 |
| Henry | Vascular Plants | <i>Veratrum woodii</i> | Wood's Bunchflower | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Henry | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 1 | 0 | 0 | 0 |
| Henry | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Henry | Insects | <i>Nicrophorus americanus</i> | American Burying Beetle | X / LE | G2G3 / SX | 0 | 0 | 0 | 1 | 0 |
| Henry | Insects | <i>Pseudanopthalmus tenebrosus</i> | Stevens Creek Cave Beetle | T / SOMC | G1 / S1 | 0 | 0 | 1 | 0 | 0 |
| Henry | Fishes | <i>Lota lota</i> | Burbot | S / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Henry | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Henry | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 4 | 0 | 0 | 0 | 0 |
| Henry | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 0 | 0 |
| Henry | Breeding Birds | <i>Dolichonyx oryzivorus</i> | Bobolink | S / | G5 / S2S3B | 1 | 0 | 0 | 0 | 0 |
| Henry | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Henry | Breeding Birds | <i>Passerculus sandwichensis</i> | Savannah Sparrow | S / | G5 / S2S3B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Henry | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 3 | 0 | 0 | 0 | 0 |
| Henry | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 0 | 0 | 1 | 0 | 0 |
| Henry County Total: | | | | | | 14 | 5 | 2 | 2 | 0 |
| Hickman | Vascular Plants | <i>Aesculus pavia</i> | Red Buckeye | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Berchemia scandens</i> | Supple-jack | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Carex crebriflora</i> | Coastal Plain Sedge | T / | G4 / S1? | 1 | 0 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Carex decomposita</i> | Epiphytic Sedge | T / | G3 / S2 | 0 | 0 | 1 | 0 | 0 |
| Hickman | Vascular Plants | <i>Chelone obliqua var. speciosa</i> | Rose Turtlehead | S / | G4T3 / S3 | 2 | 1 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Clematis crispa</i> | Blue Jasmine Leather-flower | T / | G5 / S2 | 2 | 0 | 2 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------|--------------------|--|------------------------------|----------|------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Hickman | Vascular Plants | <i>Didiplis diandra</i> | Water-purslane | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Dryopteris carthusiana</i> | Spinulose Wood Fern | S / | G5 / S3 | 0 | 0 | 1 | 0 | 0 |
| Hickman | Vascular Plants | <i>Eryngium integrifolium</i> | Blue-flower Coyote-thistle | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Gleditsia aquatica</i> | Water Locust | S / | G5 / S3? | 2 | 0 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Hedeoma hispidum</i> | Rough Pennyroyal | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Heterotheca subaxillaris var. latifolia</i> | Broad-leaf Golden-aster | T / | G5T5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Listera australis</i> | Southern Twayblade | H / | G4 / SH | 0 | 0 | 0 | 1 | 0 |
| Hickman | Vascular Plants | <i>Melanthera nivea</i> | Snow Squarestem | S / | G5 / S3? | 1 | 0 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Nemophila aphylla</i> | Small-flower Baby-blue-eyes | T / | G5 / S2? | 2 | 0 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Oldenlandia uniflora</i> | Clustered Bluets | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Paspalum boschianum</i> | Bull Paspalum | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Phacelia ranunculacea</i> | Blue Scorpion-weed | S / | G4 / S3 | 3 | 0 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Polymnia laevigata</i> | Tennessee Leafcup | E / | G3 / S1S2 | 1 | 1 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Ptilimnium capillaceum</i> | Mock Bishop's-weed | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Ptilimnium nuttallii</i> | Nuttall's Mock Bishop's-weed | E / | G5? / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Utricularia macrorhiza</i> | Greater Bladderwort | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Vascular Plants | <i>Verbena canadensis</i> | Rose Mock-verbain | H / | G5 / SH | 0 | 0 | 0 | 1 | 0 |
| Hickman | Vascular Plants | <i>Zizaniopsis miliacea</i> | Southern Wild Rice | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Terrestrial Snails | <i>Webbhelix multilineata</i> | Striped Whitelip | T / | G5 / S1S2 | 1 | 1 | 0 | 0 | 0 |
| Hickman | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Freshwater Mussels | <i>Potamilus purpuratus</i> | Bleufer | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Hickman | Freshwater Mussels | <i>Toxolasma texasiensis</i> | Texas Lilliput | E / | G4 / S1 | 4 | 0 | 0 | 0 | 0 |
| Hickman | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 2 | 0 | 0 | 0 | 0 |
| Hickman | Crustaceans | <i>Cambarellus shufeldtii</i> | Cajun Dwarf Crayfish | S / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Hickman | Crustaceans | <i>Orconectes lancifer</i> | Shrimp Crayfish | E / | G5 / S1 | 1 | 1 | 0 | 0 | 0 |
| Hickman | Crustaceans | <i>Orconectes palmeri palmeri</i> | Gray-Speckled Crayfish | E / | G5T5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Hickman | Insects | <i>Arigomphus maxwelli</i> | Bayou Clubtail | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Insects | <i>Poanes viator</i> | Broad-winged Skipper | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Hickman | Fishes | <i>Cyprinella camura</i> | Bluntnose Shiner | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Hickman | Fishes | <i>Cyprinella venusta</i> | Blacktail Shiner | S / | G5 / S3 | 5 | 1 | 0 | 0 | 0 |
| Hickman | Fishes | <i>Erimyzon sucetta</i> | Lake Chubsucker | T / | G5 / S2 | 2 | 1 | 0 | 0 | 0 |
| Hickman | Fishes | <i>Esox niger</i> | Chain Pickerel | S / | G5 / S3 | 5 | 1 | 0 | 0 | 0 |
| Hickman | Fishes | <i>Etheostoma chienense</i> | Relict Darter | E / LE | G1 / S1 | 10 | 0 | 1 | 0 | 0 |
| Hickman | Fishes | <i>Etheostoma proeliare</i> | Cypress Darter | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Hickman | Fishes | <i>Fundulus dispar</i> | Starhead Topminnow | E / | G4 / S1 | 0 | 0 | 1 | 0 | 0 |
| Hickman | Fishes | <i>Hybognathus hayi</i> | Cypress Minnow | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Hickman | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 1 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|-----------------|--|----------------------------|--------------|----------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Hickman | Fishes | <i>Lepomis marginatus</i> | Dollar Sunfish | E / | G5 / S1 | 7 | 0 | 0 | 0 | 0 |
| Hickman | Fishes | <i>Lepomis miniatus</i> | Redspotted Sunfish | T / | G5 / S2 | 1 | 1 | 0 | 0 | 0 |
| Hickman | Fishes | <i>Macrhybopsis gelida</i> | Sturgeon Chub | E / | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Fishes | <i>Macrhybopsis meeki</i> | Sicklefin Chub | E / | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Fishes | <i>Notropis maculatus</i> | Taillight Shiner | T / | G5 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Hickman | Fishes | <i>Scaphirhynchus albus</i> | Pallid Sturgeon | E / LE | G2 / S1 | 3 | 0 | 0 | 0 | 0 |
| Hickman | Fishes | <i>Umbra limi</i> | Central Mudminnow | T / | G5 / S2S3 | 7 | 0 | 0 | 0 | 0 |
| Hickman | Amphibians | <i>Amphiuma tridactylum</i> | Three-toed Amphiuma | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Amphibians | <i>Hyla avivoca</i> | Bird-voiced Treefrog | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Amphibians | <i>Hyla cinerea</i> | Green Treefrog | S / | G5 / S3 | 7 | 0 | 0 | 0 | 0 |
| Hickman | Amphibians | <i>Rana areolata circulosa</i> | Northern Crawfish Frog | S / | G4T4 / S3 | 0 | 1 | 1 | 0 | 0 |
| Hickman | Reptiles | <i>Apalone mutica mutica</i> | Midland Smooth Softshell | S / | G5T5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Hickman | Reptiles | <i>Chrysemys dorsalis</i> | Southern Painted Turtle | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Reptiles | <i>Farancia abacura reinwardtii</i> | Western Mud Snake | S / | G5T5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Hickman | Reptiles | <i>Nerodia cyclopion</i> | Green Water Snake | E / | G5 / S1 | 0 | 0 | 0 | 0 | 1 |
| Hickman | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 0 | 1 | 1 | 0 | 0 |
| Hickman | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 3 | 0 |
| Hickman | Breeding Birds | <i>Ardea alba</i> | Great Egret | E / | G5 / S1B | 3 | 0 | 0 | 1 | 0 |
| Hickman | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 1 | 1 | 0 | 0 | 0 |
| Hickman | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Hickman | Breeding Birds | <i>Corvus ossifragus</i> | Fish Crow | S / | G5 / S3B | 5 | 0 | 0 | 0 | 0 |
| Hickman | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 1 | 0 | 0 | 1 | 0 |
| Hickman | Breeding Birds | <i>Ictinia mississippiensis</i> | Mississippi Kite | S / | G5 / S2B | 3 | 0 | 0 | 0 | 0 |
| Hickman | Breeding Birds | <i>Nyctanassa violacea</i> | Yellow-crowned Night-heron | T / | G5 / S2B | 2 | 0 | 0 | 0 | 0 |
| Hickman | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 0 | 0 | 0 | 1 | 0 |
| Hickman | Breeding Birds | <i>Sternula antillarum athalassos</i> | Interior Least Tern | E / LE | G4T2Q / S2B | 4 | 0 | 0 | 1 | 0 |
| Hickman | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| Hickman | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Hickman | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 2 | 0 | 0 | 0 | 0 |
| Hickman | Communities | <i>Coastal plain slough</i> | | / | GNR / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Communities | <i>Cypress swamp</i> | | / | GNR / S3 | 1 | 0 | 0 | 0 | 0 |
| Hickman | Communities | <i>Shrub swamp</i> | | / | GNR / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Hickman County Total: | | | | | | 133 | 40 | 8 | 9 | 1 |
| Hopkins | Vascular Plants | <i>Amsonia tabernaemontana var. gattingeri</i> | Eastern Blue-star | E / | G5T3Q / S2? | 2 | 0 | 0 | 0 | 0 |
| Hopkins | Vascular Plants | <i>Carex stipata var. maxima</i> | Stalkgrain Sedge | H / | G5T5? / SH | 0 | 1 | 0 | 0 | 0 |
| Hopkins | Vascular Plants | <i>Carya aquatica</i> | Water Hickory | T / | G5 / S2S3 | 0 | 0 | 1 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|--------------------|---------------------------------------|------------------------------|--------------|----------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Hopkins | Vascular Plants | <i>Didiplis diandra</i> | Water-purslane | S / | G5 / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Hopkins | Vascular Plants | <i>Gleditsia aquatica</i> | Water Locust | S / | G5 / S3? | 1 | 0 | 0 | 0 | 0 |
| Hopkins | Vascular Plants | <i>Lespedeza stuevei</i> | Tall Bush-clover | S / | G4? / S3? | 0 | 1 | 0 | 0 | 0 |
| Hopkins | Vascular Plants | <i>Limnobium spongia</i> | American Frog's-bit | T / | G4 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Hopkins | Vascular Plants | <i>Muhlenbergia bushii</i> | Bush's Muhly | E / | G5 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Hopkins | Vascular Plants | <i>Muhlenbergia glaberrima</i> | Hair Grass | S / | G4? / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Hopkins | Vascular Plants | <i>Ptilimnium costatum</i> | Eastern Mock Bishop's-weed | H / | G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Hopkins | Vascular Plants | <i>Trifolium reflexum</i> | Buffalo Clover | E / | G3G4 / S1S2 | 0 | 0 | 1 | 0 | 0 |
| Hopkins | Freshwater Mussels | <i>Toxolasma texasiensis</i> | Texas Lilliput | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Hopkins | Insects | <i>Satyrrium favonius ontario</i> | Northern Hairstreak | S / | G4T4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Hopkins | Fishes | <i>Erimyzon sucetta</i> | Lake Chubsucker | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Hopkins | Fishes | <i>Etheostoma tecumsehi</i> | Shawnee Darter | S / SOMC | G1 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Hopkins | Fishes | <i>Hybognathus hayi</i> | Cypress Minnow | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Hopkins | Fishes | <i>Lepomis miniatus</i> | Redspotted Sunfish | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Hopkins | Amphibians | <i>Hyla avivoca</i> | Bird-voiced Treefrog | S / | G5 / S3 | 8 | 0 | 0 | 0 | 0 |
| Hopkins | Amphibians | <i>Rana areolata circulosa</i> | Northern Crawfish Frog | S / | G4T4 / S3 | 5 | 0 | 0 | 0 | 0 |
| Hopkins | Reptiles | <i>Farancia abacura reinwardtii</i> | Western Mud Snake | S / | G5T5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Hopkins | Reptiles | <i>Nerodia erythrogaster neglecta</i> | Copperbelly Water Snake | S / SOMC | G5T3 / S3 | 16 | 0 | 0 | 1 | 0 |
| Hopkins | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Hopkins | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 0 | 0 |
| Hopkins | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 5 | 0 | 0 | 0 | 0 |
| Hopkins | Breeding Birds | <i>Botaurus lentiginosus</i> | American Bittern | H / | G4 / SHB | 0 | 1 | 0 | 1 | 0 |
| Hopkins | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 0 | 0 | 0 | 0 |
| Hopkins | Breeding Birds | <i>Circus cyaneus</i> | Northern Harrier | T / | G5 / S1S2B,S4N | 1 | 0 | 0 | 0 | 0 |
| Hopkins | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Hopkins | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 3 | 0 | 0 | 0 | 0 |
| Hopkins | Breeding Birds | <i>Ixobrychus exilis</i> | Least Bittern | T / | G5 / S1S2B | 0 | 1 | 0 | 0 | 0 |
| Hopkins | Breeding Birds | <i>Nyctanassa violacea</i> | Yellow-crowned Night-heron | T / | G5 / S2B | 1 | 0 | 0 | 0 | 0 |
| Hopkins | Breeding Birds | <i>Pandion haliaetus</i> | Osprey | T / | G5 / S2B | 0 | 0 | 1 | 0 | 0 |
| Hopkins | Breeding Birds | <i>Podilymbus podiceps</i> | Pied-billed Grebe | E / | G5 / S1B,S4N | 0 | 0 | 0 | 1 | 0 |
| Hopkins | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 0 | 1 | 0 | 0 | 0 |
| Hopkins | Breeding Birds | <i>Vermivora chrysoptera</i> | Golden-winged Warbler | T / SOMC | G4 / S2B | 0 | 1 | 0 | 0 | 0 |
| Hopkins | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Hopkins | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Hopkins | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 2 | 1 | 0 | 0 | 0 |
| Hopkins | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 2 | 0 | 0 | 0 | 0 |
| Hopkins County Total: | | | | | | 59 | 18 | 4 | 3 | 0 |
| Jackson | Vascular Plants | <i>Ageratina luciae-brauniae</i> | Lucy Braun's White Snakeroot | S / SOMC | G3 / S3 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------|---------------------|--|-----------------------------|----------|-------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Jackson | Vascular Plants | <i>Castanea pumila</i> | Allegheny Chinkapin | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Jackson | Vascular Plants | <i>Castilleja coccinea</i> | Scarlet Indian Paintbrush | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Jackson | Vascular Plants | <i>Cypripedium kentuckiense</i> | Kentucky Lady's-slipper | E / SOMC | G3 / S1S2 | 0 | 0 | 1 | 0 | 0 |
| Jackson | Vascular Plants | <i>Dodecatheon frenchii</i> | French's Shooting Star | S / | G3 / S3 | 0 | 0 | 1 | 0 | 0 |
| Jackson | Vascular Plants | <i>Dryopteris carthusiana</i> | Spinulose Wood Fern | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Jackson | Vascular Plants | <i>Lilium philadelphicum</i> | Wood Lily | T / | G5 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Jackson | Vascular Plants | <i>Liparis loeselii</i> | Loesel's Twayblade | T / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Jackson | Vascular Plants | <i>Paxistima canbyi</i> | Canby's Mountain-lover | T / SOMC | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| Jackson | Vascular Plants | <i>Saxifraga micranthidifolia</i> | Lettuce-leaf Saxifrage | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Jackson | Vascular Plants | <i>Spiranthes lucida</i> | Shining Ladies'-tresses | T / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Jackson | Vascular Plants | <i>Stenanthium gramineum</i> | Eastern Featherbells | T / | G4G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Jackson | Vascular Plants | <i>Taxus canadensis</i> | Canadian Yew | T / | G5 / S2S3 | 7 | 0 | 1 | 0 | 0 |
| Jackson | Vascular Plants | <i>Trifolium stoloniferum</i> | Running Buffalo Clover | T / LE | G3 / S2S3 | 0 | 0 | 0 | 1 | 0 |
| Jackson | Vascular Plants | <i>Vallisneria americana</i> | Eelgrass | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Jackson | Freshwater Mussels | <i>Alasmidonta atropurpurea</i> | Cumberland Elktoe | E / LE | G1G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| Jackson | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 8 | 0 | 0 | 0 | 0 |
| Jackson | Freshwater Mussels | <i>Anodontooides denigratus</i> | Cumberland Papershell | E / SOMC | G1 / S1 | 1 | 0 | 0 | 0 | 0 |
| Jackson | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Jackson | Freshwater Mussels | <i>Pegias fabula</i> | Littlewing Pearlymussel | E / LE | G1 / S1 | 14 | 0 | 2 | 0 | 0 |
| Jackson | Freshwater Mussels | <i>Pleurobema oviforme</i> | Tennessee Clubshell | E / SOMC | G2G3 / S1 | 6 | 0 | 1 | 0 | 0 |
| Jackson | Freshwater Mussels | <i>Ptychobranthus subtentum</i> | Fluted Kidneyshell | E / C | G2 / S1 | 6 | 0 | 1 | 0 | 0 |
| Jackson | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Jackson | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 9 | 0 | 3 | 1 | 0 |
| Jackson | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 1 | 2 | 0 | 0 |
| Jackson | Freshwater Mussels | <i>Villosa trabalis</i> | Cumberland Bean | E / LE | G1 / S1 | 16 | 1 | 9 | 0 | 0 |
| Jackson | Insects | <i>Dannella provonshai</i> | An Ephemerellid Mayfly | H / | G3G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Jackson | Insects | <i>Habrophlebiodes celeteria</i> | A Leptophlebiid Mayfly | H / | G2G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Jackson | Insects | <i>Ophiogomphus howei</i> | Pygmy Snaketail | T / SOMC | G3 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Jackson | Other Invertebrates | <i>Geocentrophora cavernicola</i> | A Cave Obligate Planarian | T / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Jackson | Fishes | <i>Etheostoma cinereum</i> | Ashy Darter | S / SOMC | G2G3 / S3 | 7 | 1 | 0 | 0 | 0 |
| Jackson | Fishes | <i>Ichthyomyzon fossor</i> | Northern Brook Lamprey | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Jackson | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Jackson | Fishes | <i>Percina squamata</i> | Olive Darter | E / SOMC | G3 / S1 | 1 | 1 | 0 | 0 | 0 |
| Jackson | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 30 | 0 | 0 | 0 | 0 |
| Jackson | Mammals | <i>Corynorhinus townsendii virginianus</i> | Virginia Big-eared Bat | E / LE | G4T2 / S1 | 14 | 0 | 0 | 0 | 0 |
| Jackson | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 5 | 0 | 0 | 0 | 0 |
| Jackson | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 17 | 0 | 1 | 0 | 0 |
| Jackson | Communities | <i>Appalachian acid seep</i> | | / | GNR / S2 | 7 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|--------------------|---|--------------------------|----------|---------------|------------------|-----------|-----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Jackson | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 6 | 0 | 0 | 0 | 1 |
| Jackson | Communities | <i>Appalachian pine-oak forest</i> | | / | GNR / S5 | 0 | 0 | 0 | 0 | 0 |
| Jackson | Communities | <i>Appalachian sub-xeric forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Jackson | Communities | <i>Cumberland plateau gravel/cobble bar</i> | | / | GNR / S2 | 4 | 0 | 0 | 0 | 0 |
| Jackson | Communities | <i>Cumberland plateau sandstone glade</i> | | / | GNR / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Jackson | Communities | <i>Hemlock-mixed forest</i> | | / | GNR / S5 | 4 | 0 | 0 | 0 | 0 |
| Jackson | Communities | <i>Virginia pine forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Jackson County Total: | | | | | | 185 | 15 | 22 | 4 | 1 |
| Jefferson | Vascular Plants | <i>Aristida ramosissima</i> | Branched Three-awn Grass | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Vascular Plants | <i>Cabomba caroliniana</i> | Carolina Fanwort | T / | G3G5 / S2 | 0 | 1 | 0 | 1 | 0 |
| Jefferson | Vascular Plants | <i>Castanea pumila</i> | Allegheny Chinkapin | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Vascular Plants | <i>Dryopteris carthusiana</i> | Spinulose Wood Fern | S / | G5 / S3 | 0 | 0 | 1 | 0 | 0 |
| Jefferson | Vascular Plants | <i>Heteranthera dubia</i> | Grassleaf Mud-plantain | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Vascular Plants | <i>Leavenworthia exigua var. laciniata</i> | Kentucky Gladecress | E / SOMC | G4T1T2 / S1S2 | 9 | 0 | 1 | 2 | 0 |
| Jefferson | Vascular Plants | <i>Podostemum ceratophyllum</i> | Threadfoot | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Vascular Plants | <i>Pontederia cordata</i> | Pickereel-weed | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Vascular Plants | <i>Potamogeton illinoensis</i> | Illinois Pondweed | S / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Vascular Plants | <i>Sagittaria graminea</i> | Grassleaf Arrowhead | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Vascular Plants | <i>Solidago shortii</i> | Short's Goldenrod | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Jefferson | Vascular Plants | <i>Stellaria longifolia</i> | Longleaf Stitchwort | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Jefferson | Vascular Plants | <i>Trifolium stoloniferum</i> | Running Buffalo Clover | T / LE | G3 / S2S3 | 2 | 0 | 0 | 1 | 0 |
| Jefferson | Vascular Plants | <i>Vallisneria americana</i> | Eelgrass | S / | G5 / S2S3 | 2 | 1 | 0 | 0 | 0 |
| Jefferson | Vascular Plants | <i>Veratrum woodii</i> | Wood's Bunchflower | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Vascular Plants | <i>Viola septemloba var. egglestonii</i> | Eggleston's Violet | S / | G4 / S3 | 5 | 0 | 0 | 0 | 0 |
| Jefferson | Vascular Plants | <i>Vitis labrusca</i> | Northern Fox Grape | S / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Aquatic Snails | <i>Leptoxis praerosa</i> | Onyx Rocksnail | S / SOMC | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Aquatic Snails | <i>Lithasia verrucosa</i> | Varicose Rocksnail | S / SOMC | G4Q / S3S4 | 1 | 0 | 0 | 0 | 0 |
| Jefferson | Terrestrial Snails | <i>Webbhelix multilineata</i> | Striped Whitelip | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Jefferson | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Freshwater Mussels | <i>Cumberlandia monodonta</i> | Spectaclecase | E / C | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Jefferson | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 0 | 0 | 1 | 0 |
| Jefferson | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Jefferson | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Freshwater Mussels | <i>Hemistena lata</i> | Cracking Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 1 | 0 |
| Jefferson | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Jefferson | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Jefferson | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------|--------------------|--|------------------------------|----------|------------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Jefferson | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Jefferson | Freshwater Mussels | <i>Potamilus capax</i> | Fat Pocketbook | E / LE | G1G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Jefferson | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Jefferson | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Crustaceans | <i>Gammarus bousfieldi</i> | Bousfield's Amphipod | E / SOMC | G1 / S1 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Crustaceans | <i>Orconectes jeffersoni</i> | Louisville Crayfish | E / SOMC | G1 / S1 | 2 | 1 | 0 | 0 | 0 |
| Jefferson | Insects | <i>Nicrophorus americanus</i> | American Burying Beetle | X / LE | G2G3 / SX | 0 | 0 | 0 | 1 | 0 |
| Jefferson | Insects | <i>Pseudanopthalmus troglodytes</i> | Louisville Cave Beetle | T / C | G1 / S1 | 1 | 0 | 0 | 0 | 0 |
| Jefferson | Insects | <i>Satyrrium favonius ontario</i> | Northern Hairstreak | S / | G4T4 / S2 | 0 | 0 | 1 | 0 | 0 |
| Jefferson | Insects | <i>Speyeria idalia</i> | Regal Fritillary | H / SOMC | G3 / SH | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Fishes | <i>Alosa alabamae</i> | Alabama Shad | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Fishes | <i>Atractosteus spatula</i> | Alligator Gar | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Fishes | <i>Lota lota</i> | Burbot | S / | G5 / S2 | 1 | 1 | 0 | 0 | 0 |
| Jefferson | Fishes | <i>Percopsis omiscomaycus</i> | Trout-perch | S / SOMC | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Reptiles | <i>Apalone mutica mutica</i> | Midland Smooth Softshell | S / | G5T5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Jefferson | Reptiles | <i>Clonophis kirtlandii</i> | Kirtland's Snake | T / SOMC | G2 / S2 | 19 | 0 | 0 | 0 | 1 |
| Jefferson | Reptiles | <i>Nerodia erythrogaster neglecta</i> | Copperbelly Water Snake | S / SOMC | G5T3 / S3 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Reptiles | <i>Ophisaurus attenuatus longicaudus</i> | Eastern Slender Glass Lizard | T / | G5T5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Jefferson | Breeding Birds | <i>Actitis macularia</i> | Spotted Sandpiper | E / | G5 / S1B | 1 | 0 | 0 | 0 | 0 |
| Jefferson | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 3 | 0 |
| Jefferson | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 2 | 0 | 0 | 0 | 0 |
| Jefferson | Breeding Birds | <i>Anas discors</i> | Blue-winged Teal | T / | G5 / S1S2B | 0 | 1 | 0 | 1 | 0 |
| Jefferson | Breeding Birds | <i>Ardea alba</i> | Great Egret | E / | G5 / S1B | 1 | 0 | 0 | 0 | 0 |
| Jefferson | Breeding Birds | <i>Botaurus lentiginosus</i> | American Bittern | H / | G4 / SHB | 0 | 0 | 0 | 1 | 0 |
| Jefferson | Breeding Birds | <i>Bubulcus ibis</i> | Cattle Egret | S / | G5 / S1S2B | 0 | 0 | 0 | 1 | 0 |
| Jefferson | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Jefferson | Breeding Birds | <i>Egretta caerulea</i> | Little Blue Heron | E / | G5 / S1B | 0 | 0 | 0 | 1 | 0 |
| Jefferson | Breeding Birds | <i>Falco peregrinus</i> | Peregrine Falcon | E / SOMC | G4 / S1B | 2 | 0 | 0 | 0 | 0 |
| Jefferson | Breeding Birds | <i>Ixobrychus exilis</i> | Least Bittern | T / | G5 / S1S2B | 0 | 0 | 0 | 1 | 0 |
| Jefferson | Breeding Birds | <i>Lophodytes cucullatus</i> | Hooded Merganser | T / | G5 / S1S2B,S3S4N | 1 | 0 | 0 | 0 | 0 |
| Jefferson | Breeding Birds | <i>Nyctanassa violacea</i> | Yellow-crowned Night-heron | T / | G5 / S2B | 2 | 0 | 0 | 3 | 0 |
| Jefferson | Breeding Birds | <i>Nycticorax nycticorax</i> | Black-crowned Night-heron | T / | G5 / S1S2B | 1 | 0 | 0 | 4 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------------------------------|--------------------|--|------------------------|----------|------------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Jefferson | Breeding Birds | <i>Passerculus sandwichensis</i> | Savannah Sparrow | S / | G5 / S2S3B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Jefferson | Breeding Birds | <i>Podilymbus podiceps</i> | Pied-billed Grebe | E / | G5 / S1B,S4N | 0 | 0 | 0 | 1 | 0 |
| Jefferson | Breeding Birds | <i>Rallus elegans</i> | King Rail | E / | G4 / S1B | 0 | 0 | 0 | 1 | 0 |
| Jefferson | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 0 | 0 | 0 | 1 | 0 |
| Jefferson | Breeding Birds | <i>Sternula antillarum athalassos</i> | Interior Least Tern | E / LE | G4T2Q / S2B | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 0 | 1 | 0 | 0 | 0 |
| Jefferson | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Jefferson | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Jefferson | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| Jefferson | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Jefferson | Communities | <i>Deep soil mesophytic forest</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Jefferson County Total: | | | | | | 67 | 58 | 4 | 32 | 1 |
| Jessamine | Vascular Plants | <i>Deschampsia cespitosa</i> | Tufted Hairgrass | E / | G5 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Jessamine | Vascular Plants | <i>Elymus svensonii</i> | Svenson's Wildrye | S / SOMC | G3 / S3 | 5 | 0 | 0 | 0 | 0 |
| Jessamine | Vascular Plants | <i>Lesquerella globosa</i> | Globe Bladderpod | E / C | G2 / S1 | 1 | 0 | 2 | 1 | 0 |
| Jessamine | Vascular Plants | <i>Malvastrum hispidum</i> | Hispid Falsemallow | T / | G3G5 / S2? | 0 | 1 | 1 | 0 | 0 |
| Jessamine | Vascular Plants | <i>Onosmodium hispidissimum</i> | Hairy False Gromwell | E / | G4G5T4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Jessamine | Vascular Plants | <i>Paxistima canbyi</i> | Canby's Mountain-lover | T / SOMC | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| Jessamine | Vascular Plants | <i>Perideridia americana</i> | Eastern Yampah | T / | G4 / S2 | 1 | 0 | 1 | 0 | 0 |
| Jessamine | Vascular Plants | <i>Phlox bifida ssp. stellaria</i> | Starry-cleft Phlox | E / SOMC | G5?T3 / S1 | 5 | 0 | 0 | 0 | 0 |
| Jessamine | Vascular Plants | <i>Sagina fontinalis</i> | Water Stitchwort | T / | G3 / S2 | 2 | 0 | 1 | 1 | 0 |
| Jessamine | Vascular Plants | <i>Schizachne purpurascens</i> | Purple Oat | T / | G5 / S2 | 5 | 0 | 0 | 0 | 0 |
| Jessamine | Vascular Plants | <i>Trifolium stoloniferum</i> | Running Buffalo Clover | T / LE | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Jessamine | Vascular Plants | <i>Trillium nivale</i> | Snow Trillium | E / | G4 / S1 | 2 | 0 | 0 | 0 | 0 |
| Jessamine | Vascular Plants | <i>Viburnum molle</i> | Softleaf Arrowwood | T / | G5 / S3? | 3 | 0 | 0 | 0 | 0 |
| Jessamine | Vascular Plants | <i>Viburnum rafinesquianum var. rafinesquianum</i> | Downy Arrowwood | T / | G5T4T5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Jessamine | Vascular Plants | <i>Viola septemloba var. egglestonii</i> | Eggleston's Violet | S / | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Jessamine | Vascular Plants | <i>Viola walteri</i> | Walter's Violet | T / | G4G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Jessamine | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Jessamine | Freshwater Mussels | <i>Hemistena lata</i> | Cracking Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 1 | 0 |
| Jessamine | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Jessamine | Insects | <i>Callophrys irus</i> | Frosted Elfin | T / | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Jessamine | Insects | <i>Pseudanopthalmus abditus</i> | Concealed Cave Beetle | T / | G3 / S2 | 0 | 0 | 1 | 0 | 0 |
| Jessamine | Insects | <i>Pseudanopthalmus solivagus</i> | A Cave Obligate Beetle | S / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Jessamine | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Jessamine | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 0 | 1 | 0 | 1 | 0 |
| Jessamine | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Jessamine | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 2 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------------------------------|--------------------|---------------------------------------|-----------------------------|----------|--------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Jessamine | Breeding Birds | <i>Anas discors</i> | Blue-winged Teal | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Jessamine | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 1 | 0 | 0 | 0 |
| Jessamine | Breeding Birds | <i>Dolichonyx oryzivorus</i> | Bobolink | S / | G5 / S2S3B | 2 | 0 | 0 | 0 | 0 |
| Jessamine | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Jessamine | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 5 | 0 | 0 | 1 | 0 |
| Jessamine | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Jessamine | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Jessamine | Communities | <i>Calcareous sub-xeric forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 0 | 0 |
| Jessamine | Communities | <i>Xeric calcareous forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Jessamine County Total: | | | | | | 49 | 23 | 6 | 5 | 0 |
| Johnson | Vascular Plants | <i>Erythronium rostratum</i> | Yellow Troutlily | S / | G5 / S2S3 | 10 | 0 | 0 | 0 | 0 |
| Johnson | Vascular Plants | <i>Trichostema setaceum</i> | Narrowleaved Bluecurls | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Johnson | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 1 | 0 | 0 | 0 |
| Johnson | Fishes | <i>Ichthyomyzon fossor</i> | Northern Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Johnson | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Johnson | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Johnson | Breeding Birds | <i>Corvus corax</i> | Common Raven | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Johnson | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 0 | 1 | 0 | 0 | 0 |
| Johnson County Total: | | | | | | 13 | 4 | 0 | 0 | 0 |
| Kenton | Vascular Plants | <i>Oenothera triloba</i> | Stemless Evening-primrose | T / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Kenton | Vascular Plants | <i>Philadelphus inodorus</i> | Mock Orange | T / | G4G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Kenton | Vascular Plants | <i>Trifolium stoloniferum</i> | Running Buffalo Clover | T / LE | G3 / S2S3 | 1 | 0 | 1 | 2 | 0 |
| Kenton | Aquatic Snails | <i>Leptoxis praerosa</i> | Onyx Rocksnail | S / SOMC | G5 / S3S4 | 0 | 0 | 0 | 1 | 0 |
| Kenton | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Kenton | Freshwater Mussels | <i>Cumberlandia monodonta</i> | Spectaclecase | E / C | G3 / S1 | 0 | 0 | 0 | 2 | 0 |
| Kenton | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 4 | 0 | 0 | 1 | 0 |
| Kenton | Freshwater Mussels | <i>Epioblasma obliquata obliquata</i> | Catspaw | E / LE | G1T1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Kenton | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Kenton | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Kenton | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 1 | 0 | 0 | 2 | 0 |
| Kenton | Freshwater Mussels | <i>Hemistena lata</i> | Cracking Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 1 | 0 |
| Kenton | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 0 | 1 | 0 | 2 | 0 |
| Kenton | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 0 | 0 | 2 | 0 |
| Kenton | Freshwater Mussels | <i>Lasmigona compressa</i> | Creek Heelsplitter | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Kenton | Freshwater Mussels | <i>Leptodea leptodon</i> | Scaleshell | X / LE | G1G2 / SX | 0 | 0 | 0 | 1 | 0 |
| Kenton | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Kenton | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Kenton | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 0 | 0 | 0 | 2 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------------------------|--------------------|---|---------------------------|----------|---------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Kenton | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 2 | 0 |
| Kenton | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Kenton | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 2 | 0 |
| Kenton | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Kenton | Freshwater Mussels | <i>Quadrula fragosa</i> | Winged Mapleleaf | X / LE | G1 / SX | 0 | 0 | 0 | 1 | 0 |
| Kenton | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 2 | 0 | 0 | 1 | 0 |
| Kenton | Freshwater Mussels | <i>Villosa fabalis</i> | Rayed Bean | X / C | G2 / SX | 0 | 0 | 0 | 1 | 0 |
| Kenton | Insects | <i>Dryobius sexnotatus</i> | Sixbanded Longhorn Beetle | T / SOMC | GNR / S1 | 0 | 0 | 1 | 0 | 0 |
| Kenton | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Kenton | Fishes | <i>Atractosteus spatula</i> | Alligator Gar | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Kenton | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 2 | 0 | 0 | 1 | 0 |
| Kenton | Amphibians | <i>Plethodon cinereus</i> | Redback Salamander | S / | G5 / S3 | 9 | 0 | 0 | 0 | 0 |
| Kenton | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Kenton | Reptiles | <i>Clonophis kirtlandii</i> | Kirtland's Snake | T / SOMC | G2 / S2 | 0 | 1 | 0 | 0 | 0 |
| Kenton | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 1 | 0 |
| Kenton | Breeding Birds | <i>Poocetes gramineus</i> | Vesper Sparrow | E / | G5 / S1B | 0 | 0 | 0 | 0 | 1 |
| Kenton | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Kenton | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Kenton County Total: | | | | | | 24 | 13 | 2 | 34 | 1 |
| Knott | Vascular Plants | <i>Hydrophyllum virginianum</i> | Eastern Waterleaf | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Knott | Vascular Plants | <i>Liparis loeselii</i> | Loesel's Twayblade | T / | G5 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Knott | Vascular Plants | <i>Silphium wasiotense</i> | Appalachian Rosinweed | S / SOMC | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Knott | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 3 | 0 | 0 | 0 | 0 |
| Knott | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Knott | Breeding Birds | <i>Corvus corax</i> | Common Raven | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Knott County Total: | | | | | | 10 | 0 | 0 | 0 | 0 |
| Knox | Vascular Plants | <i>Aconitum uncinatum</i> | Blue Monkshood | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Knox | Vascular Plants | <i>Calopogon tuberosus</i> | Grass Pink | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Knox | Vascular Plants | <i>Carex hystericina</i> | Porcupine Sedge | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Knox | Vascular Plants | <i>Carex seorsa</i> | Weak Stellate Sedge | S / | G4 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Knox | Vascular Plants | <i>Cypripedium kentuckiense</i> | Kentucky Lady's-slipper | E / SOMC | G3 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| Knox | Vascular Plants | <i>Gratiola viscidula</i> | Short's Hedgehyssop | S / | G4G5 / S3 | 0 | 0 | 0 | 1 | 0 |
| Knox | Vascular Plants | <i>Hypericum crux-andreae</i> | St. Peter's-wort | T / | G5 / S2S3 | 0 | 1 | 0 | 1 | 0 |
| Knox | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Knox | Vascular Plants | <i>Liparis loeselii</i> | Loesel's Twayblade | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Knox | Vascular Plants | <i>Lobelia nuttallii</i> | Nuttall's Lobelia | T / | G4G5 / S2 | 0 | 1 | 0 | 1 | 0 |
| Knox | Vascular Plants | <i>Platanthera cristata</i> | Yellow-crested Orchid | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Knox | Vascular Plants | <i>Polygala cruciata</i> | Crossleaf Milkwort | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------------------------|--------------------|-------------------------------------|------------------------------|----------|--------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Knox | Vascular Plants | <i>Sabatia campanulata</i> | Slender Marsh Pink | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Knox | Vascular Plants | <i>Sagittaria graminea</i> | Grassleaf Arrowhead | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Knox | Vascular Plants | <i>Solidago curtisii</i> | Curtis' Goldenrod | T / | G4G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Knox | Vascular Plants | <i>Trichostema setaceum</i> | Narrowleaved Bluecurls | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Knox | Vascular Plants | <i>Vallisneria americana</i> | Eelgrass | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Knox | Freshwater Mussels | <i>Alasmidonta atropurpurea</i> | Cumberland Elktoe | E / LE | G1G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Knox | Freshwater Mussels | <i>Anodontooides denigratus</i> | Cumberland Papershell | E / SOMC | G1 / S1 | 3 | 0 | 1 | 3 | 0 |
| Knox | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Knox | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 2 | 0 | 0 | 0 | 0 |
| Knox | Insects | <i>Lytrosis permagnaria</i> | A Geometrid Moth | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Knox | Insects | <i>Polygonia faunus</i> | Green Comma | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Knox | Insects | <i>Polygonia progne</i> | Gray Comma | H / | G4G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Knox | Insects | <i>Speyeria idalia</i> | Regal Fritillary | H / SOMC | G3 / SH | 0 | 0 | 0 | 1 | 0 |
| Knox | Fishes | <i>Phoxinus cumberlandensis</i> | Blackside Dace | T / LT | G2 / S2 | 21 | 0 | 0 | 1 | 0 |
| Knox | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Knox | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 0 | 1 | 0 | 0 | 0 |
| Knox | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Knox County Total: | | | | | | 36 | 17 | 1 | 10 | 0 |
| Larue | Vascular Plants | <i>Carex crawei</i> | Crawe's Sedge | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Larue | Vascular Plants | <i>Castilleja coccinea</i> | Scarlet Indian Paintbrush | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Larue | Vascular Plants | <i>Helianthemum bicknellii</i> | Plains Frostweed | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Larue | Vascular Plants | <i>Helianthus eggertii</i> | Eggert's Sunflower | T / | G3 / S2 | 3 | 0 | 0 | 0 | 0 |
| Larue | Vascular Plants | <i>Heteranthera limosa</i> | Blue Mud-plantain | S / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Larue | Vascular Plants | <i>Myriophyllum heterophyllum</i> | Broadleaf Water-milfoil | S / | G5 / S3? | 1 | 0 | 0 | 0 | 0 |
| Larue | Vascular Plants | <i>Spiranthes magnicamporum</i> | Great Plains Ladies'-tresses | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Larue | Vascular Plants | <i>Symphotrichum pratense</i> | Barrens Silky Aster | S / | G4? / S3 | 2 | 0 | 0 | 0 | 0 |
| Larue | Freshwater Mussels | <i>Cyrogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 3 | 0 | 0 | 0 | 0 |
| Larue | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Larue | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 1 | 1 | 0 | 0 | 0 |
| Larue | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Larue | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Larue | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 4 | 0 | 0 | 0 | 0 |
| Larue | Freshwater Mussels | <i>Villosa ortmanni</i> | Kentucky Creekshell | T / SOMC | G2 / S2 | 2 | 0 | 1 | 0 | 0 |
| Larue | Crustaceans | <i>Orconectes inermis inermis</i> | Ghost Crayfish | S / | G5T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Larue | Insects | <i>Calephelis muticum</i> | Swamp Metalmark | T / | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Larue | Insects | <i>Maccaffertium bednariki</i> | A Heptageniid Mayfly | S / | G2G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Larue | Insects | <i>Pseudanopthalmus cnephosus</i> | A Cave Obligate Beetle | T / | G1G2 / S1S2 | 1 | 1 | 0 | 0 | 0 |
| Larue | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 4 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------------------------|-----------------|--|------------------------------|--------------|------------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Larue | Reptiles | <i>Elaphe guttata</i> | Corn Snake | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Larue | Reptiles | <i>Ophisaurus attenuatus longicaudus</i> | Eastern Slender Glass Lizard | T / | G5T5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Larue | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Larue | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Larue | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 1 | 0 | 0 | 0 |
| Larue | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Larue | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Larue | Breeding Birds | <i>Passerculus sandwichensis</i> | Savannah Sparrow | S / | G5 / S2S3B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Larue | Communities | <i>Calcareous sub-xeric forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Larue | Communities | <i>Limestone slope glade</i> | | / | GNR / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Larue County Total: | | | | | | 37 | 13 | 1 | 1 | 0 |
| Laurel | Mosses | <i>Neckera pennata</i> | | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Laurel | Mosses | <i>Polytrichum pallidisetum</i> | A Hair Cap Moss | T / | G4 / S2? | 1 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Aconitum uncinatum</i> | Blue Monkshood | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Ageratina luciae-brauniae</i> | Lucy Braun's White Snakeroot | S / SOMC | G3 / S3 | 18 | 0 | 3 | 0 | 0 |
| Laurel | Vascular Plants | <i>Bartonia virginica</i> | Yellow Screwstem | T / | G5 / S2 | 3 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Carex gigantea</i> | Large Sedge | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Castanea pumila</i> | Allegheny Chinkapin | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Ceanothus herbaceus</i> | Prairie Redroot | T / | G5 / S2 | 5 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Comptonia peregrina</i> | Sweet-fern | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Cypripedium kentuckiense</i> | Kentucky Lady's-slipper | E / SOMC | G3 / S1S2 | 4 | 0 | 1 | 0 | 0 |
| Laurel | Vascular Plants | <i>Cypripedium parviflorum</i> | Small Yellow Lady's-slipper | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Eriophorum virginicum</i> | Tawny Cotton-grass | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Eurybia saxicastellii</i> | Rockcastle Aster | T / SOMC | G1G2 / S1S2 | 6 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Gratiola pilosa</i> | Shaggy Hedgehyssop | T / | G5? / S2 | 2 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Gratiola viscidula</i> | Short's Hedgehyssop | S / | G4G5 / S3 | 1 | 0 | 0 | 1 | 0 |
| Laurel | Vascular Plants | <i>Hexastylis contracta</i> | Southern Heartleaf | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Hydrophyllum virginianum</i> | Eastern Waterleaf | T / | G5 / S2? | 0 | 1 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Hypericum crux-andreae</i> | St. Peter's-wort | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Lilium philadelphicum</i> | Wood Lily | T / | G5 / S2S3 | 9 | 0 | 0 | 4 | 0 |
| Laurel | Vascular Plants | <i>Lobelia nuttallii</i> | Nuttall's Lobelia | T / | G4G5 / S2 | 5 | 0 | 1 | 0 | 0 |
| Laurel | Vascular Plants | <i>Lycopodiella appressa</i> | Southern Bog Clubmoss | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Platanthera cristata</i> | Yellow-crested Orchid | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Platanthera integrilabia</i> | White Fringeless Orchid | E / C | G2G3 / S1 | 3 | 0 | 1 | 0 | 0 |
| Laurel | Vascular Plants | <i>Podostemum ceratophyllum</i> | Threadfoot | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Polygala cruciata</i> | Crossleaf Milkwort | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Polygala paucifolia</i> | Gaywings | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------|--------------------|---|-------------------------|----------|-------------|------------------|---|----|---|---|
| | | | | | | E | H | F | X | U |
| Laurel | Vascular Plants | <i>Potamogeton illinoensis</i> | Illinois Pondweed | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Potamogeton pulcher</i> | Spotted Pondweed | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Rhynchospora recognita</i> | Globe Beaked-rush | S / | G5? / S3 | 2 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Saxifraga michauxii</i> | Michaux's Saxifrage | T / | G4G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Solidago curtisii</i> | Curtis' Goldenrod | T / | G4G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Solidago gracillima</i> | Southern Bog Goldenrod | S / | G4? / S2? | 3 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Solidago simplex ssp. randii var. racemosa</i> | Rand's Goldenrod | S / | G5T3? / S3 | 6 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Spiraea virginiana</i> | Virginia Spiraea | T / LT | G2 / S2 | 11 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Stenanthium gramineum</i> | Eastern Featherbells | T / | G4G5 / S2S3 | 2 | 0 | 0 | 1 | 0 |
| Laurel | Vascular Plants | <i>Symphytotrichum concolor</i> | Eastern Silvery Aster | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Vitis labrusca</i> | Northern Fox Grape | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Vascular Plants | <i>Vitis rupestris</i> | Sand Grape | T / | G3 / S2 | 8 | 0 | 0 | 0 | 0 |
| Laurel | Aquatic Snails | <i>Leptoxis praerosa</i> | Onyx Rocksnail | S / SOMC | G5 / S3S4 | 4 | 0 | 0 | 0 | 0 |
| Laurel | Aquatic Snails | <i>Pleurocera curta</i> | Shortspire Hornsnail | S / SOMC | G2 / S2 | 0 | 1 | 0 | 0 | 0 |
| Laurel | Terrestrial Snails | <i>Fumonelix wetherbyi</i> | Clifty Covert | S / | G2G3 / S2 | 3 | 0 | 0 | 0 | 0 |
| Laurel | Freshwater Mussels | <i>Alasmidonta atropurpurea</i> | Cumberland Elktoe | E / LE | G1G2 / S1 | 6 | 1 | 0 | 1 | 0 |
| Laurel | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 4 | 0 | 0 | 0 | 0 |
| Laurel | Freshwater Mussels | <i>Anodontooides denigratus</i> | Cumberland Papershell | E / SOMC | G1 / S1 | 2 | 0 | 0 | 3 | 0 |
| Laurel | Freshwater Mussels | <i>Epioblasma brevidens</i> | Cumberlandian Combshell | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Laurel | Freshwater Mussels | <i>Epioblasma capsaeformis</i> | Oyster Mussel | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Laurel | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 0 | 0 | 1 | 0 |
| Laurel | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 1 | 0 | 1 | 1 | 0 |
| Laurel | Freshwater Mussels | <i>Pegias fabula</i> | Littlewing Pearlymussel | E / LE | G1 / S1 | 3 | 1 | 2 | 0 | 0 |
| Laurel | Freshwater Mussels | <i>Pleurobema oviforme</i> | Tennessee Clubshell | E / SOMC | G2G3 / S1 | 2 | 0 | 1 | 0 | 0 |
| Laurel | Freshwater Mussels | <i>Ptychobranchnus subtentum</i> | Fluted Kidneyshell | E / C | G2 / S1 | 1 | 1 | 1 | 1 | 0 |
| Laurel | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Laurel | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 2 | 0 | 3 | 1 | 0 |
| Laurel | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 0 | 2 | 0 |
| Laurel | Freshwater Mussels | <i>Villosa trabalis</i> | Cumberland Bean | E / LE | G1 / S1 | 43 | 0 | 14 | 0 | 0 |
| Laurel | Insects | <i>Dannella provonshai</i> | An Ephemerellid Mayfly | H / | G3G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Laurel | Insects | <i>Lytrosis permagnaria</i> | A Geometrid Moth | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Laurel | Insects | <i>Nannothemis bella</i> | Elfin Skimmer | E / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Laurel | Insects | <i>Ophiogomphus howei</i> | Pygmy Snaketail | T / SOMC | G3 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| Laurel | Insects | <i>Polygonia faunus</i> | Green Comma | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Laurel | Insects | <i>Speyeria idalia</i> | Regal Fritillary | H / SOMC | G3 / SH | 0 | 0 | 0 | 1 | 0 |
| Laurel | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Laurel | Fishes | <i>Etheostoma cinereum</i> | Ashy Darter | S / SOMC | G2G3 / S3 | 27 | 0 | 0 | 0 | 0 |
| Laurel | Fishes | <i>Ichthyomyzon greeleyi</i> | Mountain Brook Lamprey | T / | G3G4 / S2 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-------------------------------|--------------------|---|-------------------------------|--------------|----------------|------------------|-----------|-----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Laurel | Fishes | <i>Percina squamata</i> | Olive Darter | E / SOMC | G3 / S1 | 5 | 0 | 0 | 0 | 0 |
| Laurel | Fishes | <i>Phenacobius uranops</i> | Stargazing Minnow | S / | G4 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Laurel | Fishes | <i>Phoxinus cumberlandensis</i> | Blackside Dace | T / LT | G2 / S2 | 5 | 0 | 0 | 0 | 0 |
| Laurel | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Laurel | Reptiles | <i>Eumeces anthracinus</i> | Coal Skink | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Reptiles | <i>Eumeces inexpectatus</i> | Southeastern Five-lined Skink | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Laurel | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Laurel | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 1 | 0 |
| Laurel | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Laurel | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 0 | 1 | 0 | 0 | 0 |
| Laurel | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Laurel | Breeding Birds | <i>Picoides borealis</i> | Red-cockaded Woodpecker | X / LE | G3 / SX | 0 | 0 | 0 | 8 | 0 |
| Laurel | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 15 | 0 | 0 | 0 | 0 |
| Laurel | Mammals | <i>Mustela nivalis</i> | Least Weasel | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Communities | <i>Appalachian acid seep</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Communities | <i>Appalachian pine-oak forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 0 | 0 |
| Laurel | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Laurel | Communities | <i>Cumberland plateau gravel/cobble bar</i> | | / | GNR / S2 | 3 | 0 | 0 | 0 | 0 |
| Laurel | Communities | <i>Hemlock-mixed forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 0 | 0 |
| Laurel | Communities | <i>Riparian forest</i> | | / | GNR / S3 | 1 | 0 | 0 | 0 | 0 |
| Laurel County Total: | | | | | | 252 | 55 | 28 | 30 | 0 |
| Lawrence | Vascular Plants | <i>Carex tonsa var. rugosperma</i> | Umbel-like Sedge | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Lawrence | Vascular Plants | <i>Cypripedium parviflorum</i> | Small Yellow Lady's-slipper | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Lawrence | Vascular Plants | <i>Erythronium rostratum</i> | Yellow Troutlily | S / | G5 / S2S3 | 6 | 0 | 0 | 0 | 0 |
| Lawrence | Vascular Plants | <i>Halesia tetraptera</i> | Common Silverbell | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Lawrence | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 0 | 0 | 1 | 0 |
| Lawrence | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 5 | 0 | 0 | 0 | 0 |
| Lawrence | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 0 | 1 | 0 |
| Lawrence | Insects | <i>Acroneuria kosztarabi</i> | A Perlid Stonefly | S / | G1 / S1 | 1 | 0 | 0 | 0 | 0 |
| Lawrence | Fishes | <i>Ichthyomyzon fossor</i> | Northern Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 1 | 0 |
| Lawrence | Fishes | <i>Percopsis omiscomaycus</i> | Trout-perch | S / SOMC | G5 / S3 | 0 | 0 | 0 | 1 | 0 |
| Lawrence | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Lawrence | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Lawrence | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Lawrence County Total: | | | | | | 17 | 2 | 0 | 4 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------------------------|--------------------|---|-----------------------------|----------|---------------|------------------|----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Lee | Vascular Plants | <i>Castanea pumila</i> | Allegheny Chinkapin | T / | G5 / S2 | 1 | 0 | 2 | 0 | 0 |
| Lee | Vascular Plants | <i>Cypripedium kentuckiense</i> | Kentucky Lady's-slipper | E / SOMC | G3 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Lee | Vascular Plants | <i>Cypripedium parviflorum</i> | Small Yellow Lady's-slipper | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Lee | Vascular Plants | <i>Juncus articulatus</i> | Jointed Rush | S / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Lee | Vascular Plants | <i>Spiranthes lucida</i> | Shining Ladies'-tresses | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Lee | Vascular Plants | <i>Taxus canadensis</i> | Canadian Yew | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Lee | Vascular Plants | <i>Trichophorum planifolium</i> | Bashful Bulrush | E / | G4G5 / S1? | 2 | 0 | 0 | 0 | 0 |
| Lee | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Lee | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Lee | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 1 | 0 | 0 |
| Lee | Insects | <i>Dryobius sexnotatus</i> | Sixbanded Longhorn Beetle | T / SOMC | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Lee | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Lee | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 13 | 0 | 0 | 0 | 0 |
| Lee | Mammals | <i>Corynorhinus townsendii virginianus</i> | Virginia Big-eared Bat | E / LE | G4T2 / S1 | 16 | 0 | 0 | 0 | 0 |
| Lee | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Lee | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 0 | 1 | 0 | 0 | 0 |
| Lee | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 4 | 0 | 0 | 0 | 0 |
| Lee | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 9 | 0 | 0 | 0 | 0 |
| Lee | Mammals | <i>Ursus americanus</i> | American Black Bear | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Lee | Communities | <i>Acidic sub-xeric forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Lee | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 3 | 0 | 0 | 1 | 0 |
| Lee | Communities | <i>Appalachian sub-xeric forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Lee | Communities | <i>Calcareous mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Lee | Communities | <i>Floodplain ridge/terrace forest</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Lee | Communities | <i>Hemlock-mixed forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 0 | 0 |
| Lee County Total: | | | | | | 64 | 7 | 3 | 1 | 0 |
| Leslie | Vascular Plants | <i>Carex appalachica</i> | Appalachian Sedge | T / | G4 / S2? | 1 | 0 | 0 | 0 | 0 |
| Leslie | Vascular Plants | <i>Castilleja coccinea</i> | Scarlet Indian Paintbrush | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Leslie | Vascular Plants | <i>Chrysosplenium americanum</i> | American Golden-saxifrage | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Leslie | Vascular Plants | <i>Lathyrus venosus</i> | Smooth Veiny Peavine | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Leslie | Vascular Plants | <i>Lycopodium clavatum</i> | Running Pine | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Leslie | Vascular Plants | <i>Prenanthes crepidinea</i> | Nodding Rattlesnake-root | S / | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Leslie | Vascular Plants | <i>Silphium wasiotense</i> | Appalachian Rosinweed | S / SOMC | G3 / S3 | 4 | 0 | 0 | 0 | 0 |
| Leslie | Vascular Plants | <i>Solidago curtisii</i> | Curtis' Goldenrod | T / | G4G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Leslie | Terrestrial Snails | <i>Anguispira rugoderma</i> | Pine Mountain Tigersnail | E / | G2 / S2 | 5 | 0 | 0 | 0 | 0 |
| Leslie | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 3 | 0 | 1 | 0 | 0 |
| Leslie | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Leslie | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------------------------|-----------------|--------------------------------------|---------------------------------|----------|------------|------------------|----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Leslie | Crustaceans | <i>Cambarus parvoculus</i> | Mountain Midget Crayfish | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Leslie | Insects | <i>Amphiagrion saucium</i> | Eastern Red Damsel | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Leslie | Insects | <i>Maccaffertium bednariki</i> | A Heptageniid Mayfly | S / | G2G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Leslie | Fishes | <i>Ichthyomyzon fossor</i> | Northern Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Leslie | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Leslie | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Leslie | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 4 | 0 | 0 | 0 | 0 |
| Leslie | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Leslie | Mammals | <i>Spilogale putorius</i> | Eastern Spotted Skunk | S / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Leslie | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 0 | 0 |
| Leslie | Communities | <i>Appalachian sub-xeric forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 0 | 0 |
| Leslie | Communities | <i>Hemlock-mixed forest</i> | | / | GNR / S5 | 3 | 0 | 0 | 0 | 0 |
| Leslie County Total: | | | | | | 37 | 6 | 1 | 1 | 0 |
| Letcher | Mosses | <i>Anomodon rugelii</i> | | T / | G5 / S2? | 2 | 0 | 0 | 0 | 0 |
| Letcher | Mosses | <i>Brachythecium populeum</i> | Matted Feather Moss | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Letcher | Mosses | <i>Cirriphyllum piliferum</i> | | T / | G5 / S2? | 2 | 0 | 0 | 0 | 0 |
| Letcher | Mosses | <i>Dicranodontium asperulum</i> | | E / | G4G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Letcher | Mosses | <i>Entodon brevisetus</i> | | E / | G4? / S1? | 1 | 0 | 0 | 0 | 0 |
| Letcher | Mosses | <i>Neckera pennata</i> | | T / | G5 / S2? | 4 | 0 | 0 | 0 | 0 |
| Letcher | Mosses | <i>Oncophorus raui</i> | | E / | G3 / S1? | 1 | 0 | 0 | 0 | 0 |
| Letcher | Mosses | <i>Polytrichum pallidisetum</i> | A Hair Cap Moss | T / | G4 / S2? | 1 | 0 | 0 | 0 | 0 |
| Letcher | Mosses | <i>Polytrichum strictum</i> | | E / | G4 / S1? | 1 | 0 | 0 | 0 | 0 |
| Letcher | Mosses | <i>Sphagnum quinquefarium</i> | A Sphagnum Moss | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Adlumia fungosa</i> | Allegheny-vine | E / | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Angelica triquinata</i> | Filmy Angelica | E / | G4 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Baptisia tinctoria</i> | Yellow Wild Indigo | T / | G5 / S1S2 | 6 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Botrychium matricariifolium</i> | Matricary Grape-fern | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Boykinia aconitifolia</i> | Brook Saxifrage | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Carex aestivalis</i> | Summer Sedge | E / | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Carex appalachica</i> | Appalachian Sedge | T / | G4 / S2? | 1 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Castanea pumila</i> | Allegheny Chinkapin | T / | G5 / S2 | 1 | 1 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Circaea alpina</i> | Small Enchanter's Nightshade | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Corydalis sempervirens</i> | Rock Harlequin | S / | G4G5 / S3? | 3 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Cymophyllus fraserianus</i> | Fraser's Sedge | E / | G4 / S1 | 6 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Cypripedium parviflorum</i> | Small Yellow Lady's-slipper | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Eupatorium steelei</i> | Steele's Joe-pye-weed | T / | G4 / S2 | 3 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Gentiana decora</i> | Showy Gentian | S / | G4? / S3 | 4 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Hexastylis contracta</i> | Southern Heartleaf | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------|--------------------|---|-----------------------------|----------|---------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Letcher | Vascular Plants | <i>Houstonia serpyllifolia</i> | Michaux's Bluets | E / | G4? / S1 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Hydrophyllum virginianum</i> | Eastern Waterleaf | T / | G5 / S2? | 2 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 2 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Leucothoe recurva</i> | Red-twig Doghobble | E / | G4G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Lilium superbum</i> | Turk's Cap Lily | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Listera smallii</i> | Kidney-leaf Twayblade | T / | G4 / S2 | 4 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Monotropsis odorata</i> | Sweet Pinesap | T / SOMC | G3 / S2 | 0 | 1 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Oenothera oakesiana</i> | Evening Primrose | H / | G4G5Q / SH | 0 | 1 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Oenothera perennis</i> | Small Sundrops | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Orontium aquaticum</i> | Golden Club | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Pogonia ophioglossoides</i> | Rose Pogonia | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Prosartes maculata</i> | Nodding Mandarin | S / | G3G4 / S3? | 1 | 1 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Sanguisorba canadensis</i> | Canada Burnet | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Saxifraga michauxii</i> | Michaux's Saxifrage | T / | G4G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Saxifraga micranthidifolia</i> | Lettuce-leaf Saxifrage | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Solidago curtisii</i> | Curtis' Goldenrod | T / | G4G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Letcher | Vascular Plants | <i>Trillium undulatum</i> | Painted Trillium | T / | G5 / S2 | 2 | 1 | 0 | 0 | 0 |
| Letcher | Terrestrial Snails | <i>Glyphyalinia rhoadsi</i> | Sculpted Glyph | T / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Letcher | Terrestrial Snails | <i>Patera panselenus</i> | Virginia Bladetooth | S / | G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Crustaceans | <i>Cambarus parvoculus</i> | Mountain Midget Crayfish | T / | G5 / S2 | 3 | 0 | 0 | 0 | 0 |
| Letcher | Insects | <i>Amphiagrion saucium</i> | Eastern Red Damsel | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Insects | <i>Erora laeta</i> | Early Hairstreak | T / | GU / S1 | 0 | 1 | 0 | 0 | 0 |
| Letcher | Insects | <i>Litobranchna recurvata</i> | A Burrowing Mayfly | S / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Insects | <i>Papaipema speciosissima</i> | Osmunda Borer Moth | E / | G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Insects | <i>Phyciodes batesii</i> | Tawny Crescent | H / SOMC | G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Letcher | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 0 | 0 | 0 | 1 |
| Letcher | Insects | <i>Stylurus scudderi</i> | Zebra Clubtail | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Fishes | <i>Phoxinus cumberlandensis</i> | Blackside Dace | T / LT | G2 / S2 | 17 | 0 | 1 | 2 | 0 |
| Letcher | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Amphibians | <i>Plethodon wehrlei</i> | Wehrle's Salamander | E / | G4 / S1 | 2 | 0 | 0 | 0 | 0 |
| Letcher | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 2 | 0 | 0 | 0 | 0 |
| Letcher | Breeding Birds | <i>Corvus corax</i> | Common Raven | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Breeding Birds | <i>Pheucticus ludovicianus</i> | Rose-breasted Grosbeak | S / | G5 / S3S4B | 1 | 0 | 0 | 0 | 0 |
| Letcher | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Mammals | <i>Clethrionomys gapperi maurus</i> | Kentucky Red-backed Vole | S / SOMC | G5T3T4 / S3 | 2 | 1 | 0 | 0 | 0 |
| Letcher | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 2 | 0 | 0 | 0 | 0 |
| Letcher | Mammals | <i>Mustela nivalis</i> | Least Weasel | S / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Letcher | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 13 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|--------------------|---------------------------------------|------------------------------------|----------|-------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Letcher | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 14 | 0 | 0 | 0 | 0 |
| Letcher | Mammals | <i>Sorex cinereus</i> | Cinereus Shrew | S / | G5 / S3 | 6 | 0 | 0 | 0 | 0 |
| Letcher | Mammals | <i>Sorex dispar blitchi</i> | Long-tailed Shrew | E / | G4T3T4 / S1 | 2 | 0 | 0 | 0 | 0 |
| Letcher | Mammals | <i>Spilogale putorius</i> | Eastern Spotted Skunk | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Mammals | <i>Ursus americanus</i> | American Black Bear | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Communities | <i>Appalachian acid seep</i> | | / | GNR / S2 | 3 | 0 | 0 | 0 | 0 |
| Letcher | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Communities | <i>Appalachian sub-xeric forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Letcher | Communities | <i>Hemlock-mixed forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Letcher County Total: | | | | | | 146 | 33 | 1 | 2 | 1 |
| Lewis | Vascular Plants | <i>Aconitum uncinatum</i> | Blue Monkshood | T / | G4 / S2 | 4 | 0 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Agalinis auriculata</i> | Earleaf False Foxglove | E / | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Aralia nudicaulis</i> | Wild Sarsaparilla | E / | G5 / S3? | 0 | 1 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Bouteloua curtipendula</i> | Side-oats Grama | S / | G5 / S3? | 2 | 0 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Calopogon tuberosus</i> | Grass Pink | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Carex crawei</i> | Crawe's Sedge | S / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Carex juniperorum</i> | Cedar Sedge | E / | G3 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Carex tetanica</i> | Rigid Sedge | E / | G4G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Carex tonsa var. rugosperma</i> | Umbel-like Sedge | T / | G5 / S2? | 2 | 0 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Castilleja coccinea</i> | Scarlet Indian Paintbrush | E / | G5 / S1 | 3 | 0 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Cypripedium candidum</i> | Small White Lady's-slipper | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Cypripedium kentuckiense</i> | Kentucky Lady's-slipper | E / SOMC | G3 / S1S2 | 2 | 0 | 3 | 0 | 0 |
| Lewis | Vascular Plants | <i>Dryopteris carthusiana</i> | Spinulose Wood Fern | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Gentiana flavida</i> | Yellow Gentian | E / | G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Liatris cylindracea</i> | Slender Blazingstar | T / | G5 / S2S3 | 1 | 1 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Maianthemum stellatum</i> | Starflower False Solomon's-seal | E / | G5 / S1 | 4 | 0 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Poa saltuensis</i> | Drooping Bluegrass | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Podostemum ceratophyllum</i> | Threadfoot | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Prenanthes alba</i> | White Rattlesnake-root | E / | G5 / S1 | 2 | 1 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Ranunculus ambigens</i> | Waterplantain Spearwort | S / | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Scutellaria saxatilis</i> | Rock Skullcap | T / | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Sida hermaphrodita</i> | Virginia Mallow | S / | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Lewis | Vascular Plants | <i>Spiraea virginiana</i> | Virginia Spiraea | T / LT | G2 / S2 | 3 | 0 | 2 | 0 | 0 |
| Lewis | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 0 | 0 | 1 | 0 |
| Lewis | Freshwater Mussels | <i>Epioblasma obliquata obliquata</i> | Catspaw | E / LE | G1T1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Lewis | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 5 | 0 | 2 | 0 | 0 |
| Lewis | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 0 | 0 | 2 | 0 |
| Lewis | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 0 | 1 | 0 | 1 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------------------------|--------------------|---|------------------------------|--------------|------------------|------------------|-----------|-----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Lewis | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 3 | 0 |
| Lewis | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Lewis | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 3 | 0 | 0 | 0 | 0 |
| Lewis | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Lewis | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 3 | 0 |
| Lewis | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 2 | 0 |
| Lewis | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Lewis | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 7 | 0 | 3 | 0 | 0 |
| Lewis | Insects | <i>Nannothemis bella</i> | Elfin Skimmer | E / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Lewis | Insects | <i>Satyrrium favonius ontario</i> | Northern Hairstreak | S / | G4T4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Lewis | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Lewis | Fishes | <i>Percina macrocephala</i> | Longhead Darter | E / SOMC | G3 / S1 | 4 | 0 | 0 | 0 | 0 |
| Lewis | Fishes | <i>Percopsis omiscomaycus</i> | Trout-perch | S / SOMC | G5 / S3 | 4 | 0 | 0 | 0 | 0 |
| Lewis | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Lewis | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 1 | 1 | 0 | 0 | 0 |
| Lewis | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 4 | 0 | 0 | 0 | 0 |
| Lewis | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 3 | 0 | 0 | 0 | 0 |
| Lewis | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 1 | 0 | 0 | 0 | 0 |
| Lewis | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Lewis | Breeding Birds | <i>Passerculus sandwichensis</i> | Savannah Sparrow | S / | G5 / S2S3B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Lewis | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 3 | 0 | 0 | 0 | 0 |
| Lewis | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Lewis | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Lewis | Communities | <i>Floodplain ridge/terrace forest</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Lewis | Communities | <i>Knobs shale barrens</i> | | / | GNR / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Lewis | Communities | <i>Limestone slope glade</i> | | / | GNR / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Lewis County Total: | | | | | | 86 | 23 | 10 | 16 | 0 |
| Lincoln | Vascular Plants | <i>Bouteloua curtipendula</i> | Side-oats Grama | S / | G5 / S3? | 2 | 0 | 0 | 0 | 0 |
| Lincoln | Vascular Plants | <i>Calopogon tuberosus</i> | Grass Pink | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Lincoln | Vascular Plants | <i>Carex crawei</i> | Crawe's Sedge | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Lincoln | Vascular Plants | <i>Carex tetanica</i> | Rigid Sedge | E / | G4G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Lincoln | Vascular Plants | <i>Hydrophyllum virginianum</i> | Eastern Waterleaf | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Lincoln | Vascular Plants | <i>Lespedeza capitata</i> | Round-head Bush-clover | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Lincoln | Vascular Plants | <i>Lonicera prolifera</i> | Grape Honeysuckle | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Lincoln | Vascular Plants | <i>Onosmodium hispidissimum</i> | Hairy False Gromwell | E / | G4G5T4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Lincoln | Vascular Plants | <i>Spiranthes magnicamporum</i> | Great Plains Ladies'-tresses | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Lincoln | Vascular Plants | <i>Viola septemloba var. egglestonii</i> | Eggleston's Violet | S / | G4 / S3 | 2 | 0 | 0 | 0 | 0 |
| Lincoln | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|---------------------|--|----------------------------|----------|------------------|------------------|----------|-----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Lincoln | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 0 | 2 | 0 | 0 |
| Lincoln | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 0 | 0 | 1 | 0 | 0 |
| Lincoln | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 6 | 2 | 0 |
| Lincoln | Freshwater Mussels | <i>Villosa trabalis</i> | Cumberland Bean | E / LE | G1 / S1 | 0 | 0 | 1 | 0 | 0 |
| Lincoln | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Lincoln | Breeding Birds | <i>Passerculus sandwichensis</i> | Savannah Sparrow | S / | G5 / S2S3B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Lincoln | Communities | <i>Knobs shale barrens</i> | | / | GNR / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Lincoln | Communities | <i>Limestone barrens</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Lincoln County Total: | | | | | | 14 | 3 | 10 | 3 | 0 |
| Livingston | Non-Vascular Plants | <i>Phaeophyscia leana</i> | Lea's Bog Lichen | E / | G2 / S1? | 2 | 0 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Apios priceana</i> | Price's Potato-bean | E / LT | G2 / S1 | 2 | 0 | 1 | 0 | 0 |
| Livingston | Vascular Plants | <i>Arabis hirsuta</i> | Western Hairy Rockcress | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Armoracia lacustris</i> | Lakecress | T / | G4? / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Baptisia bracteata var. glabrescens</i> | Cream Wild Indigo | S / | G4G5T4T5 / S3 | 4 | 0 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Carya aquatica</i> | Water Hickory | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Chelone obliqua var. speciosa</i> | Rose Turtlehead | S / | G4T3 / S3 | 0 | 1 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Cimicifuga rubifolia</i> | Appalachian Bugbane | T / SOMC | G3 / S2 | 2 | 1 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Dodecatheon frenchii</i> | French's Shooting Star | S / | G3 / S3 | 0 | 1 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Fimbristylis puberula</i> | Hairy Fimbristylis | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Gleditsia aquatica</i> | Water Locust | S / | G5 / S3? | 0 | 1 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Halesia tetraptera</i> | Common Silverbell | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Hydrolea uniflora</i> | One-flower Fiddleleaf | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Koeleria macrantha</i> | Prairie Junegrass | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Monarda punctata</i> | Spotted Bee-balm | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Myriophyllum heterophyllum</i> | Broadleaf Water-milfoil | S / | G5 / S3? | 0 | 1 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Myriophyllum pinnatum</i> | Cutleaf Water-milfoil | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Onosmodium occidentale</i> | Western False Gromwell | E / | G4? / S1 | 0 | 1 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Philadelphus pubescens</i> | Hoary Mock Orange | E / | G5? / S1 | 0 | 1 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Prenanthes aspera</i> | Rough Rattlesnake-root | E / | G4? / S1 | 0 | 0 | 0 | 1 | 0 |
| Livingston | Vascular Plants | <i>Ptilimnium costatum</i> | Eastern Mock Bishop's-weed | H / | G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Sedum telephioides</i> | Allegheny Stonecrop | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Solidago buckleyi</i> | Buckley's Goldenrod | S / | G4 / S2S3 | 2 | 1 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Sporobolus clandestinus</i> | Rough Dropseed | T / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Sporobolus heterolepis</i> | Northern Dropseed | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Torreyochloa pallida</i> | Pale Manna Grass | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Livingston | Vascular Plants | <i>Trifolium reflexum</i> | Buffalo Clover | E / | G3G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Livingston | Aquatic Snails | <i>Lithasia armigera</i> | Armored Rocksnail | S / SOMC | G3G4 / S3S4 | 13 | 0 | 1 | 2 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------|--------------------|---------------------------------------|----------------------------|----------|--------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Livingston | Aquatic Snails | <i>Lithasia geniculata</i> | Ornate Rocksnail | S / SOMC | G3Q / S1 | 1 | 1 | 0 | 0 | 0 |
| Livingston | Aquatic Snails | <i>Lithasia salebrosa</i> | Muddy Rocksnail | S / SOMC | G3G4Q / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Livingston | Aquatic Snails | <i>Lithasia verrucosa</i> | Varicose Rocksnail | S / SOMC | G4Q / S3S4 | 5 | 1 | 0 | 0 | 0 |
| Livingston | Freshwater Mussels | <i>Cumberlandia monodonta</i> | Spectaclecase | E / C | G3 / S1 | 0 | 0 | 1 | 0 | 0 |
| Livingston | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 1 | 0 | 1 | 0 |
| Livingston | Freshwater Mussels | <i>Dromus dromas</i> | Dromedary Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 1 | 0 |
| Livingston | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 10 | 0 | 1 | 0 | 0 |
| Livingston | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 2 | 0 | 3 | 2 | 0 |
| Livingston | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 8 | 0 | 0 | 0 | 0 |
| Livingston | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 2 | 0 | 0 | 5 | 0 |
| Livingston | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 3 | 0 | 2 | 1 | 0 |
| Livingston | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 8 | 0 | 1 | 0 | 0 |
| Livingston | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 3 | 0 |
| Livingston | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 1 | 0 | 3 | 1 | 0 |
| Livingston | Freshwater Mussels | <i>Potamilus capax</i> | Fat Pocketbook | E / LE | G1G2 / S1 | 4 | 0 | 2 | 1 | 0 |
| Livingston | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 8 | 0 | 1 | 1 | 0 |
| Livingston | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Livingston | Crustaceans | <i>Orconectes margorectus</i> | A Crayfish | T / | G2 / S2 | 2 | 0 | 0 | 0 | 0 |
| Livingston | Insects | <i>Tomocerus missus</i> | A Cave Obligate Springtail | T / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Livingston | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 0 | 0 | 1 | 0 | 0 |
| Livingston | Fishes | <i>Alosa alabamae</i> | Alabama Shad | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Livingston | Fishes | <i>Atractosteus spatula</i> | Alligator Gar | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Livingston | Fishes | <i>Erimyzon sucetta</i> | Lake Chubsucker | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Livingston | Fishes | <i>Esox niger</i> | Chain Pickerel | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Livingston | Fishes | <i>Etheostoma proeliare</i> | Cypress Darter | T / | G5 / S2 | 5 | 0 | 0 | 0 | 0 |
| Livingston | Fishes | <i>Ichthyomyzon castaneus</i> | Chestnut Lamprey | S / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Livingston | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 5 | 0 | 0 | 0 | 0 |
| Livingston | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 0 | 0 | 0 | 1 | 0 |
| Livingston | Fishes | <i>Lepomis marginatus</i> | Dollar Sunfish | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Livingston | Fishes | <i>Lota lota</i> | Burbot | S / | G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Livingston | Fishes | <i>Menidia beryllina</i> | Inland Silverside | T / | G5 / S2 | 3 | 0 | 0 | 0 | 0 |
| Livingston | Amphibians | <i>Hyla avivoca</i> | Bird-voiced Treefrog | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Livingston | Amphibians | <i>Hyla cinerea</i> | Green Treefrog | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Livingston | Amphibians | <i>Hyla gratiosa</i> | Barking Treefrog | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Livingston | Amphibians | <i>Rana areolata circulosa</i> | Northern Crawfish Frog | S / | G4T4 / S3 | 6 | 1 | 0 | 0 | 0 |
| Livingston | Reptiles | <i>Apalone mutica mutica</i> | Midland Smooth Softshell | S / | G5T5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Livingston | Reptiles | <i>Farancia abacura reinwardtii</i> | Western Mud Snake | S / | G5T5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Livingston | Reptiles | <i>Macrochelys temminckii</i> | Alligator Snapping Turtle | T / SOMC | G3G4 / S2 | 1 | 0 | 0 | 0 | 1 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------------------------------|-----------------|---------------------------------------|--------------------------|--------------|------------------|------------------|-----------|-----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Livingston | Reptiles | <i>Nerodia erythrogaster neglecta</i> | Copperbelly Water Snake | S / SOMC | G5T3 / S3 | 3 | 0 | 0 | 0 | 0 |
| Livingston | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 2 | 0 | 0 | 0 | 0 |
| Livingston | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 1 | 0 |
| Livingston | Breeding Birds | <i>Corvus ossifragus</i> | Fish Crow | S / | G5 / S3B | 2 | 0 | 0 | 0 | 0 |
| Livingston | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 2 | 0 | 0 | 0 | 0 |
| Livingston | Breeding Birds | <i>Lophodytes cucullatus</i> | Hooded Merganser | T / | G5 / S1S2B,S3S4N | 1 | 0 | 0 | 0 | 0 |
| Livingston | Breeding Birds | <i>Pandion haliaetus</i> | Osprey | T / | G5 / S2B | 4 | 0 | 0 | 0 | 0 |
| Livingston | Breeding Birds | <i>Passerculus sandwichensis</i> | Savannah Sparrow | S / | G5 / S2S3B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Livingston | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 2 | 0 | 0 | 0 | 0 |
| Livingston | Breeding Birds | <i>Sternula antillarum athalassos</i> | Interior Least Tern | E / LE | G4T2Q / S2B | 3 | 0 | 0 | 2 | 0 |
| Livingston | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Livingston | Breeding Birds | <i>Vireo bellii</i> | Bell's Vireo | S / SOMC | G5 / S2S3B | 2 | 0 | 0 | 0 | 0 |
| Livingston | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 4 | 0 | 0 | 0 | 0 |
| Livingston | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 2 | 0 | 0 | 0 | 0 |
| Livingston | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Livingston | Communities | <i>Limestone slope glade</i> | | / | GNR / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Livingston | Communities | <i>Sandstone barrens</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Livingston | Communities | <i>Shawnee hills sandstone glade</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Livingston County Total: | | | | | | 151 | 69 | 17 | 23 | 1 |
| Logan | Vascular Plants | <i>Adiantum capillus-veneris</i> | Southern Maidenhair-fern | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Amianthium muscitoxicum</i> | Fly Poison | T / | G4G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Aureolaria patula</i> | Spreading False Foxglove | S / | G3 / S3 | 3 | 0 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Baptisia australis var. minor</i> | Blue Wild Indigo | S / | G5T5 / S2S3 | 1 | 1 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Bouteloua curtipendula</i> | Side-oats Grama | S / | G5 / S3? | 6 | 0 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Carex gigantea</i> | Large Sedge | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Cheilanthes alabamensis</i> | Alabama Lipfern | H / | G4G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Dalea purpurea</i> | Purple Prairie-clover | S / | G5 / S3? | 4 | 0 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Delphinium carolinianum</i> | Carolina Larkspur | T / | G5 / S1S2 | 4 | 1 | 0 | 2 | 0 |
| Logan | Vascular Plants | <i>Dodecatheon frenchii</i> | French's Shooting Star | S / | G3 / S3 | 0 | 1 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Fimbristylis puberula</i> | Hairy Fimbristylis | T / | G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Forestiera ligustrina</i> | Upland Privet | T / | G4G5 / S2S3 | 5 | 0 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Gentiana puberulenta</i> | Prairie Gentian | E / | G4G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Isoetes butleri</i> | Butler's Quillwort | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Juncus filipendulus</i> | Ringseed Rush | T / | G5 / S2? | 0 | 1 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Leavenworthia torulosa</i> | Necklace Gladecress | T / | G4 / S2 | 2 | 0 | 0 | 1 | 0 |
| Logan | Vascular Plants | <i>Malvastrum hispidum</i> | Hispid Falsemallow | T / | G3G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Muhlenbergia cuspidata</i> | Plains Muhly | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Muhlenbergia glabrifloris</i> | Hair Grass | S / | G4? / S2S3 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------|--------------------|--|---------------------------|----------|----------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Logan | Vascular Plants | <i>Oenothera triloba</i> | Stemless Evening-primrose | T / | G4 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Onosmodium molle</i> | Soft-hairy False-gromwell | H / | G4G5 / SH | 0 | 0 | 0 | 1 | 0 |
| Logan | Vascular Plants | <i>Prenanthes aspera</i> | Rough Rattlesnake-root | E / | G4? / S1 | 1 | 1 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Silphium pinnatifidum</i> | Tansy Rosinweed | S / | G3Q / S3 | 4 | 0 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Symphyotrichum pratense</i> | Barrens Silky Aster | S / | G4? / S3 | 1 | 0 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Symphyotrichum priceae</i> | White Heath Aster | T / | G3G5 / S2 | 1 | 0 | 0 | 1 | 0 |
| Logan | Vascular Plants | <i>Talinum calcaricum</i> | Limestone Fameflower | E / | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Logan | Vascular Plants | <i>Viola septemloba var. egglestonii</i> | Eggleston's Violet | S / | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Logan | Aquatic Snails | <i>Leptoxis praerosa</i> | Onyx Rocksnail | S / SOMC | G5 / S3S4 | 1 | 0 | 0 | 0 | 0 |
| Logan | Aquatic Snails | <i>Pleurocera curta</i> | Shortspire Hornsnail | S / SOMC | G2 / S2 | 0 | 0 | 1 | 0 | 0 |
| Logan | Terrestrial Snails | <i>Rabdotus dealbatus</i> | Whitewashed Rabdotus | T / | G5 / S1S2 | 3 | 1 | 0 | 0 | 0 |
| Logan | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 0 | 1 | 2 | 0 | 0 |
| Logan | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 2 | 0 | 0 |
| Logan | Freshwater Mussels | <i>Lexingtonia dolabelloides</i> | Slabside Pearlymussel | X / C | G2 / SX | 0 | 0 | 0 | 2 | 0 |
| Logan | Freshwater Mussels | <i>Pegias fabula</i> | Littlewing Pearlymussel | E / LE | G1 / S1 | 1 | 1 | 1 | 0 | 0 |
| Logan | Freshwater Mussels | <i>Pleurobema oviforme</i> | Tennessee Clubshell | E / SOMC | G2G3 / S1 | 1 | 0 | 5 | 0 | 0 |
| Logan | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 2 | 0 | 4 | 0 | 0 |
| Logan | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 0 | 0 | 3 | 1 | 0 |
| Logan | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Logan | Freshwater Mussels | <i>Villosa ortmanni</i> | Kentucky Creekshell | T / SOMC | G2 / S2 | 3 | 0 | 1 | 1 | 0 |
| Logan | Freshwater Mussels | <i>Villosa vanuxemensis vanuxemensis</i> | Mountain creekshell | T / | G4T4 / S2 | 7 | 0 | 6 | 0 | 0 |
| Logan | Crustaceans | <i>Orconectes pellucidus</i> | Mammoth Cave Crayfish | S / SOMC | G4 / S3 | 1 | 1 | 0 | 0 | 0 |
| Logan | Crustaceans | <i>Orconectes ronaldi</i> | A Crayfish | T / | G3 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Logan | Insects | <i>Pseudanopthalmus transfluvialis</i> | A Cave Obligate Beetle | S / | G1G2 / S1S2 | 0 | 0 | 0 | 0 | 1 |
| Logan | Fishes | <i>Erimystax insignis</i> | Blotched Chub | E / SOMC | G4 / S1 | 6 | 0 | 0 | 0 | 0 |
| Logan | Fishes | <i>Etheostoma cinereum</i> | Ashy Darter | S / SOMC | G2G3 / S3 | 0 | 1 | 0 | 0 | 0 |
| Logan | Fishes | <i>Etheostoma microlepidum</i> | Smallscale Darter | E / SOMC | G2G3 / S1 | 4 | 0 | 0 | 0 | 0 |
| Logan | Fishes | <i>Hybopsis amnis</i> | Pallid Shiner | E / SOMC | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Logan | Fishes | <i>Ichthyomyzon castaneus</i> | Chestnut Lamprey | S / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Logan | Fishes | <i>Lepomis miniatus</i> | Redspotted Sunfish | T / | G5 / S2 | 4 | 0 | 0 | 0 | 0 |
| Logan | Fishes | <i>Noturus exilis</i> | Slender Madtom | E / | G5 / S1 | 1 | 1 | 0 | 0 | 0 |
| Logan | Amphibians | <i>Hyla gratiosa</i> | Barking Treefrog | S / | G5 / S3 | 15 | 0 | 0 | 0 | 0 |
| Logan | Reptiles | <i>Nerodia erythrogaster neglecta</i> | Copperbelly Water Snake | S / SOMC | G5T3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Logan | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 1 | 1 | 0 | 0 | 0 |
| Logan | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 0 | 0 |
| Logan | Breeding Birds | <i>Circus cyaneus</i> | Northern Harrier | T / | G5 / S1S2B,S4N | 1 | 0 | 0 | 0 | 0 |
| Logan | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Logan | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------------------------|--------------------|---|------------------------------|----------|---------------|------------------|-----------|-----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Logan | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Logan | Communities | <i>Depression swamp</i> | | / | GNR / S2 | 0 | 0 | 0 | 1 | 0 |
| Logan | Communities | <i>Limestone barren</i> | | / | GNR / S2 | 2 | 0 | 0 | 0 | 0 |
| Logan | Communities | <i>Limestone prairie</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Logan | Communities | <i>Limestone slope glade</i> | | / | GNR / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Logan | Communities | <i>Sinkhole/depression pond</i> | | / | GNR / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Logan County Total: | | | | | | 110 | 28 | 25 | 10 | 1 |
| Lyon | Vascular Plants | <i>Aesculus pavia</i> | Red Buckeye | T / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Apios priceana</i> | Price's Potato-bean | E / LT | G2 / S1 | 4 | 0 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Aristida ramosissima</i> | Branched Three-awn Grass | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Armoracia lacustris</i> | Lakecress | T / | G4? / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Baptisia bracteata var. glabrescens</i> | Cream Wild Indigo | S / | G4G5T4T5 / S3 | 26 | 0 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Ceanothus herbaceus</i> | Prairie Redroot | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Cimicifuga rubifolia</i> | Appalachian Bugbane | T / SOMC | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Halesia tetraptera</i> | Common Silverbell | E / | G5 / S1S2 | 4 | 0 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Hedeoma hispidum</i> | Rough Pennyroyal | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Heracleum lanatum</i> | Cow-parsnip | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Heteranthera dubia</i> | Grassleaf Mud-plantain | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Muhlenbergia glabrifloris</i> | Hair Grass | S / | G4? / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Philadelphus inodorus</i> | Mock Orange | T / | G4G5 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Ptilimnium capillaceum</i> | Mock Bishop's-weed | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Ptilimnium costatum</i> | Eastern Mock Bishop's-weed | H / | G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Ptilimnium nuttallii</i> | Nuttall's Mock Bishop's-weed | E / | G5? / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Solidago buckleyi</i> | Buckley's Goldenrod | S / | G4 / S2S3 | 1 | 1 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Symphyotrichum drummondii var. texanum</i> | Hairy Heart-leaved Aster | H / | G5T3T4 / SH | 0 | 1 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Trepocarpus aethusae</i> | Trepocarpus | S / | G4G5 / S3 | 10 | 0 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Trifolium reflexum</i> | Buffalo Clover | E / | G3G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Ulmus serotina</i> | September Elm | S / | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Lyon | Vascular Plants | <i>Verbena canadensis</i> | Rose Mock-verbain | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Lyon | Aquatic Snails | <i>Lithasia armigera</i> | Armored Rocksnail | S / SOMC | G3G4 / S3S4 | 2 | 0 | 1 | 1 | 0 |
| Lyon | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 0 | 0 | 1 | 0 |
| Lyon | Freshwater Mussels | <i>Dromus dromas</i> | Dromedary Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 1 | 0 |
| Lyon | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Lyon | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 0 | 0 | 2 | 0 |
| Lyon | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Lyon | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Lyon | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 0 | 0 | 0 | 1 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------------------------|--------------------|---|-------------------------------|--------------|----------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Lyon | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Lyon | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 2 | 0 | 0 |
| Lyon | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Lyon | Freshwater Mussels | <i>Quadrula fragosa</i> | Winged Mapleleaf | X / LE | G1 / SX | 0 | 0 | 0 | 4 | 0 |
| Lyon | Insects | <i>Nicrophorus americanus</i> | American Burying Beetle | X / LE | G2G3 / SX | 0 | 0 | 0 | 1 | 0 |
| Lyon | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Lyon | Fishes | <i>Esox niger</i> | Chain Pickerel | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Lyon | Fishes | <i>Etheostoma proeliare</i> | Cypress Darter | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Lyon | Fishes | <i>Ichthyomyzon castaneus</i> | Chestnut Lamprey | S / | G4 / S2 | 1 | 1 | 0 | 0 | 0 |
| Lyon | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 1 | 1 | 0 | 0 | 0 |
| Lyon | Amphibians | <i>Hyla gratiosa</i> | Barking Treefrog | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Lyon | Reptiles | <i>Apalone mutica mutica</i> | Midland Smooth Softshell | S / | G5T5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Lyon | Reptiles | <i>Eumeces inexpectatus</i> | Southeastern Five-lined Skink | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Lyon | Reptiles | <i>Lampropeltis triangulum elapsoides</i> | Scarlet Kingsnake | S / | G5T5 / S3 | 4 | 0 | 0 | 0 | 0 |
| Lyon | Reptiles | <i>Sistrurus miliarius streckeri</i> | Western Pygmy Rattlesnake | T / | G5T5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Lyon | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Lyon | Breeding Birds | <i>Ardea alba</i> | Great Egret | E / | G5 / S1B | 1 | 0 | 0 | 0 | 0 |
| Lyon | Breeding Birds | <i>Bubulcus ibis</i> | Cattle Egret | S / | G5 / S1S2B | 2 | 0 | 0 | 0 | 0 |
| Lyon | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Lyon | Breeding Birds | <i>Corvus ossifragus</i> | Fish Crow | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Lyon | Breeding Birds | <i>Egretta caerulea</i> | Little Blue Heron | E / | G5 / S1B | 1 | 0 | 0 | 0 | 0 |
| Lyon | Breeding Birds | <i>Egretta thula</i> | Snowy Egret | E / | G5 / S1B | 1 | 0 | 0 | 0 | 0 |
| Lyon | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 7 | 0 | 1 | 0 | 0 |
| Lyon | Breeding Birds | <i>Nycticorax nycticorax</i> | Black-crowned Night-heron | T / | G5 / S1S2B | 2 | 0 | 0 | 0 | 0 |
| Lyon | Breeding Birds | <i>Pandion haliaetus</i> | Osprey | T / | G5 / S2B | 6 | 0 | 0 | 0 | 0 |
| Lyon | Breeding Birds | <i>Podilymbus podiceps</i> | Pied-billed Grebe | E / | G5 / S1B,S4N | 0 | 1 | 0 | 0 | 0 |
| Lyon | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Lyon | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Lyon County Total: | | | | | | 95 | 25 | 4 | 17 | 0 |
| Madison | Vascular Plants | <i>Bolboschoenus fluviatilis</i> | River Bulrush | E / | G5 / S1S2 | 0 | 0 | 0 | 1 | 0 |
| Madison | Vascular Plants | <i>Bouteloua curtipendula</i> | Side-oats Grama | S / | G5 / S3? | 1 | 0 | 0 | 0 | 0 |
| Madison | Vascular Plants | <i>Carex hystericina</i> | Porcupine Sedge | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Madison | Vascular Plants | <i>Castanea pumila</i> | Allegheny Chinkapin | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Madison | Vascular Plants | <i>Dodecatheon frenchii</i> | French's Shooting Star | S / | G3 / S3 | 0 | 0 | 1 | 0 | 0 |
| Madison | Vascular Plants | <i>Dryopteris carthusiana</i> | Spinulose Wood Fern | S / | G5 / S3 | 0 | 0 | 1 | 0 | 0 |
| Madison | Vascular Plants | <i>Elodea nuttallii</i> | Western Waterweed | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Madison | Vascular Plants | <i>Gentiana flavida</i> | Yellow Gentian | E / | G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Madison | Vascular Plants | <i>Heteranthera limosa</i> | Blue Mud-plantain | S / | G5 / S2S3 | 0 | 0 | 0 | 1 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-------------------------------|--------------------|---|--------------------------------|----------|---------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Madison | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Madison | Vascular Plants | <i>Lesquerella globosa</i> | Globe Bladderpod | E / C | G2 / S1 | 0 | 1 | 1 | 0 | 0 |
| Madison | Vascular Plants | <i>Malvastrum hispidum</i> | Hispid Falsemallow | T / | G3G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Madison | Vascular Plants | <i>Oenothera triloba</i> | Stemless Evening-primrose | T / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Madison | Vascular Plants | <i>Paxistima canbyi</i> | Canby's Mountain-lover | T / SOMC | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| Madison | Vascular Plants | <i>Ranunculus ambigens</i> | Waterplantain Spearwort | S / | G4 / S3 | 0 | 0 | 0 | 1 | 0 |
| Madison | Vascular Plants | <i>Salix amygdaloides</i> | Peach-leaved Willow | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Madison | Vascular Plants | <i>Spiranthes magnicamporum</i> | Great Plains Ladies'-tresses | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Madison | Vascular Plants | <i>Spiranthes ochroleuca</i> | Yellow Nodding Ladies'-tresses | T / | G4 / S2? | 0 | 1 | 0 | 0 | 0 |
| Madison | Vascular Plants | <i>Symphoricarpos albus</i> | Snowberry | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Madison | Vascular Plants | <i>Trifolium stoloniferum</i> | Running Buffalo Clover | T / LE | G3 / S2S3 | 26 | 0 | 2 | 15 | 0 |
| Madison | Vascular Plants | <i>Viburnum molle</i> | Softleaf Arrowwood | T / | G5 / S3? | 1 | 0 | 0 | 0 | 0 |
| Madison | Vascular Plants | <i>Viburnum rafinesquianum</i> var. <i>rafinesquianum</i> | Downy Arrowwood | T / | G5T4T5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Madison | Vascular Plants | <i>Vitis labrusca</i> | Northern Fox Grape | S / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Madison | Insects | <i>Pseudanopthalmus catorcyctos</i> | Lesser Adams Cave Beetle | E / | G1 / S1 | 1 | 0 | 0 | 0 | 0 |
| Madison | Insects | <i>Pseudanopthalmus pholeter</i> | Greater Adams Cave Beetle | E / | G1 / S1 | 1 | 0 | 0 | 0 | 0 |
| Madison | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Madison | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 4 | 0 | 0 | 0 | 0 |
| Madison | Reptiles | <i>Eumeces anthracinus</i> | Coal Skink | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Madison | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 2 | 0 |
| Madison | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Madison | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 1 | 0 | 0 | 0 |
| Madison | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Madison | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 3 | 0 | 0 | 0 | 0 |
| Madison | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Madison | Mammals | <i>Mustela nivalis</i> | Least Weasel | S / | G5 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Madison | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Madison | Mammals | <i>Ursus americanus</i> | American Black Bear | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Madison | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 0 | 0 |
| Madison | Communities | <i>Bluegrass mesophytic cane forest</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Madison | Communities | <i>Calcareous mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Madison | Communities | <i>Limestone prairie</i> | | / | GNR / S1 | | | | | |
| Madison County Total: | | | | | | 57 | 12 | 5 | 21 | 0 |
| Magoffin | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Magoffin | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Magoffin | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Magoffin County Total: | | | | | | 3 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------------------------|--------------------|--------------------------------|------------------------------|----------|------------|------------------|----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Marion | Vascular Plants | <i>Glyceria acutiflora</i> | Sharp-scaled Manna-grass | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Marion | Vascular Plants | <i>Stellaria longifolia</i> | Longleaf Stitchwort | S / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Marion | Vascular Plants | <i>Trillium pusillum</i> | Least Trillium | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Marion | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 0 | 0 | 1 | 0 | 0 |
| Marion | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 4 | 0 | 0 | 0 | 0 |
| Marion | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Marion | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 6 | 0 | 1 | 0 | 0 |
| Marion | Insects | <i>Maccaffertium bednariki</i> | A Heptageniid Mayfly | S / | G2G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Marion | Insects | <i>Pseudanopthalmus parvus</i> | Tatum Cave Beetle | T / C | GH / S1 | 0 | 0 | 1 | 0 | 0 |
| Marion | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 0 | 0 | 0 | 1 |
| Marion | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Marion | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Marion | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Marion | Communities | <i>Limestone slope glade</i> | | / | GNR / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Marion | Communities | <i>Siltstone/shale glade</i> | | / | GNR / S3S4 | 4 | 0 | 0 | 0 | 0 |
| Marion County Total: | | | | | | 24 | 3 | 3 | 0 | 1 |
| Marshall | Vascular Plants | <i>Agrimonia gryposepala</i> | Tall Hairy Groovebur | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Apios priceana</i> | Price's Potato-bean | E / LT | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Cabomba caroliniana</i> | Carolina Fanwort | T / | G3G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Carex decomposita</i> | Epiphytic Sedge | T / | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Carex hystericina</i> | Porcupine Sedge | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Carya aquatica</i> | Water Hickory | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Gymnopogon ambiguus</i> | Bearded Skeleton-grass | S / | G4 / S2S3 | 0 | 0 | 0 | 2 | 0 |
| Marshall | Vascular Plants | <i>Halesia tetraptera</i> | Common Silverbell | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Hedeoma hispidum</i> | Rough Pennyroyal | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Heteranthera limosa</i> | Blue Mud-plantain | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Hieracium longipilum</i> | Hairy Hawkweed | T / | G4G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Hydrolea ovata</i> | Ovate Fiddleleaf | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Marshall | Vascular Plants | <i>Lespedeza stuevei</i> | Tall Bush-clover | S / | G4? / S3? | 0 | 1 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Lysimachia terrestris</i> | Swamp Candles | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Oenothera perennis</i> | Small Sundrops | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Oldenlandia uniflora</i> | Clustered Bluets | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Ptilimnium capillaceum</i> | Mock Bishop's-weed | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Ptilimnium nuttallii</i> | Nuttall's Mock Bishop's-weed | E / | G5? / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Scleria ciliata</i> | Fringed Nutrush | E / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Solidago buckleyi</i> | Buckley's Goldenrod | S / | G4 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Stellaria longifolia</i> | Longleaf Stitchwort | S / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Marshall | Vascular Plants | <i>Trepocarpus aethusae</i> | Trepocarpus | S / | G4G5 / S3 | 3 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------|--------------------|---|---------------------------|----------|---------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Marshall | Aquatic Snails | <i>Lithasia armigera</i> | Armored Rocksnail | S / SOMC | G3G4 / S3S4 | 3 | 0 | 0 | 0 | 0 |
| Marshall | Aquatic Snails | <i>Lithasia geniculata</i> | Ornate Rocksnail | S / SOMC | G3Q / S1 | 0 | 1 | 0 | 0 | 0 |
| Marshall | Aquatic Snails | <i>Lithasia verrucosa</i> | Varicose Rocksnail | S / SOMC | G4Q / S3S4 | 3 | 0 | 0 | 0 | 0 |
| Marshall | Freshwater Mussels | <i>Cumberlandia monodonta</i> | Spectaclecase | E / C | G3 / S1 | 0 | 0 | 1 | 0 | 0 |
| Marshall | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 5 | 0 | 0 | 0 | 0 |
| Marshall | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 0 | 1 | 3 | 1 | 0 |
| Marshall | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 5 | 0 | 0 | 0 | 0 |
| Marshall | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 2 | 0 | 1 | 2 | 0 |
| Marshall | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 3 | 0 | 0 | 1 | 0 |
| Marshall | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 5 | 0 | 0 | 0 | 0 |
| Marshall | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Marshall | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 1 | 0 | 0 | 1 | 0 |
| Marshall | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 4 | 0 | 0 | 0 | 0 |
| Marshall | Freshwater Mussels | <i>Toxolasma texasiensis</i> | Texas Lilliput | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Crustaceans | <i>Procambarus viaeviridis</i> | Vernal Crayfish | T / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Marshall | Insects | <i>Euphyes dukesi</i> | Dukes' Skipper | S / | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Insects | <i>Papaipema sp. 5</i> | Rare Cane Borer Moth | T / | G1G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Marshall | Fishes | <i>Alosa alabamae</i> | Alabama Shad | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Fishes | <i>Ammocrypta vivax</i> | Scaly Sand Darter | X / | G5 / SX | 0 | 0 | 0 | 1 | 0 |
| Marshall | Fishes | <i>Esox niger</i> | Chain Pickerel | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Marshall | Fishes | <i>Etheostoma proeliare</i> | Cypress Darter | T / | G5 / S2 | 1 | 0 | 0 | 1 | 0 |
| Marshall | Fishes | <i>Hybopsis amnis</i> | Pallid Shiner | E / SOMC | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Marshall | Fishes | <i>Ichthyomyzon castaneus</i> | Chestnut Lamprey | S / | G4 / S2 | 3 | 0 | 0 | 0 | 0 |
| Marshall | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 1 | 1 | 0 | 0 | 0 |
| Marshall | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 0 | 0 | 0 | 1 | 0 |
| Marshall | Fishes | <i>Lepomis marginatus</i> | Dollar Sunfish | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Marshall | Fishes | <i>Menidia beryllina</i> | Inland Silverside | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Fishes | <i>Umbra limi</i> | Central Mudminnow | T / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Marshall | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Marshall | Amphibians | <i>Hyla avivoca</i> | Bird-voiced Treefrog | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Marshall | Amphibians | <i>Hyla cinerea</i> | Green Treefrog | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Amphibians | <i>Rana areolata circulosa</i> | Northern Crawfish Frog | S / | G4T4 / S3 | 8 | 0 | 1 | 0 | 0 |
| Marshall | Reptiles | <i>Apalone mutica mutica</i> | Midland Smooth Softshell | S / | G5T5 / S3 | 4 | 0 | 0 | 0 | 1 |
| Marshall | Reptiles | <i>Farancia abacura reinwardtii</i> | Western Mud Snake | S / | G5T5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Reptiles | <i>Macrochelys temminckii</i> | Alligator Snapping Turtle | T / SOMC | G3G4 / S2 | 0 | 0 | 0 | 0 | 1 |
| Marshall | Reptiles | <i>Pituophis melanoleucus melanoleucus</i> | Northern Pine Snake | T / SOMC | G4T4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-------------------------------|--------------------|---|----------------------------|--------------|------------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Marshall | Breeding Birds | <i>Ardea alba</i> | Great Egret | E / | G5 / S1B | 1 | 0 | 0 | 1 | 0 |
| Marshall | Breeding Birds | <i>Certhia americana</i> | Brown Creeper | E / | G5 / S1S2B,S4S5N | 1 | 0 | 0 | 0 | 0 |
| Marshall | Breeding Birds | <i>Corvus ossifragus</i> | Fish Crow | S / | G5 / S3B | 2 | 0 | 0 | 0 | 0 |
| Marshall | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 2 | 0 | 0 | 0 | 0 |
| Marshall | Breeding Birds | <i>Nyctanassa violacea</i> | Yellow-crowned Night-heron | T / | G5 / S2B | 1 | 0 | 0 | 0 | 0 |
| Marshall | Breeding Birds | <i>Pandion haliaetus</i> | Osprey | T / | G5 / S2B | 2 | 0 | 0 | 0 | 0 |
| Marshall | Breeding Birds | <i>Sternula antillarum athalassos</i> | Interior Least Tern | E / LE | G4T2Q / S2B | 1 | 0 | 0 | 0 | 0 |
| Marshall | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 2 | 0 | 0 | 0 | 0 |
| Marshall | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Marshall | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Marshall | Communities | <i>Acidic sub-xeric forest</i> | | / | GNR / S5 | 0 | 0 | 0 | 1 | 0 |
| Marshall | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 0 | 0 | 0 | 1 | 0 |
| Marshall County Total: | | | | | | 94 | 34 | 6 | 15 | 2 |
| Martin | Vascular Plants | <i>Carex tonsa var. rugosperma</i> | Umbel-like Sedge | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Martin | Insects | <i>Polygonia progne</i> | Gray Comma | H / | G4G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Martin | Fishes | <i>Ammocrypta clara</i> | Western Sand Darter | E / SOMC | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Martin | Fishes | <i>Ichthyomyzon fossor</i> | Northern Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Martin | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Martin County Total: | | | | | | 1 | 3 | 0 | 1 | 0 |
| Mason | Vascular Plants | <i>Sida hermaphrodita</i> | Virginia Mallow | S / | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Mason | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 1 | 0 | 0 | 0 |
| Mason | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Mason | Insects | <i>Raptoheptagenia cruentata</i> | A Heptageniid Mayfly | H / | G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Mason | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 0 | 0 | 0 | 1 |
| Mason | Fishes | <i>Atractosteus spatula</i> | Alligator Gar | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Mason | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Mason | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Mason | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Mason | Breeding Birds | <i>Falco peregrinus</i> | Peregrine Falcon | E / SOMC | G4 / S1B | 1 | 0 | 0 | 0 | 0 |
| Mason | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Mason County Total: | | | | | | 4 | 12 | 0 | 0 | 1 |
| McCracken | Vascular Plants | <i>Aesculus pavia</i> | Red Buckeye | T / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Armoracia lacustris</i> | Lakecress | T / | G4? / S1S2 | 0 | 1 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Baptisia bracteata var. glabrescens</i> | Cream Wild Indigo | S / | G4G5T4T5 / S3 | 2 | 0 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Carex hystericina</i> | Porcupine Sedge | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Carya aquatica</i> | Water Hickory | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Chelone obliqua var. speciosa</i> | Rose Turtlehead | S / | G4T3 / S3 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------|--------------------|--|--------------------------|----------|-------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| McCracken | Vascular Plants | <i>Gleditsia aquatica</i> | Water Locust | S / | G5 / S3? | 0 | 1 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Halesia tetraptera</i> | Common Silverbell | E / | G5 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Heterotheca subaxillaris var. latifolia</i> | Broad-leaf Golden-aster | T / | G5T5 / S2 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Hydrolea ovata</i> | Ovate Fiddleleaf | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Hydrolea uniflora</i> | One-flower Fiddleleaf | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Hypericum adpressum</i> | Creeping St. John's-wort | H / SOMC | G3 / SH | 0 | 1 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Lespedeza stuevei</i> | Tall Bush-clover | S / | G4? / S3? | 0 | 1 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Melanthera nivea</i> | Snow Squarestem | S / | G5 / S3? | 1 | 0 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Monarda punctata</i> | Spotted Bee-balm | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Muhlenbergia glaberrima</i> | Hair Grass | S / | G4? / S2S3 | 0 | 1 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Myriophyllum heterophyllum</i> | Broadleaf Water-milfoil | S / | G5 / S3? | 0 | 1 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Preanthes aspera</i> | Rough Rattlesnake-root | E / | G4? / S1 | 1 | 0 | 0 | 1 | 0 |
| McCracken | Vascular Plants | <i>Rudbeckia subtomentosa</i> | Sweet Coneflower | E / | G5 / S1 | 1 | 0 | 1 | 0 | 0 |
| McCracken | Vascular Plants | <i>Solidago buckleyi</i> | Buckley's Goldenrod | S / | G4 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Torreyochloa pallida</i> | Pale Manna Grass | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| McCracken | Vascular Plants | <i>Trepocarpus aethusae</i> | Trepocarpus | S / | G4G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| McCracken | Aquatic Snails | <i>Leptoxis praerosa</i> | Onyx Rocksnail | S / SOMC | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| McCracken | Aquatic Snails | <i>Lithasia geniculata</i> | Ornate Rocksnail | S / SOMC | G3Q / S1 | 0 | 1 | 0 | 0 | 0 |
| McCracken | Aquatic Snails | <i>Lithasia verrucosa</i> | Varicose Rocksnail | S / SOMC | G4Q / S3S4 | 1 | 1 | 0 | 0 | 0 |
| McCracken | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 1 | 0 | 0 | 0 |
| McCracken | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 2 | 1 | 1 | 0 | 0 |
| McCracken | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 4 | 1 | 0 | 0 | 0 |
| McCracken | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 1 | 0 | 1 | 0 |
| McCracken | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 4 | 1 | 1 | 0 | 0 |
| McCracken | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 4 | 0 | 1 | 0 | 0 |
| McCracken | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| McCracken | Freshwater Mussels | <i>Potamilus capax</i> | Fat Pocketbook | E / LE | G1G2 / S1 | 1 | 1 | 0 | 1 | 0 |
| McCracken | Freshwater Mussels | <i>Potamilus purpuratus</i> | Bleufer | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 2 | 0 | 1 | 0 | 0 |
| McCracken | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Crustaceans | <i>Cambarellus puer</i> | Swamp Dwarf Crayfish | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Crustaceans | <i>Orconectes lancifer</i> | Shrimp Crayfish | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| McCracken | Crustaceans | <i>Orconectes palmeri palmeri</i> | Gray-Speckled Crayfish | E / | G5T5 / S1 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Insects | <i>Euphyes dukesi</i> | Dukes' Skipper | S / | G3 / S1 | 3 | 0 | 0 | 1 | 0 |
| McCracken | Insects | <i>Papaipema sp. 5</i> | Rare Cane Borer Moth | T / | G1G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Insects | <i>Satyrrium favonius ontario</i> | Northern Hairstreak | S / | G4T4 / S2 | 0 | 1 | 0 | 0 | 0 |
| McCracken | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Fishes | <i>Atractosteus spatula</i> | Alligator Gar | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------------------------------|-----------------|--|---------------------------|----------|------------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| McCracken | Fishes | <i>Cyprinella venusta</i> | Blacktail Shiner | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| McCracken | Fishes | <i>Erimyzon sucetta</i> | Lake Chubsucker | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| McCracken | Fishes | <i>Esox niger</i> | Chain Pickerel | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Fishes | <i>Etheostoma proeliare</i> | Cypress Darter | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Fishes | <i>Hybognathus hayi</i> | Cypress Minnow | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Fishes | <i>Ichthyomyzon castaneus</i> | Chestnut Lamprey | S / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 6 | 0 | 0 | 0 | 0 |
| McCracken | Fishes | <i>Lepomis marginatus</i> | Dollar Sunfish | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| McCracken | Fishes | <i>Lepomis miniatus</i> | Redspotted Sunfish | T / | G5 / S2 | 5 | 0 | 0 | 0 | 0 |
| McCracken | Fishes | <i>Lota lota</i> | Burbot | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Fishes | <i>Menidia beryllina</i> | Inland Silverside | T / | G5 / S2 | 6 | 0 | 0 | 0 | 0 |
| McCracken | Fishes | <i>Notropis maculatus</i> | Taillight Shiner | T / | G5 / S2S3 | 1 | 1 | 0 | 0 | 0 |
| McCracken | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Fishes | <i>Umbra limi</i> | Central Mudminnow | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Amphibians | <i>Hyla cinerea</i> | Green Treefrog | S / | G5 / S3 | 4 | 0 | 0 | 0 | 0 |
| McCracken | Amphibians | <i>Rana areolata circulosa</i> | Northern Crawfish Frog | S / | G4T4 / S3 | 19 | 0 | 1 | 0 | 0 |
| McCracken | Reptiles | <i>Apalone mutica mutica</i> | Midland Smooth Softshell | S / | G5T5 / S3 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Reptiles | <i>Farancia abacura reinwardtii</i> | Western Mud Snake | S / | G5T5 / S3 | 2 | 0 | 0 | 0 | 0 |
| McCracken | Reptiles | <i>Macrochelys temminckii</i> | Alligator Snapping Turtle | T / SOMC | G3G4 / S2 | 0 | 1 | 0 | 0 | 1 |
| McCracken | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| McCracken | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 1 | 0 |
| McCracken | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| McCracken | Breeding Birds | <i>Corvus ossifragus</i> | Fish Crow | S / | G5 / S3B | 0 | 1 | 0 | 0 | 0 |
| McCracken | Breeding Birds | <i>Ictinia mississippiensis</i> | Mississippi Kite | S / | G5 / S2B | 1 | 0 | 0 | 0 | 0 |
| McCracken | Breeding Birds | <i>Lophodytes cucullatus</i> | Hooded Merganser | T / | G5 / S1S2B,S3S4N | 0 | 1 | 0 | 0 | 0 |
| McCracken | Breeding Birds | <i>Pandion haliaetus</i> | Osprey | T / | G5 / S2B | 1 | 0 | 0 | 0 | 0 |
| McCracken | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| McCracken | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 3 | 0 | 0 | 0 | 0 |
| McCracken | Breeding Birds | <i>Vireo bellii</i> | Bell's Vireo | S / SOMC | G5 / S2S3B | 1 | 1 | 0 | 0 | 0 |
| McCracken | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| McCracken | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| McCracken | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 3 | 0 | 0 | 0 | 0 |
| McCracken | Communities | <i>Floodplain ridge/terrace forest</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| McCracken | Communities | <i>Wet prairie</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| McCracken County Total: | | | | | | 112 | 62 | 6 | 5 | 1 |
| McCreary | Mosses | <i>Anomodon rugelii</i> | | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| McCreary | Mosses | <i>Bryum miniatum</i> | | E / | G3G4 / S1? | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------|-----------------|--|------------------------------|----------|-------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| McCreary | Mosses | <i>Cirriphyllum piliferum</i> | | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| McCreary | Mosses | <i>Dicranodontium asperulum</i> | | E / | G4G5 / S1? | 0 | 1 | 0 | 0 | 0 |
| McCreary | Mosses | <i>Orthotrichum diaphanum</i> | | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Aconitum uncinatum</i> | Blue Monkshood | T / | G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Agalinis obtusifolia</i> | Ten-lobe False Foxglove | E / | G4G5Q / S1 | 5 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Ageratina luciae-brauniae</i> | Lucy Braun's White Snakeroot | S / SOMC | G3 / S3 | 31 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Aureolaria patula</i> | Spreading False Foxglove | S / | G3 / S3 | 4 | 0 | 0 | 1 | 0 |
| McCreary | Vascular Plants | <i>Baptisia tinctoria</i> | Yellow Wild Indigo | T / | G5 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Bartonia virginica</i> | Yellow Screwstem | T / | G5 / S2 | 6 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Berberis canadensis</i> | American Barberry | E / | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Boykinia aconitifolia</i> | Brook Saxifrage | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Calamovilfa arcuata</i> | Cumberland sandgrass | E / | G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Calopogon tuberosus</i> | Grass Pink | E / | G5 / S1 | 0 | 1 | 0 | 1 | 0 |
| McCreary | Vascular Plants | <i>Calycanthus floridus var. glaucus</i> | Eastern Sweetshrub | T / | G5T5 / S2 | 9 | 1 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Carex aestivalis</i> | Summer Sedge | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Carex gigantea</i> | Large Sedge | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Carex jorii</i> | Cypress-swamp Sedge | E / | G4G5 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Castanea pumila</i> | Allegheny Chinkapin | T / | G5 / S2 | 2 | 1 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Chrysogonum virginianum</i> | Green-and-gold | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Comptonia peregrina</i> | Sweet-fern | E / | G5 / S1 | 3 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Conradina verticillata</i> | Cumberland Rosemary | E / LT | G3 / S1 | 4 | 0 | 7 | 0 | 0 |
| McCreary | Vascular Plants | <i>Coreopsis pubescens</i> | Star Tickseed | S / | G5? / S2S3 | 18 | 0 | 2 | 0 | 0 |
| McCreary | Vascular Plants | <i>Cypripedium kentuckiense</i> | Kentucky Lady's-slipper | E / SOMC | G3 / S1S2 | 6 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Deschampsia flexuosa</i> | Crinkled Hairgrass | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Dichanthelium boreale</i> | Northern Witchgrass | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Dryopteris carthusiana</i> | Spinulose Wood Fern | S / | G5 / S3 | 3 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Eupatorium semiserratum</i> | Small-flower Thoroughwort | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Euphorbia mercurialina</i> | Mercury Spurge | T / | G4 / S1S2 | 7 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Eurybia saxicastellii</i> | Rockcastle Aster | T / SOMC | G1G2 / S1S2 | 9 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Goodyera repens</i> | Lesser rattlesnake-plantain | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Gratiola pilosa</i> | Shaggy Hedgehyssop | T / | G5? / S2 | 3 | 0 | 1 | 0 | 0 |
| McCreary | Vascular Plants | <i>Halesia tetraptera</i> | Common Silverbell | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Hexastylis contracta</i> | Southern Heartleaf | E / SOMC | G3 / S1 | 4 | 0 | 1 | 0 | 0 |
| McCreary | Vascular Plants | <i>Hydrocotyle americana</i> | American Water-pennywort | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Hypericum crux-andreae</i> | St. Peter's-wort | T / | G5 / S2S3 | 4 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Lathyrus palustris</i> | Vetchling Peavine | T / | G5 / S2 | 4 | 0 | 1 | 0 | 0 |
| McCreary | Vascular Plants | <i>Lilium philadelphicum</i> | Wood Lily | T / | G5 / S2S3 | 9 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Lilium superbum</i> | Turk's Cap Lily | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------|-----------------|---|--|----------|-------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| McCreary | Vascular Plants | <i>Lobelia nuttallii</i> | Nuttall's Lobelia | T / | G4G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Maianthemum canadense</i> | Wild Lily-of-the-valley | T / | G5 / S2 | 3 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Marshallia grandiflora</i> | Barbara's Buttons | E / SOMC | G2 / S1 | 4 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Matelea carolinensis</i> | Carolina Anglepod | E / | G4 / S1? | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Minuartia cumberlandensis</i> | Cumberland Sandwort | E / LE | G2G3 / S1 | 1 | 0 | 0 | 1 | 0 |
| McCreary | Vascular Plants | <i>Minuartia glabra</i> | Appalachian Sandwort | T / | G4 / S1S2 | 5 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Monotropsis odorata</i> | Sweet Pinesap | T / SOMC | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Oenothera perennis</i> | Small Sundrops | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Onosmodium occidentale</i> | Western False Gromwell | E / | G4? / S1 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Orontium aquaticum</i> | Golden Club | T / | G5 / S2 | 21 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Parnassia asarifolia</i> | Kidneyleaf | E / | G4 / S1 | 5 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Paxistima canbyi</i> | Grass-of-parnassus Canby's Mountain-lover | T / SOMC | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Philadelphus inodorus</i> | Mock Orange | T / | G4G5 / S1S2 | 2 | 1 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Platanthera cristata</i> | Yellow-crested Orchid | T / | G5 / S1S2 | 5 | 0 | 1 | 0 | 0 |
| McCreary | Vascular Plants | <i>Platanthera integrilabia</i> | White Fringeless Orchid | E / C | G2G3 / S1 | 2 | 1 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Podostemum ceratophyllum</i> | Threadfoot | S / | G5 / S3 | 6 | 1 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Polygala cruciata</i> | Crossleaf Milkwort | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Polygala polygama</i> | Racemed Milkwort | T / | G5 / S2 | 11 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Potamogeton illinoensis</i> | Illinois Pondweed | S / | G5 / S2 | 4 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Rhynchosia tomentosa</i> | Hairy Snoutbean | E / | G5 / S1S2 | 4 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Rhynchospora recognita</i> | Globe Beaked-rush | S / | G5? / S3 | 3 | 0 | 0 | 1 | 0 |
| McCreary | Vascular Plants | <i>Salvia urticifolia</i> | Nettle-leaf Sage | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Saxifraga michauxii</i> | Michaux's Saxifrage | T / | G4G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Schisandra glabra</i> | Bay Starvine | E / | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Schwalbea americana</i> | Chaffseed | H / LE | G2G3 / SH | 0 | 0 | 0 | 2 | 0 |
| McCreary | Vascular Plants | <i>Scleria ciliata</i> | Fringed Nutrush | E / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Scutellaria saxatilis</i> | Rock Skullcap | T / | G3 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Silene regia</i> | Royal Catchfly | E / | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Solidago simplex ssp. randii var. racemosa</i> | Rand's Goldenrod | S / | G5T3? / S3 | 16 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Sphenopholis pensylvanica</i> | Swamp Wedgescale | S / | G4 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Spiraea virginiana</i> | Virginia Spiraea | T / LT | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Spiranthes lucida</i> | Shining Ladies'-tresses | T / | G5 / S2S3 | 4 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Sporobolus clandestinus</i> | Rough Dropseed | T / | G5 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Stenanthium gramineum</i> | Eastern Featherbells | T / | G4G5 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Symphotrichum concolor</i> | Eastern Silvery Aster | T / | G5 / S2 | 10 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Talinum teretifolium</i> | Roundleaf Fameflower | E / | G4 / S1 | 9 | 0 | 0 | 1 | 0 |
| McCreary | Vascular Plants | <i>Tephrosia spicata</i> | Spiked Hoary-pea | E / | G4G5 / S1S2 | 8 | 0 | 1 | 0 | 0 |
| McCreary | Vascular Plants | <i>Thuja occidentalis</i> | Northern White Cedar | T / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------|--------------------|---------------------------------------|---------------------------|----------|-------------|------------------|---|---|----|---|
| | | | | | | E | H | F | X | U |
| McCreary | Vascular Plants | <i>Toxicodendron vernix</i> | Poison Sumac | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Vallisneria americana</i> | Eelgrass | S / | G5 / S2S3 | 8 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Veratrum parviflorum</i> | Appalachian Bunchflower | E / | G4? / S1 | 4 | 0 | 0 | 0 | 0 |
| McCreary | Vascular Plants | <i>Vitis rupestris</i> | Sand Grape | T / | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Aquatic Snails | <i>Pleurocera curta</i> | Shortspire Hornsnail | S / SOMC | G2 / S2 | 0 | 1 | 0 | 0 | 0 |
| McCreary | Terrestrial Snails | <i>Appalachina chilhoweensis</i> | Queen Crater | S / | G4 / S1S2 | 6 | 0 | 0 | 0 | 0 |
| McCreary | Terrestrial Snails | <i>Fumonelix wetherbyi</i> | Clifty Covert | S / | G2G3 / S2 | 5 | 0 | 0 | 0 | 0 |
| McCreary | Freshwater Mussels | <i>Alasmidonta atropurpurea</i> | Cumberland Elktoe | E / LE | G1G2 / S1 | 32 | 0 | 0 | 1 | 0 |
| McCreary | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 0 | 0 | 0 | 6 | 0 |
| McCreary | Freshwater Mussels | <i>Anodontoides denigratus</i> | Cumberland Papershell | E / SOMC | G1 / S1 | 14 | 0 | 1 | 0 | 0 |
| McCreary | Freshwater Mussels | <i>Dromus dromas</i> | Dromedary Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 2 | 0 |
| McCreary | Freshwater Mussels | <i>Epioblasma brevidens</i> | Cumberlandian Combshell | E / LE | G1 / S1 | 8 | 0 | 0 | 2 | 0 |
| McCreary | Freshwater Mussels | <i>Epioblasma capsaeformis</i> | Oyster Mussel | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| McCreary | Freshwater Mussels | <i>Epioblasma florentina walkeri</i> | Tan Riffleshell | E / LE | G1T1 / S1 | 5 | 0 | 0 | 0 | 0 |
| McCreary | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| McCreary | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 0 | 0 | 1 | 0 |
| McCreary | Freshwater Mussels | <i>Hemistena lata</i> | Cracking Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 1 | 0 |
| McCreary | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 1 | 0 | 0 | 4 | 0 |
| McCreary | Freshwater Mussels | <i>Pegias fabula</i> | Littlewing Pearlymussel | E / LE | G1 / S1 | 5 | 0 | 0 | 12 | 0 |
| McCreary | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| McCreary | Freshwater Mussels | <i>Pleurobema oviforme</i> | Tennessee Clubshell | E / SOMC | G2G3 / S1 | 2 | 0 | 0 | 7 | 0 |
| McCreary | Freshwater Mussels | <i>Ptychobranchnus subtentum</i> | Fluted Kidneyshell | E / C | G2 / S1 | 13 | 0 | 0 | 13 | 0 |
| McCreary | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| McCreary | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 0 | 0 | 0 | 7 | 0 |
| McCreary | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 0 | 2 | 0 |
| McCreary | Freshwater Mussels | <i>Villosa trabalis</i> | Cumberland Bean | E / LE | G1 / S1 | 5 | 0 | 0 | 13 | 0 |
| McCreary | Crustaceans | <i>Cambarus bouchardi</i> | Big South Fork Crayfish | E / | G2G3 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| McCreary | Crustaceans | <i>Cambarus parvoculus</i> | Mountain Midget Crayfish | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Crustaceans | <i>Orconectes australis packardi</i> | Appalachian Cave Crayfish | T / | G5T2 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| McCreary | Insects | <i>Habrophlebiodes celestria</i> | A Leptophlebiid Mayfly | H / | G2G4 / SH | 0 | 1 | 0 | 0 | 0 |
| McCreary | Insects | <i>Manophylax butleri</i> | A Limnephilid Caddisfly | S / | G2 / S2 | 9 | 0 | 0 | 0 | 0 |
| McCreary | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| McCreary | Insects | <i>Stylurus scudderii</i> | Zebra Clubtail | E / | G4 / S1 | 1 | 1 | 0 | 0 | 0 |
| McCreary | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 0 | 0 | 0 | 1 | 0 |
| McCreary | Fishes | <i>Erimystax insignis</i> | Blotched Chub | E / SOMC | G4 / S1 | 0 | 0 | 0 | 5 | 0 |
| McCreary | Fishes | <i>Etheostoma cinereum</i> | Ashy Darter | S / SOMC | G2G3 / S3 | 8 | 0 | 0 | 3 | 0 |
| McCreary | Fishes | <i>Etheostoma percnurum</i> | Duskytail Darter | E / LE | G2 / S1 | 8 | 0 | 0 | 0 | 0 |
| McCreary | Fishes | <i>Etheostoma susanae</i> | Cumberland Darter | E / C | G1G2 / S1 | 20 | 0 | 2 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-------------------------------|-----------------|---|---------------------------------|----------|---------------|------------------|-----------|-----------|------------|----------|
| | | | | | | E | H | F | X | U |
| McCreary | Fishes | <i>Hybopsis amnis</i> | Pallid Shiner | E / SOMC | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Fishes | <i>Ichthyomyzon greeleyi</i> | Mountain Brook Lamprey | T / | G3G4 / S2 | 3 | 0 | 0 | 0 | 0 |
| McCreary | Fishes | <i>Notropis albizonatus</i> | Palezone Shiner | E / LE | G1 / S1 | 14 | 0 | 0 | 0 | 0 |
| McCreary | Fishes | <i>Notropis sp. 4</i> | Sawfin Shiner | E / | G4 / S1 | 4 | 1 | 0 | 0 | 0 |
| McCreary | Fishes | <i>Percina macrocephala</i> | Longhead Darter | E / SOMC | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| McCreary | Fishes | <i>Percina squamata</i> | Olive Darter | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Fishes | <i>Phoxinus cumberlandensis</i> | Blackside Dace | T / LT | G2 / S2 | 53 | 0 | 1 | 0 | 1 |
| McCreary | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Reptiles | <i>Eumeces anthracinus</i> | Coal Skink | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Reptiles | <i>Eumeces inexpectatus</i> | Southeastern Five-lined Skink | S / | G5 / S3 | 6 | 0 | 0 | 0 | 0 |
| McCreary | Reptiles | <i>Lampropeltis triangulum elapsoides</i> | Scarlet Kingsnake | S / | G5T5 / S3 | 0 | 1 | 0 | 0 | 0 |
| McCreary | Reptiles | <i>Ophisaurus attenuatus longicaudus</i> | Eastern Slender Glass Lizard | T / | G5T5 / S2 | 15 | 0 | 0 | 0 | 0 |
| McCreary | Reptiles | <i>Pituophis melanoleucus melanoleucus</i> | Northern Pine Snake | T / SOMC | G4T4 / S2 | 0 | 1 | 0 | 0 | 0 |
| McCreary | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 3 | 0 | 0 | 0 | 0 |
| McCreary | Breeding Birds | <i>Picoides borealis</i> | Red-cockaded Woodpecker | X / LE | G3 / SX | 0 | 0 | 0 | 7 | 0 |
| McCreary | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 33 | 0 | 0 | 0 | 0 |
| McCreary | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 3 | 0 | 0 | 0 | 0 |
| McCreary | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Mammals | <i>Spilogale putorius</i> | Eastern Spotted Skunk | S / | G5 / S2S3 | 4 | 0 | 0 | 0 | 0 |
| McCreary | Mammals | <i>Ursus americanus</i> | American Black Bear | S / | G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| McCreary | Communities | <i>Acidic mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Communities | <i>Appalachian acid seep</i> | | / | GNR / S2 | 3 | 0 | 0 | 0 | 0 |
| McCreary | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 9 | 0 | 0 | 0 | 0 |
| McCreary | Communities | <i>Appalachian pine-oak forest</i> | | / | GNR / S5 | 0 | 0 | 0 | 1 | 0 |
| McCreary | Communities | <i>Cumberland plateau gravel/cobble bar</i> | | / | GNR / S2 | 2 | 0 | 0 | 0 | 0 |
| McCreary | Communities | <i>Floodplain ridge/terrace forest</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| McCreary | Communities | <i>Hemlock-mixed forest</i> | | / | GNR / S5 | 7 | 0 | 0 | 0 | 0 |
| McCreary | Communities | <i>Siltstone/shale glade</i> | | / | GNR / S3S4 | 1 | 0 | 0 | 0 | 0 |
| McCreary County Total: | | | | | | 630 | 77 | 18 | 101 | 1 |
| Mclean | Vascular Plants | <i>Amsonia tabernaemontana var. gattingeri</i> | Eastern Blue-star | E / | G5T3Q / S2? | 0 | 0 | 1 | 0 | 0 |
| Mclean | Vascular Plants | <i>Carya aquatica</i> | Water Hickory | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Mclean | Vascular Plants | <i>Chelone obliqua var. speciosa</i> | Rose Turtlehead | S / | G4T3 / S3 | 0 | 1 | 0 | 0 | 0 |
| Mclean | Vascular Plants | <i>Limnobium spongia</i> | American Frog's-bit | T / | G4 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Mclean | Vascular Plants | <i>Maianthemum stellatum</i> | Starflower False Solomon's-seal | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Mclean | Vascular Plants | <i>Muhlenbergia glabrifloris</i> | Hair Grass | S / | G4? / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Mclean | Vascular Plants | <i>Ptilimnium costatum</i> | Eastern Mock Bishop's-weed | H / | G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Mclean | Vascular Plants | <i>Ptilimnium nuttallii</i> | Nuttall's Mock Bishop's-weed | E / | G5? / S1S2 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------------------------|---------------------|---------------------------------------|------------------------------|----------|----------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Mclean | Vascular Plants | <i>Trepocarpus aethusae</i> | Trepocarpus | S / | G4G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Mclean | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Mclean | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Mclean | Fishes | <i>Erimyzon sucetta</i> | Lake Chubsucker | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Mclean | Fishes | <i>Hybopsis amnis</i> | Pallid Shiner | E / SOMC | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Mclean | Amphibians | <i>Hyla avivoca</i> | Bird-voiced Treefrog | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Mclean | Reptiles | <i>Clonophis kirtlandii</i> | Kirtland's Snake | T / SOMC | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| Mclean | Reptiles | <i>Nerodia erythrogaster neglecta</i> | Copperbelly Water Snake | S / SOMC | G5T3 / S3 | 5 | 0 | 0 | 0 | 0 |
| Mclean | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Mclean | Breeding Birds | <i>Botaurus lentiginosus</i> | American Bittern | H / | G4 / SHB | 0 | 1 | 0 | 0 | 0 |
| Mclean | Breeding Birds | <i>Circus cyaneus</i> | Northern Harrier | T / | G5 / S1S2B,S4N | 2 | 0 | 0 | 0 | 0 |
| Mclean | Breeding Birds | <i>Corvus ossifragus</i> | Fish Crow | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Mclean | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Mclean | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 2 | 0 | 0 | 1 | 0 |
| Mclean | Communities | <i>Xerohydric flatwoods</i> | | / | GNR / S1S2 | 0 | 0 | 0 | 1 | 0 |
| Mclean County Total: | | | | | | 18 | 12 | 1 | 2 | 0 |
| Meade | Vascular Plants | <i>Draba cuneifolia</i> | Wedge-leaf Whitlow-grass | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Meade | Vascular Plants | <i>Fimbristylis puberula</i> | Hairy Fimbristylis | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Meade | Vascular Plants | <i>Heteranthera limosa</i> | Blue Mud-plantain | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Meade | Vascular Plants | <i>Lespedeza capitata</i> | Round-head Bush-clover | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Meade | Vascular Plants | <i>Myriophyllum heterophyllum</i> | Broadleaf Water-milfoil | S / | G5 / S3? | 0 | 1 | 0 | 0 | 0 |
| Meade | Vascular Plants | <i>Philadelphus pubescens</i> | Hoary Mock Orange | E / | G5? / S1 | 0 | 0 | 1 | 0 | 0 |
| Meade | Vascular Plants | <i>Ranunculus ambigens</i> | Waterplantain Spearwort | S / | G4 / S3 | 0 | 0 | 1 | 0 | 0 |
| Meade | Vascular Plants | <i>Sedum telephioides</i> | Allegheny Stonecrop | T / | G4 / S2 | 1 | 0 | 1 | 0 | 0 |
| Meade | Vascular Plants | <i>Spiranthes magnicamporum</i> | Great Plains Ladies'-tresses | T / | G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Meade | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Meade | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| Meade | Crustaceans | <i>Gammarus bousfieldi</i> | Bousfield's Amphipod | E / SOMC | G1 / S1 | 3 | 1 | 0 | 0 | 0 |
| Meade | Crustaceans | <i>Orconectes inermis inermis</i> | Ghost Crayfish | S / | G5T4 / S3 | 4 | 1 | 0 | 0 | 0 |
| Meade | Insects | <i>Calephelis muticum</i> | Swamp Metalmark | T / | G3 / S2 | 1 | 0 | 1 | 0 | 0 |
| Meade | Insects | <i>Dryobius sexnotatus</i> | Sixbanded Longhorn Beetle | T / SOMC | GNR / S1 | 0 | 0 | 0 | 0 | 1 |
| Meade | Insects | <i>Polygonia faunus</i> | Green Comma | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Meade | Insects | <i>Satyrrium favonius ontario</i> | Northern Hairstreak | S / | G4T4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Meade | Other Invertebrates | <i>Pseudotremia amphiorax</i> | A Cave Obligate Milliped | T / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Meade | Fishes | <i>Amblyopsis spelaea</i> | Northern Cavefish | S / SOMC | G4 / S3 | 2 | 0 | 0 | 0 | 0 |
| Meade | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Meade | Fishes | <i>Lota lota</i> | Burbot | S / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Meade | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------------------------|-----------------|---|---------------------------------|--------------|----------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Meade | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Meade | Amphibians | <i>Hyla versicolor</i> | Gray Treefrog | S / | G5 / S2S3 | 13 | 0 | 0 | 0 | 0 |
| Meade | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Meade | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 2 | 0 |
| Meade | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Meade | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 1 | 0 | 0 | 0 |
| Meade | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 0 | 1 | 0 | 0 | 0 |
| Meade | Breeding Birds | <i>Falco peregrinus</i> | Peregrine Falcon | E / SOMC | G4 / S1B | 1 | 0 | 0 | 0 | 0 |
| Meade | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Meade | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Meade | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Meade | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 1 | 0 |
| Meade | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Meade | Communities | <i>Acidic mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Meade | Communities | <i>Calcareous mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Meade | Communities | <i>Calcareous sub-xeric forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Meade | Communities | <i>Limestone barrens</i> | | / | GNR / S2 | 4 | 0 | 0 | 0 | 0 |
| Meade | Communities | <i>Limestone slope glade</i> | | / | GNR / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Meade County Total: | | | | | | 50 | 22 | 4 | 3 | 1 |
| Menifee | Mosses | <i>Herzogiella turfacea</i> | | E / | G4G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Menifee | Mosses | <i>Neckera pennata</i> | | T / | G5 / S2? | 3 | 0 | 0 | 0 | 0 |
| Menifee | Mosses | <i>Oncophorus raui</i> | | E / | G3 / S1? | 1 | 0 | 0 | 0 | 0 |
| Menifee | Vascular Plants | <i>Acer spicatum</i> | Mountain Maple | E / | G5 / S1S2 | 1 | 0 | 1 | 1 | 0 |
| Menifee | Vascular Plants | <i>Aconitum uncinatum</i> | Blue Monkshood | T / | G4 / S2 | 0 | 0 | 0 | 1 | 0 |
| Menifee | Vascular Plants | <i>Calamagrostis porteri ssp. porteri</i> | Porter's Reedgrass | T / | G4T4 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Menifee | Vascular Plants | <i>Carex appalachica</i> | Appalachian Sedge | T / | G4 / S2? | 1 | 0 | 0 | 0 | 0 |
| Menifee | Vascular Plants | <i>Carex tonsa var. rugosperma</i> | Umbel-like Sedge | T / | G5 / S2? | 0 | 1 | 0 | 0 | 0 |
| Menifee | Vascular Plants | <i>Circaea alpina</i> | Small Enchanter's Nightshade | S / | G5 / S3 | 6 | 0 | 0 | 0 | 0 |
| Menifee | Vascular Plants | <i>Cypripedium parviflorum</i> | Small Yellow Lady's-slipper | T / | G5 / S2 | 1 | 0 | 1 | 0 | 0 |
| Menifee | Vascular Plants | <i>Dodecatheon frenchii</i> | French's Shooting Star | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Menifee | Vascular Plants | <i>Juniperus communis var. depressa</i> | Ground Juniper | T / | G5T5 / S2 | 5 | 0 | 0 | 0 | 0 |
| Menifee | Vascular Plants | <i>Lilium philadelphicum</i> | Wood Lily | T / | G5 / S2S3 | 1 | 1 | 0 | 0 | 0 |
| Menifee | Vascular Plants | <i>Maianthemum canadense</i> | Wild Lily-of-the-valley | T / | G5 / S2 | 1 | 0 | 1 | 0 | 0 |
| Menifee | Vascular Plants | <i>Monotropsis odorata</i> | Sweet Pinesap | T / SOMC | G3 / S2 | 0 | 1 | 1 | 0 | 0 |
| Menifee | Vascular Plants | <i>Oenothera perennis</i> | Small Sundrops | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Menifee | Vascular Plants | <i>Platanthera psycodes</i> | Small Purple-fringed Orchid | E / | G5 / S1 | 0 | 0 | 2 | 0 | 0 |
| Menifee | Vascular Plants | <i>Podostemum ceratophyllum</i> | Threadfoot | S / | G5 / S3 | 8 | 0 | 0 | 1 | 0 |
| Menifee | Vascular Plants | <i>Prenanthes alba</i> | White Rattlesnake-root | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|--------------------|---|-----------------------------|----------|------------------|------------------|-----------|-----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Menifee | Vascular Plants | <i>Prosartes maculata</i> | Nodding Mandarin | S / | G3G4 / S3? | 2 | 0 | 0 | 0 | 0 |
| Menifee | Vascular Plants | <i>Pseudognaphalium helleri ssp. micradenium</i> | Small Rabbit-tobacco | H / | G4G5T3? / SH | 0 | 1 | 0 | 0 | 0 |
| Menifee | Vascular Plants | <i>Sambucus racemosa ssp. pubens</i> | Red Elderberry | E / | G5T4T5 / S1S2 | 0 | 0 | 0 | 1 | 0 |
| Menifee | Vascular Plants | <i>Scutellaria arguta</i> | Hairy Skullcap | E / | G1?Q / S1S2 | 0 | 0 | 1 | 0 | 0 |
| Menifee | Vascular Plants | <i>Scutellaria saxatilis</i> | Rock Skullcap | T / | G3 / S2S3 | 0 | 0 | 0 | 1 | 0 |
| Menifee | Vascular Plants | <i>Solidago albopilosa</i> | White-haired Goldenrod | T / LT | G2 / S2 | 13 | 0 | 1 | 0 | 0 |
| Menifee | Vascular Plants | <i>Spiranthes lucida</i> | Shining Ladies'-tresses | T / | G5 / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Menifee | Vascular Plants | <i>Stenanthium gramineum</i> | Eastern Featherbells | T / | G4G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Menifee | Vascular Plants | <i>Taxus canadensis</i> | Canadian Yew | T / | G5 / S2S3 | 7 | 0 | 1 | 0 | 0 |
| Menifee | Vascular Plants | <i>Thaspium pinnatifidum</i> | Cutleaf Meadow-parsnip | T / SOMC | G2G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Menifee | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 4 | 0 | 1 | 0 | 0 |
| Menifee | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 4 | 0 | 0 | 0 | 0 |
| Menifee | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Menifee | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 4 | 0 | 0 | 0 | 0 |
| Menifee | Insects | <i>Dryobius sexnotatus</i> | Sixbanded Longhorn Beetle | T / SOMC | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Menifee | Insects | <i>Erora laeta</i> | Early Hairstreak | T / | GU / S1 | 2 | 0 | 0 | 0 | 0 |
| Menifee | Insects | <i>Manophylax butleri</i> | A Limnephilid Caddisfly | S / | G2 / S2 | 4 | 0 | 0 | 0 | 0 |
| Menifee | Fishes | <i>Ichthyomyzon fossor</i> | Northern Brook Lamprey | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Menifee | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Menifee | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Menifee | Reptiles | <i>Elaphe guttata</i> | Corn Snake | S / | G5 / S3 | 1 | 0 | 0 | 0 | 3 |
| Menifee | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 3 | 0 | 0 | 0 | 0 |
| Menifee | Breeding Birds | <i>Lophodytes cucullatus</i> | Hooded Merganser | T / | G5 / S1S2B,S3S4N | 1 | 0 | 0 | 0 | 0 |
| Menifee | Breeding Birds | <i>Pandion haliaetus</i> | Osprey | T / | G5 / S2B | 1 | 0 | 0 | 0 | 0 |
| Menifee | Breeding Birds | <i>Podilymbus podiceps</i> | Pied-billed Grebe | E / | G5 / S1B,S4N | 1 | 0 | 0 | 0 | 0 |
| Menifee | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 14 | 0 | 0 | 0 | 0 |
| Menifee | Mammals | <i>Corynorhinus townsendii virginianus</i> | Virginia Big-eared Bat | E / LE | G4T2 / S1 | 16 | 0 | 0 | 0 | 0 |
| Menifee | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Menifee | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 7 | 0 | 0 | 0 | 0 |
| Menifee | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 8 | 0 | 1 | 0 | 0 |
| Menifee | Mammals | <i>Spilogale putorius</i> | Eastern Spotted Skunk | S / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Menifee | Mammals | <i>Ursus americanus</i> | American Black Bear | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Menifee | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 14 | 0 | 0 | 0 | 0 |
| Menifee | Communities | <i>Hemlock-mixed forest</i> | | / | GNR / S5 | 9 | 0 | 0 | 0 | 0 |
| Menifee County Total: | | | | | | 155 | 14 | 12 | 5 | 3 |
| Mercer | Vascular Plants | <i>Arabis hirsuta</i> | Western Hairy Rockcress | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Mercer | Vascular Plants | <i>Elymus svensonii</i> | Svenson's Wildrye | S / SOMC | G3 / S3 | 4 | 0 | 0 | 0 | 0 |
| Mercer | Vascular Plants | <i>Lesquerella globosa</i> | Globe Bladderpod | E / C | G2 / S1 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------------------------|--------------------|---|-----------------------------|----------|---------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Mercer | Vascular Plants | <i>Lonicera prolifera</i> | Grape Honeysuckle | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Mercer | Vascular Plants | <i>Malvastrum hispidum</i> | Hispid Falsemallow | T / | G3G5 / S2? | 0 | 0 | 1 | 0 | 0 |
| Mercer | Vascular Plants | <i>Phlox bifida ssp. stellaria</i> | Starry-cleft Phlox | E / SOMC | G5?T3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Mercer | Vascular Plants | <i>Sagina fontinalis</i> | Water Stitchwort | T / | G3 / S2 | 2 | 0 | 0 | 0 | 0 |
| Mercer | Vascular Plants | <i>Schizachne purpurascens</i> | Purple Oat | T / | G5 / S2 | 3 | 0 | 1 | 0 | 0 |
| Mercer | Vascular Plants | <i>Trillium nivale</i> | Snow Trillium | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Mercer | Vascular Plants | <i>Viburnum molle</i> | Softleaf Arrowwood | T / | G5 / S3? | 1 | 0 | 0 | 0 | 0 |
| Mercer | Vascular Plants | <i>Viola septemloba var. egglestonii</i> | Eggleston's Violet | S / | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Mercer | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 0 | 0 | 1 | 0 |
| Mercer | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Mercer | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 0 | 0 | 1 | 0 |
| Mercer | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Mercer | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Mercer | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Mercer | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Mercer | Insects | <i>Callophrys irus</i> | Frosted Elfin | T / | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Mercer | Insects | <i>Pseudanopthalmus elongatus</i> | A Cave Obligate Beetle | S / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Mercer | Insects | <i>Pseudanopthalmus puteanus</i> | Old Well Cave Beetle | T / SOMC | G1G2 / S1S2 | 0 | 0 | 1 | 0 | 0 |
| Mercer | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Mercer | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 1 | 0 | 0 | 0 | 0 |
| Mercer | Breeding Birds | <i>Dolichonyx oryzivorus</i> | Bobolink | S / | G5 / S2S3B | 1 | 0 | 0 | 0 | 0 |
| Mercer | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 2 | 0 | 0 | 0 | 0 |
| Mercer | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 0 | 1 | 0 | 0 | 0 |
| Mercer | Communities | <i>Bluegrass savanna-woodland</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Mercer County Total: | | | | | | 19 | 10 | 3 | 7 | 0 |
| Metcalfe | Vascular Plants | <i>Helianthus eggertii</i> | Eggert's Sunflower | T / | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Metcalfe | Vascular Plants | <i>Ludwigia hirtella</i> | Hairy Ludwigia | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Metcalfe | Vascular Plants | <i>Matelea carolinensis</i> | Carolina Anglepod | E / | G4 / S1? | 0 | 0 | 1 | 0 | 0 |
| Metcalfe | Vascular Plants | <i>Polygala nuttallii</i> | Nuttall's Milkwort | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Metcalfe | Vascular Plants | <i>Potamogeton pulcher</i> | Spotted Pondweed | T / | G5 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Metcalfe | Vascular Plants | <i>Ulmus serotina</i> | September Elm | S / | G4 / S3 | 2 | 0 | 0 | 0 | 0 |
| Metcalfe | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Metcalfe | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 5 | 0 | 0 | 0 | 0 |
| Metcalfe | Crustaceans | <i>Barbicambarus cornutus</i> | Bottlebrush Crayfish | S / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Metcalfe | Insects | <i>Allocapnia cunninghami</i> | A Capniid Stonefly | T / | G1G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Metcalfe | Insects | <i>Erora laeta</i> | Early Hairstreak | T / | GU / S1 | 0 | 0 | 0 | 1 | 0 |
| Metcalfe | Fishes | <i>Etheostoma maculatum</i> | Spotted Darter | T / SOMC | G2 / S2 | 2 | 0 | 0 | 0 | 0 |
| Metcalfe | Fishes | <i>Percina macrocephala</i> | Longhead Darter | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-------------------------------|--------------------|---------------------------------------|----------------------------|----------|--------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Metcalfe | Fishes | <i>Phenacobius uranops</i> | Stargazing Minnow | S / | G4 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Metcalfe | Fishes | <i>Thoburnia atripinnis</i> | Blackfin Sucker | S / SOMC | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| Metcalfe | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Metcalfe | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Metcalfe | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Metcalfe | Communities | <i>Shrub swamp</i> | | / | GNR / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Metcalfe County Total: | | | | | | 21 | 7 | 1 | 1 | 0 |
| Monroe | Vascular Plants | <i>Vitis rupestris</i> | Sand Grape | T / | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Monroe | Freshwater Mussels | <i>Cumberlandia monodonta</i> | Spectaclecase | E / C | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Monroe | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 0 | 0 | 1 | 0 |
| Monroe | Freshwater Mussels | <i>Dromus dromas</i> | Dromedary Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 1 | 0 |
| Monroe | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 0 | 0 | 1 | 0 |
| Monroe | Freshwater Mussels | <i>Hemistena lata</i> | Cracking Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 1 | 0 |
| Monroe | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Monroe | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Monroe | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Monroe | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 0 | 0 | 0 | 2 | 0 |
| Monroe | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Monroe | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Monroe | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Monroe | Crustaceans | <i>Barbicambarus cornutus</i> | Bottlebrush Crayfish | S / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Monroe | Crustaceans | <i>Cambarus friaufi</i> | Hairy Crayfish | S / | G4 / S3S4 | 2 | 0 | 0 | 0 | 0 |
| Monroe | Insects | <i>Allocapnia cunninghami</i> | A Capniid Stonefly | T / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Monroe | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 0 | 0 | 0 | 1 |
| Monroe | Fishes | <i>Etheostoma maculatum</i> | Spotted Darter | T / SOMC | G2 / S2 | 0 | 1 | 0 | 0 | 0 |
| Monroe | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Monroe | Fishes | <i>Percina macrocephala</i> | Longhead Darter | E / SOMC | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Monroe | Fishes | <i>Phenacobius uranops</i> | Stargazing Minnow | S / | G4 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Monroe | Fishes | <i>Thoburnia atripinnis</i> | Blackfin Sucker | S / SOMC | G2 / S2 | 6 | 0 | 0 | 0 | 0 |
| Monroe | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Monroe | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 1 | 0 | 0 | 0 | 0 |
| Monroe | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 2 | 0 | 1 | 0 | 0 |
| Monroe County Total: | | | | | | 14 | 12 | 1 | 16 | 1 |
| Montgomery | Vascular Plants | <i>Poa saltuensis</i> | Drooping Bluegrass | E / | G5 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Montgomery | Vascular Plants | <i>Polygala cruciata</i> | Crossleaf Milkwort | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Montgomery | Vascular Plants | <i>Sabatia campanulata</i> | Slender Marsh Pink | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Montgomery | Vascular Plants | <i>Salix amygdaloides</i> | Peach-leaved Willow | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Montgomery | Vascular Plants | <i>Solidago puberula</i> | Downy Goldenrod | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------------------------------|--------------------|--|---------------------------------|----------|--------------|------------------|----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Montgomery | Vascular Plants | <i>Trifolium stoloniferum</i> | Running Buffalo Clover | T / LE | G3 / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Montgomery | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Montgomery | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 1 | 0 | 0 |
| Montgomery | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Montgomery | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Montgomery | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 2 | 0 | 0 | 0 | 0 |
| Montgomery County Total: | | | | | | 9 | 4 | 2 | 0 | 0 |
| Morgan | Mosses | <i>Polytrichum pallidisetum</i> | A Hair Cap Moss | T / | G4 / S2? | 1 | 0 | 0 | 0 | 0 |
| Morgan | Vascular Plants | <i>Acer spicatum</i> | Mountain Maple | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Morgan | Vascular Plants | <i>Adiantum capillus-veneris</i> | Southern Maidenhair-fern | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Morgan | Vascular Plants | <i>Chrysosplenium americanum</i> | American Golden-saxifrage | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Morgan | Vascular Plants | <i>Circaea alpina</i> | Small Enchanter's Nightshade | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Morgan | Vascular Plants | <i>Cypripedium parviflorum</i> | Small Yellow Lady's-slipper | T / | G5 / S2 | 1 | 0 | 1 | 0 | 0 |
| Morgan | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Morgan | Vascular Plants | <i>Lespedeza stuevei</i> | Tall Bush-clover | S / | G4? / S3? | 1 | 0 | 0 | 0 | 0 |
| Morgan | Vascular Plants | <i>Thaspium pinnatifidum</i> | Cutleaf Meadow-parsnip | T / SOMC | G2G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Morgan | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 0 | 0 | 0 |
| Morgan | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 2 | 0 | 1 | 0 | 0 |
| Morgan | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Morgan | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Morgan | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Morgan | Reptiles | <i>Elaphe guttata</i> | Corn Snake | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Morgan | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 2 | 0 | 0 | 0 | 0 |
| Morgan | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 2 | 0 | 0 | 0 | 0 |
| Morgan | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Morgan | Breeding Birds | <i>Corvus corax</i> | Common Raven | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Morgan | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 8 | 0 | 0 | 0 | 0 |
| Morgan | Mammals | <i>Corynorhinus townsendii virginianus</i> | Virginia Big-eared Bat | E / LE | G4T2 / S1 | 2 | 0 | 0 | 0 | 0 |
| Morgan | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Morgan | Mammals | <i>Spilogale putorius</i> | Eastern Spotted Skunk | S / | G5 / S2S3 | 0 | 0 | 0 | 0 | 0 |
| Morgan | Mammals | <i>Ursus americanus</i> | American Black Bear | S / | G5 / S2 | 0 | 0 | 0 | 0 | 0 |
| Morgan County Total: | | | | | | 31 | 3 | 2 | 0 | 0 |
| Muhlenberg | Vascular Plants | <i>Amsonia tabernaemontana var. gattingeri</i> | Eastern Blue-star | E / | G5T3Q / S2? | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Vascular Plants | <i>Carya aquatica</i> | Water Hickory | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Vascular Plants | <i>Chelone obliqua var. speciosa</i> | Rose Turtlehead | S / | G4T3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Vascular Plants | <i>Didiplis diandra</i> | Water-purslane | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Vascular Plants | <i>Dodecatheon frenchii</i> | French's Shooting Star | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Vascular Plants | <i>Muhlenbergia glabrifloris</i> | Hair Grass | S / | G4? / S2S3 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------|--------------------|---|-------------------------|--------------|----------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Muhlenberg | Vascular Plants | <i>Trepocarpus aethusae</i> | Trepocarpus | S / | G4G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Vascular Plants | <i>Trifolium reflexum</i> | Buffalo Clover | E / | G3G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Muhlenberg | Vascular Plants | <i>Zizaniopsis miliacea</i> | Southern Wild Rice | T / | G5 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Muhlenberg | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 2 | 1 | 0 | 0 | 0 |
| Muhlenberg | Freshwater Mussels | <i>Epioblasma obliquata obliquata</i> | Catspaw | E / LE | G1T1 / S1 | 0 | 1 | 0 | 0 | 0 |
| Muhlenberg | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Muhlenberg | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 0 | 1 | 0 | 0 | 0 |
| Muhlenberg | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 2 | 1 | 0 | 0 | 0 |
| Muhlenberg | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Muhlenberg | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 2 | 1 | 1 | 0 | 0 |
| Muhlenberg | Crustaceans | <i>Orconectes ronaldi</i> | A Crayfish | T / | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Insects | <i>Poanes viator</i> | Broad-winged Skipper | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 0 | 0 | 0 | 1 |
| Muhlenberg | Fishes | <i>Erimyzon sucetta</i> | Lake Chubsucker | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Muhlenberg | Fishes | <i>Hybopsis amnis</i> | Pallid Shiner | E / SOMC | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Muhlenberg | Fishes | <i>Ichthyomyzon castaneus</i> | Chestnut Lamprey | S / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Muhlenberg | Fishes | <i>Lepomis miniatus</i> | Redspotted Sunfish | T / | G5 / S2 | 5 | 0 | 0 | 0 | 0 |
| Muhlenberg | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Amphibians | <i>Hyla avivoca</i> | Bird-voiced Treefrog | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Muhlenberg | Amphibians | <i>Hyla cinerea</i> | Green Treefrog | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Reptiles | <i>Nerodia erythrogaster neglecta</i> | Copperbelly Water Snake | S / SOMC | G5T3 / S3 | 5 | 0 | 0 | 1 | 0 |
| Muhlenberg | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 4 | 0 | 0 | 0 | 0 |
| Muhlenberg | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 3 | 0 | 0 | 0 | 0 |
| Muhlenberg | Breeding Birds | <i>Ardea alba</i> | Great Egret | E / | G5 / S1B | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Breeding Birds | <i>Asio flammeus</i> | Short-eared Owl | E / | G5 / S1B,S2N | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Breeding Birds | <i>Asio otus</i> | Long-eared Owl | E / | G5 / S1B,S1S2N | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Breeding Birds | <i>Botaurus lentiginosus</i> | American Bittern | H / | G4 / SHB | 0 | 1 | 0 | 0 | 0 |
| Muhlenberg | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 1 | 0 | 0 | 1 | 0 |
| Muhlenberg | Breeding Birds | <i>Circus cyaneus</i> | Northern Harrier | T / | G5 / S1S2B,S4N | 2 | 0 | 0 | 0 | 0 |
| Muhlenberg | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Breeding Birds | <i>Gallinula chloropus</i> | Common Moorhen | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Breeding Birds | <i>Ixobrychus exilis</i> | Least Bittern | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Breeding Birds | <i>Pandion haliaetus</i> | Osprey | T / | G5 / S2B | 2 | 0 | 0 | 0 | 0 |
| Muhlenberg | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Breeding Birds | <i>Vireo bellii</i> | Bell's Vireo | S / SOMC | G5 / S2S3B | 4 | 0 | 0 | 0 | 0 |
| Muhlenberg | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------------------------------|--------------------|--|------------------------------|--------------|----------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Muhlenberg | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 2 | 0 | 0 | 0 | 0 |
| Muhlenberg | Communities | <i>Bottomland marsh</i> | | / | GNR / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg | Communities | <i>Cypress swamp</i> | | / | GNR / S3 | 1 | 0 | 0 | 0 | 0 |
| Muhlenberg County Total: | | | | | | 62 | 18 | 1 | 2 | 1 |
| Nelson | Vascular Plants | <i>Adiantum capillus-veneris</i> | Southern Maidenhair-fern | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Nelson | Vascular Plants | <i>Agrimonia gryposepala</i> | Tall Hairy Groovebur | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Nelson | Vascular Plants | <i>Carex crawei</i> | Crawe's Sedge | S / | G5 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Nelson | Vascular Plants | <i>Dalea purpurea</i> | Purple Prairie-clover | S / | G5 / S3? | 7 | 0 | 0 | 0 | 0 |
| Nelson | Vascular Plants | <i>Leavenworthia exigua var. laciniata</i> | Kentucky Gladecress | E / SOMC | G4T1T2 / S1S2 | 0 | 0 | 1 | 1 | 0 |
| Nelson | Vascular Plants | <i>Prenanthes crepidinea</i> | Nodding Rattlesnake-root | S / | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Nelson | Vascular Plants | <i>Silphium pinnatifidum</i> | Tansy Rosinweed | S / | G3Q / S3 | 3 | 0 | 0 | 0 | 0 |
| Nelson | Vascular Plants | <i>Spiranthes magnicamporum</i> | Great Plains Ladies'-tresses | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Nelson | Vascular Plants | <i>Trifolium stoloniferum</i> | Running Buffalo Clover | T / LE | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Nelson | Vascular Plants | <i>Viola septemloba var. egglestonii</i> | Eggleston's Violet | S / | G4 / S3 | 5 | 0 | 0 | 0 | 0 |
| Nelson | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 4 | 0 | 0 | 1 | 0 |
| Nelson | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 0 | 1 | 0 | 1 | 0 |
| Nelson | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 2 | 1 | 0 | 0 | 0 |
| Nelson | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 0 | 0 | 1 | 0 |
| Nelson | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 3 | 0 | 0 | 0 | 0 |
| Nelson | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 2 | 0 |
| Nelson | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 1 | 0 | 1 | 0 |
| Nelson | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Nelson | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 6 | 0 | 0 | 0 | 0 |
| Nelson | Insects | <i>Calephelis muticum</i> | Swamp Metalmark | T / | G3 / S2 | 0 | 0 | 0 | 0 | 1 |
| Nelson | Insects | <i>Maccaffertium bednariki</i> | A Heptageniid Mayfly | S / | G2G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Nelson | Insects | <i>Speyeria idalia</i> | Regal Fritillary | H / SOMC | G3 / SH | 0 | 0 | 0 | 1 | 0 |
| Nelson | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 6 | 0 | 0 | 0 | 0 |
| Nelson | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 1 | 0 |
| Nelson | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 1 | 0 | 0 | 0 |
| Nelson | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 0 | 1 | 0 | 0 | 0 |
| Nelson | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 2 | 0 | 0 | 0 | 0 |
| Nelson | Breeding Birds | <i>Ixobrychus exilis</i> | Least Bittern | T / | G5 / S1S2B | 0 | 1 | 0 | 0 | 0 |
| Nelson | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 2 | 0 | 0 | 0 | 0 |
| Nelson | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Nelson | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Nelson | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Nelson | Communities | <i>Calcareous sub-xeric forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-------------------------------|--------------------|---|----------------------------|----------|---------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Nelson | Communities | <i>Limestone prairie</i> | | / | GNR / S1 | 2 | 0 | 0 | 0 | 0 |
| Nelson | Communities | <i>Limestone slope glade</i> | | / | GNR / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Nelson County Total: | | | | | | 58 | 18 | 2 | 9 | 1 |
| Nicholas | Vascular Plants | <i>Gentiana flavida</i> | Yellow Gentian | E / | G4 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Nicholas | Vascular Plants | <i>Solidago shortii</i> | Short's Goldenrod | E / LE | G1 / S1 | 8 | 0 | 0 | 1 | 0 |
| Nicholas | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 5 | 0 | 0 | 0 | 0 |
| Nicholas | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Nicholas | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 13 | 0 | 0 | 0 | 0 |
| Nicholas | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 3 | 0 | 0 | 0 | 0 |
| Nicholas | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Nicholas | Fishes | <i>Lota lota</i> | Burbot | S / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Nicholas | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Nicholas | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 2 | 0 | 0 | 0 | 1 |
| Nicholas | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 2 | 0 | 0 | 0 | 0 |
| Nicholas | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 2 | 0 | 0 | 0 | 0 |
| Nicholas | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 1 | 0 | 0 | 0 | 0 |
| Nicholas | Breeding Birds | <i>Poocetes gramineus</i> | Vesper Sparrow | E / | G5 / S1B | 1 | 0 | 0 | 0 | 0 |
| Nicholas County Total: | | | | | | 41 | 2 | 1 | 1 | 1 |
| Ohio | Vascular Plants | <i>Carya aquatica</i> | Water Hickory | T / | G5 / S2S3 | 1 | 1 | 0 | 0 | 0 |
| Ohio | Vascular Plants | <i>Chelone obliqua var. speciosa</i> | Rose Turtlehead | S / | G4T3 / S3 | 0 | 1 | 0 | 0 | 0 |
| Ohio | Vascular Plants | <i>Ptilimnium costatum</i> | Eastern Mock Bishop's-weed | H / | G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Ohio | Vascular Plants | <i>Ranunculus ambigens</i> | Waterplantain Spearwort | S / | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Ohio | Vascular Plants | <i>Trifolium reflexum</i> | Buffalo Clover | E / | G3G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Ohio | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 2 | 0 | 0 | 0 | 0 |
| Ohio | Freshwater Mussels | <i>Epioblasma obliquata obliquata</i> | Catspaw | E / LE | G1T1 / S1 | 0 | 1 | 0 | 0 | 0 |
| Ohio | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Ohio | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Ohio | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Ohio | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 0 | 1 | 0 | 0 | 0 |
| Ohio | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 4 | 1 | 0 | 0 | 0 |
| Ohio | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Ohio | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Ohio | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 1 | 1 | 0 | 0 | 0 |
| Ohio | Fishes | <i>Erimyzon sucetta</i> | Lake Chubsucker | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Ohio | Fishes | <i>Hybopsis amnis</i> | Pallid Shiner | E / SOMC | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Ohio | Fishes | <i>Ichthyomyzon castaneus</i> | Chestnut Lamprey | S / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Ohio | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Ohio | Amphibians | <i>Hyla avivoca</i> | Bird-voiced Treefrog | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------------------------|--------------------|---------------------------------------|-------------------------|----------|------------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Ohio | Amphibians | <i>Hyla cinerea</i> | Green Treefrog | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Ohio | Reptiles | <i>Nerodia erythrogaster neglecta</i> | Copperbelly Water Snake | S / SOMC | G5T3 / S3 | 6 | 0 | 0 | 0 | 0 |
| Ohio | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Ohio | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Ohio | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Ohio | Breeding Birds | <i>Asio flammeus</i> | Short-eared Owl | E / | G5 / S1B,S2N | 1 | 0 | 0 | 0 | 0 |
| Ohio | Breeding Birds | <i>Circus cyaneus</i> | Northern Harrier | T / | G5 / S1S2B,S4N | 3 | 0 | 0 | 0 | 0 |
| Ohio | Breeding Birds | <i>Gallinula chloropus</i> | Common Moorhen | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Ohio | Breeding Birds | <i>Lophodytes cucullatus</i> | Hooded Merganser | T / | G5 / S1S2B,S3S4N | 1 | 0 | 0 | 0 | 0 |
| Ohio | Breeding Birds | <i>Pandion haliaetus</i> | Osprey | T / | G5 / S2B | 3 | 0 | 0 | 0 | 0 |
| Ohio | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Ohio | Breeding Birds | <i>Vireo bellii</i> | Bell's Vireo | S / SOMC | G5 / S2S3B | 1 | 0 | 0 | 1 | 0 |
| Ohio | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 3 | 0 | 0 | 0 | 0 |
| Ohio | Communities | <i>Acidic mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Ohio | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 1 | 0 | 0 | 1 | 0 |
| Ohio County Total: | | | | | | 39 | 19 | 0 | 3 | 0 |
| Oldham | Vascular Plants | <i>Castanea pumila</i> | Allegheny Chinkapin | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Oldham | Vascular Plants | <i>Dichanthelium boreale</i> | Northern Witchgrass | S / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Oldham | Vascular Plants | <i>Dryopteris carthusiana</i> | Spinulose Wood Fern | S / | G5 / S3 | 0 | 0 | 1 | 0 | 0 |
| Oldham | Vascular Plants | <i>Heteranthera dubia</i> | Grassleaf Mud-plantain | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Oldham | Vascular Plants | <i>Ranunculus ambigens</i> | Waterplantain Spearwort | S / | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Oldham | Vascular Plants | <i>Vallisneria americana</i> | Eelgrass | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Oldham | Vascular Plants | <i>Veratrum woodii</i> | Wood's Bunchflower | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Oldham | Vascular Plants | <i>Vitis labrusca</i> | Northern Fox Grape | S / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Oldham | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Oldham | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Oldham | Freshwater Mussels | <i>Quadrula fragosa</i> | Winged Mapleleaf | X / LE | G1 / SX | 0 | 0 | 0 | 1 | 0 |
| Oldham | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Oldham | Crustaceans | <i>Orconectes jeffersoni</i> | Louisville Crayfish | E / SOMC | G1 / S1 | 0 | 1 | 0 | 0 | 0 |
| Oldham | Insects | <i>Nehalennia irene</i> | Sedge Sprite | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Oldham | Insects | <i>Satyrium favonius ontario</i> | Northern Hairstreak | S / | G4T4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Oldham | Fishes | <i>Percopsis omiscomaycus</i> | Trout-perch | S / SOMC | G5 / S3 | 1 | 1 | 0 | 0 | 0 |
| Oldham | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 1 | 0 |
| Oldham | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 2 | 1 | 0 | 0 | 0 |
| Oldham | Breeding Birds | <i>Bartramia longicauda</i> | Upland Sandpiper | H / | G5 / SHB | 0 | 1 | 0 | 0 | 0 |
| Oldham | Breeding Birds | <i>Botaurus lentiginosus</i> | American Bittern | H / | G4 / SHB | 0 | 0 | 0 | 1 | 0 |
| Oldham | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 0 | 0 | 0 | 0 |
| Oldham | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------------------------|--------------------|---|-------------------------|----------|------------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Oldham | Breeding Birds | <i>Dolichonyx oryzivorus</i> | Bobolink | S / | G5 / S2S3B | 2 | 0 | 0 | 0 | 0 |
| Oldham | Breeding Birds | <i>Passerculus sandwichensis</i> | Savannah Sparrow | S / | G5 / S2S3B,S2S3N | 3 | 0 | 0 | 0 | 0 |
| Oldham | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Oldham | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Oldham | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Oldham County Total: | | | | | | 16 | 15 | 1 | 3 | 0 |
| Owen | Vascular Plants | <i>Arabis perstellata</i> | Braun's Rockcress | T / LE | G2 / S2 | 4 | 0 | 0 | 1 | 0 |
| Owen | Vascular Plants | <i>Elymus svensonii</i> | Svenson's Wildrye | S / SOMC | G3 / S3 | 2 | 0 | 0 | 0 | 0 |
| Owen | Vascular Plants | <i>Lonicera prolifera</i> | Grape Honeysuckle | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Owen | Vascular Plants | <i>Salix discolor</i> | Pussy Willow | H / | G5 / SH | 0 | 0 | 0 | 1 | 0 |
| Owen | Vascular Plants | <i>Veratrum woodii</i> | Wood's Bunchflower | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Owen | Aquatic Snails | <i>Lioplax sulculosus</i> | Furrowed Lioplax | S / | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Owen | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 1 | 0 | 0 | 0 |
| Owen | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 2 | 0 |
| Owen | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 3 | 0 | 2 | 0 | 0 |
| Owen | Freshwater Mussels | <i>Villosa fabalis</i> | Rayed Bean | X / C | G2 / SX | 0 | 0 | 0 | 1 | 0 |
| Owen | Fishes | <i>Lota lota</i> | Burbot | S / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Owen | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 1 | 0 | 0 | 0 |
| Owen | Amphibians | <i>Plethodon cinereus</i> | Redback Salamander | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Owen | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 4 | 0 | 0 | 0 | 0 |
| Owen | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 1 | 0 |
| Owen | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Owen | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 1 | 0 | 0 | 0 |
| Owen | Breeding Birds | <i>Poocetes gramineus</i> | Vesper Sparrow | E / | G5 / S1B | 0 | 1 | 0 | 0 | 0 |
| Owen | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 7 | 0 | 0 | 0 | 0 |
| Owen | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Owen County Total: | | | | | | 26 | 10 | 2 | 6 | 0 |
| Owsley | Vascular Plants | <i>Cypripedium kentuckiense</i> | Kentucky Lady's-slipper | E / SOMC | G3 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Owsley | Vascular Plants | <i>Lathyrus venosus</i> | Smooth Veiny Peavine | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Owsley | Vascular Plants | <i>Podostemum ceratophyllum</i> | Threadfoot | S / | G5 / S3 | 9 | 0 | 0 | 0 | 0 |
| Owsley | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Owsley | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 4 | 1 | 0 | 0 | 0 |
| Owsley | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 1 | 0 | 1 | 0 | 0 |
| Owsley | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 1 | 0 | 0 | 0 | 0 |
| Owsley | Insects | <i>Maccaffertium bednariki</i> | A Heptageniid Mayfly | S / | G2G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Owsley | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Owsley | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 4 | 1 | 0 | 0 | 0 |
| Owsley | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------------------------------|--------------------|---|----------------------------|----------|---------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Owsley | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Owsley | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Owsley | Communities | <i>Floodplain ridge/terrace forest</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Owsley County Total: | | | | | | 27 | 7 | 1 | 0 | 0 |
| Pendleton | Vascular Plants | <i>Orobanche ludoviciana</i> | Louisiana Broomrape | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Pendleton | Vascular Plants | <i>Philadelphus inodorus</i> | Mock Orange | T / | G4G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Pendleton | Aquatic Snails | <i>Leptoxis praerosa</i> | Onyx Rocksnail | S / SOMC | G5 / S3S4 | 1 | 0 | 0 | 0 | 0 |
| Pendleton | Aquatic Snails | <i>Lioplax sulculosus</i> | Furrowed Lioplax | S / | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Pendleton | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 7 | 0 | 1 | 0 | 0 |
| Pendleton | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 10 | 0 | 2 | 0 | 0 |
| Pendleton | Freshwater Mussels | <i>Epioblasma obliquata obliquata</i> | Catspaw | E / LE | G1T1 / S1 | 0 | 1 | 0 | 0 | 0 |
| Pendleton | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Pendleton | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 1 | 0 | 2 | 0 | 0 |
| Pendleton | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| Pendleton | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Pendleton | Freshwater Mussels | <i>Leptodea leptodon</i> | Scaleshell | X / LE | G1G2 / SX | 0 | 0 | 0 | 1 | 0 |
| Pendleton | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 2 | 0 | 0 | 0 | 0 |
| Pendleton | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 6 | 0 |
| Pendleton | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 0 | 1 | 0 | 1 | 0 |
| Pendleton | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 4 | 0 |
| Pendleton | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 1 | 0 | 1 | 0 |
| Pendleton | Freshwater Mussels | <i>Quadrula fragosa</i> | Winged Mapleleaf | X / LE | G1 / SX | 0 | 0 | 0 | 1 | 0 |
| Pendleton | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 4 | 0 | 1 | 0 | 0 |
| Pendleton | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Pendleton | Freshwater Mussels | <i>Villosa fabalis</i> | Rayed Bean | X / C | G2 / SX | 0 | 0 | 0 | 1 | 0 |
| Pendleton | Fishes | <i>Lota lota</i> | Burbot | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Pendleton | Fishes | <i>Noturus exilis</i> | Slender Madtom | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Pendleton | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 4 | 0 | 0 | 0 | 0 |
| Pendleton | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Pendleton | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Pendleton | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Pendleton | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Pendleton | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 1 | 0 | 0 | 0 | 0 |
| Pendleton | Breeding Birds | <i>Poocetes gramineus</i> | Vesper Sparrow | E / | G5 / S1B | 0 | 1 | 0 | 0 | 0 |
| Pendleton | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Pendleton County Total: | | | | | | 39 | 13 | 6 | 16 | 0 |
| Perry | Vascular Plants | <i>Acer spicatum</i> | Mountain Maple | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Perry | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------------------------|--------------------|--------------------------------------|-------------------------------|----------|--------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Perry | Vascular Plants | <i>Silphium wasiotense</i> | Appalachian Rosinweed | S / SOMC | G3 / S3 | 2 | 0 | 0 | 0 | 0 |
| Perry | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Perry | Fishes | <i>Ichthyomyzon fossor</i> | Northern Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Perry | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Perry | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Perry | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Perry | Breeding Birds | <i>Corvus corax</i> | Common Raven | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Perry | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Perry | Communities | <i>Acidic mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Perry County Total: | | | | | | 7 | 6 | 0 | 0 | 0 |
| Pike | Vascular Plants | <i>Adlumia fungosa</i> | Allegheny-vine | E / | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Pike | Vascular Plants | <i>Boykinia aconitifolia</i> | Brook Saxifrage | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Pike | Vascular Plants | <i>Castanea pumila</i> | Allegheny Chinkapin | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Pike | Vascular Plants | <i>Corydalis sempervirens</i> | Rock Harlequin | S / | G4G5 / S3? | 0 | 1 | 0 | 0 | 0 |
| Pike | Vascular Plants | <i>Podostemum ceratophyllum</i> | Threadfoot | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Pike | Vascular Plants | <i>Schisandra glabra</i> | Bay Starvine | E / | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Pike | Vascular Plants | <i>Scutellaria saxatilis</i> | Rock Skullcap | T / | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Pike | Vascular Plants | <i>Silphium wasiotense</i> | Appalachian Rosinweed | S / SOMC | G3 / S3 | 0 | 1 | 0 | 0 | 0 |
| Pike | Vascular Plants | <i>Solidago curtisii</i> | Curtis' Goldenrod | T / | G4G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Pike | Vascular Plants | <i>Solidago squarrosa</i> | Squarrose Goldenrod | H / | G4? / SH | 0 | 1 | 0 | 0 | 0 |
| Pike | Vascular Plants | <i>Spiraea alba</i> | Narrow-leaved Meadow-sweet | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Pike | Vascular Plants | <i>Thuja occidentalis</i> | Northern White Cedar | T / | G5 / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Pike | Terrestrial Snails | <i>Glyphyalinia rhoadsi</i> | Sculpted Glyph | T / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Pike | Terrestrial Snails | <i>Patera panselenus</i> | Virginia Bladetooth | S / | G2 / S1 | 2 | 1 | 0 | 0 | 0 |
| Pike | Crustaceans | <i>Cambarus veteranus</i> | Big Sandy Crayfish | S / SOMC | G3 / S1 | 2 | 0 | 0 | 0 | 0 |
| Pike | Insects | <i>Pseudanopthalmus hypolithos</i> | Ashcamp Cave Beetle | T / SOMC | G1 / S1 | 0 | 1 | 0 | 0 | 0 |
| Pike | Fishes | <i>Ichthyomyzon fossor</i> | Northern Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Pike | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Pike | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Pike | Fishes | <i>Percina macrocephala</i> | Longhead Darter | E / SOMC | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Pike | Amphibians | <i>Plethodon wehrlei</i> | Wehrle's Salamander | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Pike | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 2 | 0 | 0 | 0 | 0 |
| Pike | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 1 | 0 |
| Pike | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 2 | 0 | 0 | 0 | 0 |
| Pike | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Pike County Total: | | | | | | 18 | 17 | 1 | 2 | 0 |
| Powell | Mosses | <i>Herzogiella turfacea</i> | | E / | G4G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Powell | Vascular Plants | <i>Acer spicatum</i> | Mountain Maple | E / | G5 / S1S2 | 0 | 0 | 1 | 1 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------|--------------------|--|-----------------------------|----------|---------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Powell | Vascular Plants | <i>Calopogon tuberosus</i> | Grass Pink | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Powell | Vascular Plants | <i>Cypripedium parviflorum</i> | Small Yellow Lady's-slipper | T / | G5 / S2 | 3 | 0 | 0 | 1 | 0 |
| Powell | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Powell | Vascular Plants | <i>Lesquerella globosa</i> | Globe Bladderpod | E / C | G2 / S1 | 0 | 0 | 1 | 0 | 0 |
| Powell | Vascular Plants | <i>Lilium philadelphicum</i> | Wood Lily | T / | G5 / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Powell | Vascular Plants | <i>Liparis loeselii</i> | Loesel's Twayblade | T / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Powell | Vascular Plants | <i>Lycopodium clavatum</i> | Running Pine | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Powell | Vascular Plants | <i>Monotropsis odorata</i> | Sweet Pinesap | T / SOMC | G3 / S2 | 3 | 0 | 1 | 1 | 0 |
| Powell | Vascular Plants | <i>Najas gracillima</i> | Thread-like Naiad | S / | G5? / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Powell | Vascular Plants | <i>Paxistima canbyi</i> | Canby's Mountain-lover | T / SOMC | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| Powell | Vascular Plants | <i>Platanthera psycodes</i> | Small Purple-fringed Orchid | E / | G5 / S1 | 0 | 0 | 1 | 0 | 0 |
| Powell | Vascular Plants | <i>Poa saltuensis</i> | Drooping Bluegrass | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Powell | Vascular Plants | <i>Polygala cruciata</i> | Crossleaf Milkwort | E / | G5 / S1 | 1 | 1 | 0 | 0 | 0 |
| Powell | Vascular Plants | <i>Prenanthes alba</i> | White Rattlesnake-root | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Powell | Vascular Plants | <i>Prosartes maculata</i> | Nodding Mandarin | S / | G3G4 / S3? | 3 | 0 | 0 | 0 | 0 |
| Powell | Vascular Plants | <i>Rhynchospora recognita</i> | Globe Beaked-rush | S / | G5? / S3 | 0 | 1 | 0 | 0 | 0 |
| Powell | Vascular Plants | <i>Sabatia campanulata</i> | Slender Marsh Pink | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Powell | Vascular Plants | <i>Salix amygdaloides</i> | Peach-leaved Willow | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Powell | Vascular Plants | <i>Silene ovata</i> | Ovate Catchfly | E / SOMC | G3 / S1 | 2 | 0 | 0 | 0 | 0 |
| Powell | Vascular Plants | <i>Solidago albopilosa</i> | White-haired Goldenrod | T / LT | G2 / S2 | 22 | 0 | 2 | 3 | 0 |
| Powell | Vascular Plants | <i>Spiranthes lucida</i> | Shining Ladies'-tresses | T / | G5 / S2S3 | 0 | 0 | 1 | 0 | 0 |
| Powell | Vascular Plants | <i>Viburnum rafinesquianum</i> var. <i>rafinesquianum</i> | Downy Arrowwood | T / | G5T4T5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Powell | Aquatic Snails | <i>Rhodacme elatior</i> | Domed Ancyloid | S / | G1 / S1 | 0 | 1 | 0 | 0 | 0 |
| Powell | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Powell | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 1 | 0 | 0 | 0 |
| Powell | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 6 | 0 | 0 | 0 | 0 |
| Powell | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Powell | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 1 | 1 | 0 |
| Powell | Insects | <i>Dryobius sexnotatus</i> | Sixbanded Longhorn Beetle | T / SOMC | GNR / S1 | 0 | 0 | 0 | 0 | 1 |
| Powell | Insects | <i>Erora laeta</i> | Early Hairstreak | T / | GU / S1 | 1 | 0 | 0 | 0 | 0 |
| Powell | Insects | <i>Manophylax butleri</i> | A Limnephilid Caddisfly | S / | G2 / S2 | 4 | 0 | 0 | 0 | 0 |
| Powell | Insects | <i>Ophiogomphus mainensis</i> | Maine Snaketail | E / | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Powell | Fishes | <i>Ichthyomyzon fossor</i> | Northern Brook Lamprey | T / | G4 / S2 | 8 | 0 | 0 | 0 | 0 |
| Powell | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 5 | 0 | 0 | 0 | 0 |
| Powell | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Powell | Reptiles | <i>Elaphe guttata</i> | Corn Snake | S / | G5 / S3 | 9 | 0 | 0 | 0 | 1 |
| Powell | Reptiles | <i>Eumeces anthracinus</i> | Coal Skink | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------------------------|-----------------|--|-------------------------------|----------|-------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Powell | Reptiles | <i>Eumeces inexpectatus</i> | Southeastern Five-lined Skink | S / | G5 / S3 | 0 | 0 | 0 | 0 | 1 |
| Powell | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Powell | Breeding Birds | <i>Picoides borealis</i> | Red-cockaded Woodpecker | X / LE | G3 / SX | 0 | 0 | 0 | 1 | 0 |
| Powell | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 13 | 0 | 0 | 0 | 0 |
| Powell | Mammals | <i>Corynorhinus townsendii virginianus</i> | Virginia Big-eared Bat | E / LE | G4T2 / S1 | 9 | 0 | 0 | 0 | 0 |
| Powell | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 2 | 0 | 0 | 0 | 0 |
| Powell | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| Powell | Mammals | <i>Spilogale putorius</i> | Eastern Spotted Skunk | S / | G5 / S2S3 | 4 | 0 | 0 | 0 | 0 |
| Powell | Mammals | <i>Ursus americanus</i> | American Black Bear | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Powell | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 0 | 0 |
| Powell | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 2 | 0 | 0 | 0 | 0 |
| Powell | Communities | <i>Hemlock-mixed forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Powell County Total: | | | | | | 118 | 20 | 9 | 9 | 3 |
| Pulaski | Vascular Plants | <i>Acer spicatum</i> | Mountain Maple | E / | G5 / S1S2 | 0 | 0 | 1 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Aconitum uncinatum</i> | Blue Monkshood | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Adiantum capillus-veneris</i> | Southern Maidenhair-fern | T / | G5 / S2 | 19 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Agalinis obtusifolia</i> | Ten-lobe False Foxglove | E / | G4G5Q / S1 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Ageratina luciae-brauniae</i> | Lucy Braun's White Snakeroot | S / SOMC | G3 / S3 | 12 | 0 | 1 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Aureolaria patula</i> | Spreading False Foxglove | S / | G3 / S3 | 10 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Bartonia virginica</i> | Yellow Screwstem | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Calopogon tuberosus</i> | Grass Pink | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Carex jorii</i> | Cypress-swamp Sedge | E / | G4G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Castanea pumila</i> | Allegheny Chinkapin | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Ceanothus herbaceus</i> | Prairie Redroot | T / | G5 / S2 | 4 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Comptonia peregrina</i> | Sweet-fern | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Cypripedium kentuckiense</i> | Kentucky Lady's-slipper | E / SOMC | G3 / S1S2 | 5 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Cypripedium parviflorum</i> | Small Yellow Lady's-slipper | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Drosera brevifolia</i> | Dwarf Sundew | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Euphorbia mercurialina</i> | Mercury Spurge | T / | G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Eurybia saxicastellii</i> | Rockcastle Aster | T / SOMC | G1G2 / S1S2 | 5 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Gymnopogon ambiguus</i> | Bearded Skeleton-grass | S / | G4 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Gymnopogon brevifolius</i> | Shortleaf Skeleton-grass | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Helianthus eggertii</i> | Eggert's Sunflower | T / | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Hydrocotyle americana</i> | American Water-pennywort | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Hydrophyllum virginianum</i> | Eastern Waterleaf | T / | G5 / S2? | 0 | 1 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Hypericum crux-andreae</i> | St. Peter's-wort | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 2 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------|--------------------|---|--------------------------|----------|-------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Pulaski | Vascular Plants | <i>Juniperus communis</i> var. <i>depressa</i> | Ground Juniper | T / | G5T5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Lespedeza capitata</i> | Round-head Bush-clover | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Lilium philadelphicum</i> | Wood Lily | T / | G5 / S2S3 | 6 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Lobelia nuttallii</i> | Nuttall's Lobelia | T / | G4G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Lonicera dioica</i> var. <i>orientalis</i> | Wild Honeysuckle | E / | G5TNRQ / S1 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Ludwigia hirtella</i> | Hairy Ludwigia | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Lycopodiella appressa</i> | Southern Bog Clubmoss | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Minuartia glabra</i> | Appalachian Sandwort | T / | G4 / S1S2 | 4 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Muhlenbergia cuspidata</i> | Plains Muhly | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Paxistima canbyi</i> | Canby's Mountain-lover | T / SOMC | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Philadelphus inodorus</i> | Mock Orange | T / | G4G5 / S1S2 | 6 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Philadelphus pubescens</i> | Hoary Mock Orange | E / | G5? / S1 | 0 | 0 | 0 | 1 | 0 |
| Pulaski | Vascular Plants | <i>Platanthera cristata</i> | Yellow-crested Orchid | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Platanthera integrilabia</i> | White Fringeless Orchid | E / C | G2G3 / S1 | 2 | 0 | 0 | 2 | 0 |
| Pulaski | Vascular Plants | <i>Potamogeton amplifolius</i> | Large-leaf Pondweed | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Potamogeton illinoensis</i> | Illinois Pondweed | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Prenanthes crepidinea</i> | Nodding Rattlesnake-root | S / | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Rhynchosia tomentosa</i> | Hairy Snoutbean | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Rhynchospora recognita</i> | Globe Beaked-rush | S / | G5? / S3 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Saxifraga michauxii</i> | Michaux's Saxifrage | T / | G4G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Solidago gracillima</i> | Southern Bog Goldenrod | S / | G4? / S2? | 2 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Solidago simplex</i> ssp. <i>randii</i> var. <i>racemosa</i> | Rand's Goldenrod | S / | G5T3? / S3 | 5 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Spiraea virginiana</i> | Virginia Spiraea | T / LT | G2 / S2 | 2 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Spiranthes lucida</i> | Shining Ladies'-tresses | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Sporobolus clandestinus</i> | Rough Dropseed | T / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Symphotrichum concolor</i> | Eastern Silvery Aster | T / | G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Talinum teretifolium</i> | Roundleaf Fameflower | E / | G4 / S1 | 2 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Taxus canadensis</i> | Canadian Yew | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Thuja occidentalis</i> | Northern White Cedar | T / | G5 / S2S3 | 21 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Tragia urticifolia</i> | Nettle-leaf Noseburn | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Ulmus serotina</i> | September Elm | S / | G4 / S3 | 4 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Viburnum rafinesquianum</i> var. <i>rafinesquianum</i> | Downy Arrowwood | T / | G5T4T5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Vascular Plants | <i>Vitis rupestris</i> | Sand Grape | T / | G3 / S2 | 8 | 0 | 0 | 0 | 0 |
| Pulaski | Aquatic Snails | <i>Leptoxis praerosa</i> | Onyx Rocksnail | S / SOMC | G5 / S3S4 | 4 | 0 | 0 | 1 | 0 |
| Pulaski | Terrestrial Snails | <i>Fumonelix wetherbyi</i> | Clifty Covert | S / | G2G3 / S2 | 4 | 0 | 0 | 0 | 0 |
| Pulaski | Freshwater Mussels | <i>Alasmidonta atropurpurea</i> | Cumberland Elktoe | E / LE | G1G2 / S1 | 0 | 0 | 0 | 2 | 0 |
| Pulaski | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 0 | 0 | 0 | 1 | 0 |
| Pulaski | Freshwater Mussels | <i>Cumberlandia monodonta</i> | Spectaclecase | E / C | G3 / S1 | 0 | 0 | 0 | 3 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------|---------------------|---|-------------------------------|----------|------------------|------------------|---|----|----|---|
| | | | | | | E | H | F | X | U |
| Pulaski | Freshwater Mussels | <i>Dromus dromas</i> | Dromedary Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 4 | 0 |
| Pulaski | Freshwater Mussels | <i>Epioblasma brevidens</i> | Cumberlandian Combshell | E / LE | G1 / S1 | 8 | 0 | 15 | 4 | 0 |
| Pulaski | Freshwater Mussels | <i>Epioblasma capsaeformis</i> | Oyster Mussel | E / LE | G1 / S1 | 0 | 0 | 0 | 18 | 0 |
| Pulaski | Freshwater Mussels | <i>Epioblasma florentina walkeri</i> | Tan Riffleshell | E / LE | G1T1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Pulaski | Freshwater Mussels | <i>Epioblasma obliquata obliquata</i> | Catspaw | E / LE | G1T1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Pulaski | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 2 | 0 | 8 | 0 | 0 |
| Pulaski | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 0 | 0 | 5 | 0 |
| Pulaski | Freshwater Mussels | <i>Hemistena lata</i> | Cracking Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 2 | 0 |
| Pulaski | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Pulaski | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 1 | 0 | 0 | 3 | 0 |
| Pulaski | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Pulaski | Freshwater Mussels | <i>Pegias fabula</i> | Littlewing Pearlymussel | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Pulaski | Freshwater Mussels | <i>Pleurobema oviforme</i> | Tennessee Clubshell | E / SOMC | G2G3 / S1 | 1 | 0 | 12 | 3 | 0 |
| Pulaski | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Pulaski | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 4 | 0 |
| Pulaski | Freshwater Mussels | <i>Ptychobranchus subtentum</i> | Fluted Kidneyshell | E / C | G2 / S1 | 8 | 0 | 10 | 6 | 0 |
| Pulaski | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 3 | 0 |
| Pulaski | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 2 | 0 | 8 | 3 | 0 |
| Pulaski | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 2 | 5 | 0 |
| Pulaski | Freshwater Mussels | <i>Villosa trabalis</i> | Cumberland Bean | E / LE | G1 / S1 | 21 | 0 | 19 | 2 | 0 |
| Pulaski | Crustaceans | <i>Orconectes australis packardii</i> | Appalachian Cave Crayfish | T / | G5T2 / S2S3 | 4 | 0 | 0 | 0 | 0 |
| Pulaski | Insects | <i>Maccaffertium bednariki</i> | A Heptageniid Mayfly | S / | G2G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Pulaski | Insects | <i>Nannothemis bella</i> | Elfin Skimmer | E / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Pulaski | Insects | <i>Papaipema speciosissima</i> | Osmunda Borer Moth | E / | G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Pulaski | Other Invertebrates | <i>Pseudotremia spira</i> | A Cave Obligate Milliped | T / | G1 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Pulaski | Fishes | <i>Etheostoma cinereum</i> | Ashy Darter | S / SOMC | G2G3 / S3 | 10 | 0 | 0 | 0 | 0 |
| Pulaski | Fishes | <i>Ichthyomyzon greeleyi</i> | Mountain Brook Lamprey | T / | G3G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Pulaski | Fishes | <i>Notropis sp. 4</i> | Sawfin Shiner | E / | G4 / S1 | 4 | 0 | 0 | 0 | 0 |
| Pulaski | Fishes | <i>Phoxinus cumberlandensis</i> | Blackside Dace | T / LT | G2 / S2 | 4 | 0 | 0 | 0 | 0 |
| Pulaski | Fishes | <i>Typhlichthys subterraneus</i> | Southern Cavefish | S / SOMC | G3G4 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Pulaski | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Pulaski | Reptiles | <i>Eumeces inexpectatus</i> | Southeastern Five-lined Skink | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 0 | 0 |
| Pulaski | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 3 | 0 | 0 | 0 | 0 |
| Pulaski | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Breeding Birds | <i>Lophodytes cucullatus</i> | Hooded Merganser | T / | G5 / S1S2B,S3S4N | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------------------------------|--------------------|---|------------------------------|----------|------------|------------------|-----------|-----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Pulaski | Breeding Birds | <i>Picoides borealis</i> | Red-cockaded Woodpecker | X / LE | G3 / SX | 0 | 0 | 0 | 2 | 0 |
| Pulaski | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 31 | 0 | 0 | 0 | 0 |
| Pulaski | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 3 | 0 | 0 | 1 | 0 |
| Pulaski | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 9 | 0 | 0 | 0 | 0 |
| Pulaski | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 0 | 0 | 1 | 0 | 0 |
| Pulaski | Mammals | <i>Ursus americanus</i> | American Black Bear | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Communities | <i>Acid seep</i> | | / | GNR / S3S4 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Communities | <i>Acidic mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Communities | <i>Acidic sub-xeric forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Communities | <i>Appalachian pine-oak forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 2 | 0 |
| Pulaski | Communities | <i>Cumberland plateau gravel/cobble bar</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Communities | <i>Depression swamp</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Communities | <i>Dry limestone cliff</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Pulaski | Communities | <i>Floodplain ridge/terrace forest</i> | | / | GNR / S1 | 0 | 0 | 0 | 1 | 0 |
| Pulaski | Communities | <i>Hemlock-mixed forest</i> | | / | GNR / S5 | 7 | 0 | 0 | 0 | 0 |
| Pulaski | Communities | <i>Xerohydric flatwoods</i> | | / | GNR / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Pulaski County Total: | | | | | | 302 | 34 | 77 | 86 | 0 |
| Robertson | Vascular Plants | <i>Gentiana flavida</i> | Yellow Gentian | E / | G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Robertson | Vascular Plants | <i>Solidago shortii</i> | Short's Goldenrod | E / LE | G1 / S1 | 6 | 0 | 0 | 0 | 0 |
| Robertson | Vascular Plants | <i>Spiranthes magnicamporum</i> | Great Plains Ladies'-tresses | T / | G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Robertson | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 3 | 0 | 0 | 0 | 0 |
| Robertson | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 2 | 0 | 0 | 0 | 0 |
| Robertson | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Robertson | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Robertson | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 0 | 0 | 0 | 0 |
| Robertson | Fishes | <i>Lota lota</i> | Burbot | S / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Robertson | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Robertson | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 0 | 0 | 0 | 0 |
| Robertson County Total: | | | | | | 16 | 1 | 0 | 1 | 0 |
| Rockcastle | Vascular Plants | <i>Agrimonia gryposepala</i> | Tall Hairy Groovebur | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Rockcastle | Vascular Plants | <i>Calopogon tuberosus</i> | Grass Pink | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Rockcastle | Vascular Plants | <i>Carex hystericina</i> | Porcupine Sedge | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Rockcastle | Vascular Plants | <i>Castilleja coccinea</i> | Scarlet Indian Paintbrush | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Rockcastle | Vascular Plants | <i>Dryopteris carthusiana</i> | Spinulose Wood Fern | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Rockcastle | Vascular Plants | <i>Hedeoma hispidum</i> | Rough Pennyroyal | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------|---------------------|---|----------------------------|----------|---------------|------------------|---|----|---|---|
| | | | | | | E | H | F | X | U |
| Rockcastle | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Rockcastle | Vascular Plants | <i>Lilium philadelphicum</i> | Wood Lily | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Rockcastle | Vascular Plants | <i>Oenothera perennis</i> | Small Sundrops | E / | G5 / S1S2 | 0 | 0 | 0 | 1 | 0 |
| Rockcastle | Vascular Plants | <i>Paxistima canbyi</i> | Canby's Mountain-lover | T / SOMC | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| Rockcastle | Vascular Plants | <i>Prenanthes crepidinea</i> | Nodding Rattlesnake-root | S / | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Rockcastle | Vascular Plants | <i>Spiraea virginiana</i> | Virginia Spiraea | T / LT | G2 / S2 | 4 | 0 | 0 | 0 | 0 |
| Rockcastle | Vascular Plants | <i>Stenanthium gramineum</i> | Eastern Featherbells | T / | G4G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Rockcastle | Vascular Plants | <i>Vallisneria americana</i> | Eelgrass | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Rockcastle | Vascular Plants | <i>Vitis labrusca</i> | Northern Fox Grape | S / | G5 / S2S3 | 0 | 0 | 0 | 1 | 0 |
| Rockcastle | Aquatic Snails | <i>Pleurocera curta</i> | Shortspire Hornsnail | S / SOMC | G2 / S2 | 0 | 1 | 0 | 0 | 0 |
| Rockcastle | Freshwater Mussels | <i>Alasmidonta atropurpurea</i> | Cumberland Elktoe | E / LE | G1G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| Rockcastle | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 9 | 1 | 0 | 0 | 0 |
| Rockcastle | Freshwater Mussels | <i>Epioblasma brevidens</i> | Cumberlandian Combshell | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Rockcastle | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 0 | 1 | 1 | 0 |
| Rockcastle | Freshwater Mussels | <i>Pegias fabula</i> | Littlewing Pearlymussel | E / LE | G1 / S1 | 10 | 1 | 1 | 0 | 0 |
| Rockcastle | Freshwater Mussels | <i>Pleurobema oviforme</i> | Tennessee Clubshell | E / SOMC | G2G3 / S1 | 4 | 0 | 3 | 0 | 0 |
| Rockcastle | Freshwater Mussels | <i>Ptychobranchus subtentum</i> | Fluted Kidneyshell | E / C | G2 / S1 | 3 | 0 | 1 | 1 | 0 |
| Rockcastle | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Rockcastle | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 6 | 0 | 3 | 2 | 0 |
| Rockcastle | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 0 | 1 | 0 |
| Rockcastle | Freshwater Mussels | <i>Villosa trabalis</i> | Cumberland Bean | E / LE | G1 / S1 | 23 | 1 | 14 | 0 | 0 |
| Rockcastle | Crustaceans | <i>Orconectes australis packardi</i> | Appalachian Cave Crayfish | T / | G5T2 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Rockcastle | Insects | <i>Dannella provonshai</i> | An Ephemerellid Mayfly | H / | G3G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Rockcastle | Insects | <i>Ophiogomphus howei</i> | Pygmy Snaketail | T / SOMC | G3 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Rockcastle | Insects | <i>Ophiogomphus mainensis</i> | Maine Snaketail | E / | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Rockcastle | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 0 | 0 | 0 | 1 |
| Rockcastle | Insects | <i>Stylurus scudderii</i> | Zebra Clubtail | E / | G4 / S1 | 0 | 0 | 0 | 0 | 1 |
| Rockcastle | Other Invertebrates | <i>Pseudotremia unca</i> | A Cave Obligate Milliped | T / | G1 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Rockcastle | Fishes | <i>Etheostoma cinereum</i> | Ashy Darter | S / SOMC | G2G3 / S3 | 20 | 0 | 0 | 0 | 0 |
| Rockcastle | Fishes | <i>Ichthyomyzon greeleyi</i> | Mountain Brook Lamprey | T / | G3G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Rockcastle | Fishes | <i>Percina squamata</i> | Olive Darter | E / SOMC | G3 / S1 | 5 | 0 | 0 | 0 | 0 |
| Rockcastle | Fishes | <i>Phenacobius uranops</i> | Stargazing Minnow | S / | G4 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Rockcastle | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Rockcastle | Reptiles | <i>Eumeces anthracinus</i> | Coal Skink | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Rockcastle | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Rockcastle | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 12 | 0 | 0 | 0 | 0 |
| Rockcastle | Mammals | <i>Corynorhinus townsendii virginianus</i> | Virginia Big-eared Bat | E / LE | G4T2 / S1 | 4 | 0 | 0 | 0 | 0 |
| Rockcastle | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 11 | 0 | 0 | 1 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------------------------------|-----------------|---|------------------------------------|----------|-------------|------------------|-----------|-----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Rockcastle | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Rockcastle | Communities | <i>Appalachian sub-xeric forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 0 | 0 |
| Rockcastle | Communities | <i>Calcareous mesophytic forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 0 | 0 |
| Rockcastle | Communities | <i>Cumberland plateau gravel/cobble bar</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Rockcastle County Total: | | | | | | 134 | 41 | 23 | 10 | 2 |
| Rowan | Mosses | <i>Abietinella abietina</i> | Wire Fern Moss | T / | G4G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Rowan | Mosses | <i>Bryum cyclophyllum</i> | | E / | G4G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Rowan | Mosses | <i>Neckera pennata</i> | | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Rowan | Mosses | <i>Polytrichum pallidisetum</i> | A Hair Cap Moss | T / | G4 / S2? | 1 | 0 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Angelica triquinata</i> | Filmy Angelica | E / | G4 / S1S2 | 0 | 0 | 1 | 0 | 0 |
| Rowan | Vascular Plants | <i>Aralia nudicaulis</i> | Wild Sarsaparilla | E / | G5 / S3? | 0 | 1 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Bartonia virginica</i> | Yellow Screwstem | T / | G5 / S2 | 4 | 0 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Bouteloua curtipendula</i> | Side-oats Grama | S / | G5 / S3? | 1 | 0 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Calamagrostis porteri ssp. porteri</i> | Porter's Reedgrass | T / | G4T4 / S2S3 | 6 | 0 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Calopogon tuberosus</i> | Grass Pink | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Cheilanthes alabamensis</i> | Alabama Lipfern | H / | G4G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Chrysosplenium americanum</i> | American Golden-saxifrage | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Circaea alpina</i> | Small Enchanter's Nightshade | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Cypripedium kentuckiense</i> | Kentucky Lady's-slipper | E / SOMC | G3 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Cypripedium parviflorum</i> | Small Yellow Lady's-slipper | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Dichanthelium boreale</i> | Northern Witchgrass | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Drosera intermedia</i> | Spoon-leaved Sundew | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Dryopteris carthusiana</i> | Spinulose Wood Fern | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Erythronium rostratum</i> | Yellow Troutlily | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Gentiana flavida</i> | Yellow Gentian | E / | G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Gratiola viscidula</i> | Short's Hedgehyssop | S / | G4G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Juncus articulatus</i> | Jointed Rush | S / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Lilium philadelphicum</i> | Wood Lily | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Maianthemum stellatum</i> | Starflower False Solomon's-seal | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Rowan | Vascular Plants | <i>Melampyrum lineare var. latifolium</i> | American Cowwheat | T / | G5T5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Monarda punctata</i> | Spotted Bee-balm | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Podostemum ceratophyllum</i> | Threadfoot | S / | G5 / S3 | 6 | 0 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Pogonia ophioglossoides</i> | Rose Pogonia | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Prenanthes alba</i> | White Rattlesnake-root | E / | G5 / S1 | 0 | 1 | 1 | 0 | 0 |
| Rowan | Vascular Plants | <i>Ranunculus ambigens</i> | Waterplantain Spearwort | S / | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Sabatia campanulata</i> | Slender Marsh Pink | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Sagittaria graminea</i> | Grassleaf Arrowhead | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------|--------------------|---|----------------------------|----------|------------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Rowan | Vascular Plants | <i>Scirpus expansus</i> | Woodland Beakrush | E / | G4 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Scutellaria saxatilis</i> | Rock Skullcap | T / | G3 / S2S3 | 1 | 0 | 0 | 1 | 0 |
| Rowan | Vascular Plants | <i>Solidago roanensis</i> | Roan Mountain Goldenrod | T / | G4G5 / S1S2 | 0 | 0 | 1 | 0 | 0 |
| Rowan | Vascular Plants | <i>Stenanthium gramineum</i> | Eastern Featherbells | T / | G4G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Streptopus lanceolatus</i> | Rosy Twisted-stalk | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Taxus canadensis</i> | Canadian Yew | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Thaspium pinnatifidum</i> | Cutleaf Meadow-parsnip | T / SOMC | G2G3 / S2S3 | 10 | 0 | 0 | 0 | 0 |
| Rowan | Vascular Plants | <i>Vallisneria americana</i> | Eelgrass | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Rowan | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 1 | 1 | 0 | 0 | 0 |
| Rowan | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Rowan | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 3 | 0 | 1 | 0 | 0 |
| Rowan | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Rowan | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 1 | 0 | 0 | 0 | 0 |
| Rowan | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 3 | 0 | 0 | 0 | 0 |
| Rowan | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 1 | 1 | 1 | 0 | 0 |
| Rowan | Insects | <i>Acroneuria hitchcocki</i> | A Perlid Stonefly | T / | G3 / S1S3 | 1 | 0 | 0 | 0 | 0 |
| Rowan | Insects | <i>Hansonoperla hokolesqua</i> | A Perlid Stonefly | S / | G2 / S2 | 5 | 0 | 0 | 0 | 0 |
| Rowan | Insects | <i>Satyrium favonius ontario</i> | Northern Hairstreak | S / | G4T4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Rowan | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 2 | 1 | 0 | 0 | 0 |
| Rowan | Fishes | <i>Percopsis omiscomaycus</i> | Trout-perch | S / SOMC | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Rowan | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 2 | 1 | 0 | 0 | 0 |
| Rowan | Reptiles | <i>Lampropeltis triangulum elapsoides</i> | Scarlet Kingsnake | S / | G5T5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Rowan | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 2 | 0 | 0 | 0 | 0 |
| Rowan | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Rowan | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 0 | 1 | 0 | 0 | 0 |
| Rowan | Breeding Birds | <i>Gallinula chloropus</i> | Common Moorhen | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Rowan | Breeding Birds | <i>Ixobrychus exilis</i> | Least Bittern | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Rowan | Breeding Birds | <i>Lophodytes cucullatus</i> | Hooded Merganser | T / | G5 / S1S2B,S3S4N | 1 | 0 | 0 | 0 | 0 |
| Rowan | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Rowan | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 8 | 0 | 0 | 0 | 0 |
| Rowan | Mammals | <i>Corynorhinus townsendii virginianus</i> | Virginia Big-eared Bat | E / LE | G4T2 / S1 | 1 | 0 | 0 | 0 | 0 |
| Rowan | Mammals | <i>Mustela nivalis</i> | Least Weasel | S / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Rowan | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Rowan | Mammals | <i>Spilogale putorius</i> | Eastern Spotted Skunk | S / | G5 / S2S3 | 0 | 0 | 0 | 0 | 0 |
| Rowan | Mammals | <i>Ursus americanus</i> | American Black Bear | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Rowan | Communities | <i>Acidic sub-xeric forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Rowan | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 2 | 0 | 0 | 0 | 0 |
| Rowan | Communities | <i>Floodplain ridge/terrace forest</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------------------------|--------------------|---------------------------------------|--------------------------|----------|-------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Rowan | Communities | <i>Knobs shale barrens</i> | | / | GNR / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Rowan County Total: | | | | | | 95 | 39 | 5 | 3 | 0 |
| Russell | Vascular Plants | <i>Aureolaria patula</i> | Spreading False Foxglove | S / | G3 / S3 | 3 | 0 | 0 | 0 | 0 |
| Russell | Vascular Plants | <i>Drosera intermedia</i> | Spoon-leaved Sundew | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Russell | Vascular Plants | <i>Euphorbia mercurialina</i> | Mercury Spurge | T / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Russell | Vascular Plants | <i>Hypericum crux-andreae</i> | St. Peter's-wort | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Russell | Vascular Plants | <i>Lespedeza capitata</i> | Round-head Bush-clover | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Russell | Vascular Plants | <i>Muhlenbergia cuspidata</i> | Plains Muhly | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Russell | Vascular Plants | <i>Paxistima canbyi</i> | Canby's Mountain-lover | T / SOMC | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| Russell | Vascular Plants | <i>Polygala cruciata</i> | Crossleaf Milkwort | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Russell | Vascular Plants | <i>Thuja occidentalis</i> | Northern White Cedar | T / | G5 / S2S3 | 2 | 1 | 0 | 0 | 0 |
| Russell | Vascular Plants | <i>Trillium pusillum</i> | Least Trillium | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Russell | Vascular Plants | <i>Ulmus serotina</i> | September Elm | S / | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Russell | Aquatic Snails | <i>Pleurocera curta</i> | Shortspire Hornsnail | S / SOMC | G2 / S2 | 0 | 0 | 0 | 1 | 0 |
| Russell | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 0 | 0 | 0 | 4 | 0 |
| Russell | Freshwater Mussels | <i>Cumberlandia monodonta</i> | Spectaclecase | E / C | G3 / S1 | 0 | 0 | 0 | 4 | 0 |
| Russell | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 1 | 0 | 6 | 0 |
| Russell | Freshwater Mussels | <i>Dromus dromas</i> | Dromedary Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 8 | 0 |
| Russell | Freshwater Mussels | <i>Epioblasma brevidens</i> | Cumberlandian Combshell | E / LE | G1 / S1 | 0 | 0 | 0 | 6 | 0 |
| Russell | Freshwater Mussels | <i>Epioblasma capsaeformis</i> | Oyster Mussel | E / LE | G1 / S1 | 0 | 0 | 0 | 4 | 0 |
| Russell | Freshwater Mussels | <i>Epioblasma florentina walkeri</i> | Tan Riffleshell | E / LE | G1T1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Russell | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 0 | 7 | 0 |
| Russell | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 0 | 0 | 5 | 0 |
| Russell | Freshwater Mussels | <i>Hemistena lata</i> | Cracking Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 3 | 0 |
| Russell | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 0 | 0 | 0 | 7 | 0 |
| Russell | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 0 | 0 | 8 | 0 |
| Russell | Freshwater Mussels | <i>Leptodea leptodon</i> | Scaleshell | X / LE | G1G2 / SX | 0 | 0 | 0 | 2 | 0 |
| Russell | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 3 | 0 |
| Russell | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 6 | 0 |
| Russell | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 0 | 0 | 0 | 4 | 0 |
| Russell | Freshwater Mussels | <i>Pleurobema oviforme</i> | Tennessee Clubshell | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Russell | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 0 | 0 | 0 | 6 | 0 |
| Russell | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 5 | 0 |
| Russell | Freshwater Mussels | <i>Ptychobranchnus subtentum</i> | Fluted Kidneyshell | E / C | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Russell | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 5 | 0 |
| Russell | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 0 | 0 | 0 | 2 | 0 |
| Russell | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 0 | 1 | 0 |
| Russell | Freshwater Mussels | <i>Villosa trabalis</i> | Cumberland Bean | E / LE | G1 / S1 | 0 | 0 | 0 | 6 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|--------------------|----------------------------------|---------------------------|----------|------------------|------------------|----------|----------|------------|----------|
| | | | | | | E | H | F | X | U |
| Russell | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 0 | 0 | 0 | 1 |
| Russell | Fishes | <i>Erimystax insignis</i> | Blotched Chub | E / SOMC | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Russell | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Russell | Breeding Birds | <i>Picoides borealis</i> | Red-cockaded Woodpecker | X / LE | G3 / SX | 0 | 0 | 0 | 1 | 0 |
| Russell | Communities | <i>Wet prairie</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Russell County Total: | | | | | | 17 | 9 | 0 | 107 | 1 |
| Scott | Vascular Plants | <i>Juglans cinerea</i> | White Walnut | S / SOMC | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Scott | Vascular Plants | <i>Lesquerella globosa</i> | Globe Bladderpod | E / C | G2 / S1 | 0 | 0 | 1 | 0 | 0 |
| Scott | Vascular Plants | <i>Philadelphus inodorus</i> | Mock Orange | T / | G4G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Scott | Freshwater Mussels | <i>Villosa fabalis</i> | Rayed Bean | X / C | G2 / SX | 0 | 0 | 0 | 1 | 0 |
| Scott | Insects | <i>Pseudanopthalmus horni</i> | Garman's Cave Beetle | S / SOMC | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Scott | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 6 | 0 | 0 | 0 | 0 |
| Scott | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 2 | 0 | 0 | 0 | 0 |
| Scott | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 1 | 0 | 0 | 0 |
| Scott | Breeding Birds | <i>Passerculus sandwichensis</i> | Savannah Sparrow | S / | G5 / S2S3B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Scott | Breeding Birds | <i>Poocetes gramineus</i> | Vesper Sparrow | E / | G5 / S1B | 0 | 1 | 0 | 0 | 0 |
| Scott | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Scott County Total: | | | | | | 11 | 5 | 1 | 1 | 0 |
| Shelby | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Shelby | Fishes | <i>Percopsis omiscomaycus</i> | Trout-perch | S / SOMC | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Shelby | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Shelby | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Shelby | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 1 | 0 | 0 | 0 |
| Shelby | Breeding Birds | <i>Dolichonyx oryzivorus</i> | Bobolink | S / | G5 / S2S3B | 2 | 0 | 0 | 0 | 0 |
| Shelby | Breeding Birds | <i>Passerculus sandwichensis</i> | Savannah Sparrow | S / | G5 / S2S3B,S2S3N | 2 | 0 | 0 | 0 | 0 |
| Shelby | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Shelby | Mammals | <i>Mustela nivalis</i> | Least Weasel | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Shelby | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Shelby County Total: | | | | | | 9 | 3 | 0 | 1 | 0 |
| Simpson | Vascular Plants | <i>Draba cuneifolia</i> | Wedge-leaf Whitlow-grass | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Simpson | Vascular Plants | <i>Forestiera ligustrina</i> | Upland Privet | T / | G4G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Simpson | Vascular Plants | <i>Isoetes butleri</i> | Butler's Quillwort | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Simpson | Vascular Plants | <i>Leavenworthia torulosa</i> | Necklace Gladecress | T / | G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Simpson | Vascular Plants | <i>Malvastrum hispidum</i> | Hispid Falsemallow | T / | G3G5 / S2? | 1 | 1 | 0 | 0 | 0 |
| Simpson | Vascular Plants | <i>Oenothera triloba</i> | Stemless Evening-primrose | T / | G4 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Simpson | Vascular Plants | <i>Perideridia americana</i> | Eastern Yampah | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Simpson | Vascular Plants | <i>Silphium pinnatifidum</i> | Tansy Rosinweed | S / | G3Q / S3 | 1 | 0 | 0 | 0 | 0 |
| Simpson | Vascular Plants | <i>Sporobolus clandestinus</i> | Rough Dropseed | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|--------------------|---|--------------------------|----------|---------------|------------------|----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Simpson | Vascular Plants | <i>Talinum calcaricum</i> | Limestone Fameflower | E / | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Simpson | Aquatic Snails | <i>Leptoxis praerosa</i> | Onyx Rocksnail | S / SOMC | G5 / S3S4 | 1 | 0 | 0 | 0 | 0 |
| Simpson | Terrestrial Snails | <i>Rabdotus dealbatus</i> | Whitewashed Rabdotus | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Simpson | Freshwater Mussels | <i>Villosa ortmanni</i> | Kentucky Creekshell | T / SOMC | G2 / S2 | 3 | 0 | 1 | 0 | 0 |
| Simpson | Freshwater Mussels | <i>Villosa vanuxemensis vanuxemensis</i> | Mountain creekshell | T / | G4T4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Simpson | Crustaceans | <i>Barbicambarus cornutus</i> | Bottlebrush Crayfish | S / | G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Simpson | Crustaceans | <i>Orconectes pellucidus</i> | Mammoth Cave Crayfish | S / SOMC | G4 / S3 | 0 | 0 | 1 | 0 | 0 |
| Simpson | Insects | <i>Batriasymmodes quisnamus</i> | A Cave Obligate Beetle | T / | G3G4 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Simpson | Fishes | <i>Etheostoma maculatum</i> | Spotted Darter | T / SOMC | G2 / S2 | 0 | 1 | 0 | 0 | 0 |
| Simpson | Fishes | <i>Noturus exilis</i> | Slender Madtom | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Simpson | Fishes | <i>Typhlichthys subterraneus</i> | Southern Cavefish | S / SOMC | G3G4 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Simpson | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Simpson | Breeding Birds | <i>Anas discors</i> | Blue-winged Teal | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Simpson | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Simpson | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Simpson | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 3 | 0 | 0 | 0 | 0 |
| Simpson | Communities | <i>Limestone flat rock glade</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Simpson County Total: | | | | | | 30 | 7 | 2 | 0 | 0 |
| Spencer | Vascular Plants | <i>Leavenworthia exigua var. laciniata</i> | Kentucky Gladecress | E / SOMC | G4T1T2 / S1S2 | 0 | 0 | 0 | 1 | 0 |
| Spencer | Vascular Plants | <i>Viola septemloba var. egglestonii</i> | Eggleston's Violet | S / | G4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Spencer | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 0 | 0 | 4 | 0 |
| Spencer | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Spencer | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 1 | 0 | 0 |
| Spencer | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Spencer | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 8 | 0 |
| Spencer | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 3 | 0 |
| Spencer | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Spencer | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 0 | 2 | 0 | 0 |
| Spencer | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 0 | 0 | 0 | 2 | 0 |
| Spencer | Freshwater Mussels | <i>Villosa fabalis</i> | Rayed Bean | X / C | G2 / SX | 0 | 0 | 0 | 2 | 0 |
| Spencer | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Spencer County Total: | | | | | | 2 | 0 | 3 | 23 | 0 |
| Taylor | Vascular Plants | <i>Aureolaria patula</i> | Spreading False Foxglove | S / | G3 / S3 | 2 | 0 | 0 | 0 | 0 |
| Taylor | Vascular Plants | <i>Helianthus eggertii</i> | Eggert's Sunflower | T / | G3 / S2 | 2 | 0 | 0 | 0 | 0 |
| Taylor | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Taylor | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Taylor | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 2 | 1 | 1 | 0 | 0 |
| Taylor | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-----------------------------|--------------------|---|----------------------------|----------|---------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Taylor | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Taylor | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 2 | 0 | 0 | 1 | 0 |
| Taylor | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 4 | 0 | 0 | 0 | 0 |
| Taylor | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 0 | 1 | 0 |
| Taylor | Crustaceans | <i>Barbicambarus cornutus</i> | Bottlebrush Crayfish | S / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Taylor | Insects | <i>Allocapnia cunninghami</i> | A Capniid Stonefly | T / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Taylor | Insects | <i>Dryobius sexnotatus</i> | Sixbanded Longhorn Beetle | T / SOMC | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Taylor | Fishes | <i>Ammocrypta clara</i> | Western Sand Darter | E / SOMC | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Taylor | Fishes | <i>Noturus exilis</i> | Slender Madtom | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Taylor | Fishes | <i>Noturus stigmosus</i> | Northern Madtom | S / SOMC | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Taylor | Fishes | <i>Percina macrocephala</i> | Longhead Darter | E / SOMC | G3 / S1 | 1 | 1 | 0 | 0 | 0 |
| Taylor | Fishes | <i>Phenacobius uranops</i> | Stargazing Minnow | S / | G4 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Taylor | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Taylor | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 3 | 0 |
| Taylor | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 3 | 0 | 0 | 0 | 0 |
| Taylor | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 1 | 0 | 0 | 0 |
| Taylor | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 0 | 1 | 0 | 0 | 0 |
| Taylor | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Taylor | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 3 | 0 | 0 | 0 | 0 |
| Taylor | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Taylor | Communities | <i>Siltstone/shale glade</i> | | / | GNR / S3S4 | 1 | 0 | 0 | 0 | 0 |
| Taylor | Communities | <i>Xerohydric flatwoods</i> | | / | GNR / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Taylor County Total: | | | | | | 27 | 20 | 1 | 6 | 0 |
| Todd | Vascular Plants | <i>Amianthium muscitoxicum</i> | Fly Poison | T / | G4G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Todd | Vascular Plants | <i>Baptisia australis var. minor</i> | Blue Wild Indigo | S / | G5T5 / S2S3 | 5 | 0 | 0 | 0 | 0 |
| Todd | Vascular Plants | <i>Baptisia tinctoria</i> | Yellow Wild Indigo | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Todd | Vascular Plants | <i>Carex alata</i> | Broadwing Sedge | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Todd | Vascular Plants | <i>Delphinium carolinianum</i> | Carolina Larkspur | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Todd | Vascular Plants | <i>Dodecatheon frenchii</i> | French's Shooting Star | S / | G3 / S3 | 0 | 1 | 1 | 0 | 0 |
| Todd | Vascular Plants | <i>Gentiana puberulenta</i> | Prairie Gentian | E / | G4G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Todd | Vascular Plants | <i>Leavenworthia torulosa</i> | Necklace Gladecress | T / | G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Todd | Vascular Plants | <i>Oenothera linifolia</i> | Thread-leaf Sundrops | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Todd | Vascular Plants | <i>Onosmodium hispidissimum</i> | Hairy False Gromwell | E / | G4G5T4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Todd | Vascular Plants | <i>Perideridia americana</i> | Eastern Yampah | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Todd | Vascular Plants | <i>Silphium pinnatifidum</i> | Tansy Rosinweed | S / | G3Q / S3 | 1 | 0 | 0 | 0 | 0 |
| Todd | Vascular Plants | <i>Trifolium reflexum</i> | Buffalo Clover | E / | G3G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Todd | Vascular Plants | <i>Veratrum woodii</i> | Wood's Bunchflower | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Todd | Terrestrial Snails | <i>Rabdotus dealbatus</i> | Whitewashed Rabdotus | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------------------------|--------------------|--|------------------------------|--------------|----------------|------------------|-----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Todd | Freshwater Mussels | <i>Cyrogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 0 | 0 | 1 | 0 |
| Todd | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Todd | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Todd | Freshwater Mussels | <i>Pegias fabula</i> | Littlewing Pearlymussel | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Todd | Freshwater Mussels | <i>Ptychobranchnus subtentum</i> | Fluted Kidneyshell | E / C | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Todd | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Todd | Freshwater Mussels | <i>Villosa ortmanni</i> | Kentucky Creekshell | T / SOMC | G2 / S2 | 0 | 1 | 0 | 0 | 0 |
| Todd | Freshwater Mussels | <i>Villosa vanuxemensis vanuxemensis</i> | Mountain creekshell | T / | G4T4 / S2 | 1 | 0 | 1 | 0 | 0 |
| Todd | Crustaceans | <i>Orconectes pellucidus</i> | Mammoth Cave Crayfish | S / SOMC | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Todd | Fishes | <i>Etheostoma tecumsehi</i> | Shawnee Darter | S / SOMC | G1 / S2S3 | 1 | 1 | 0 | 0 | 0 |
| Todd | Fishes | <i>Ichthyomyzon castaneus</i> | Chestnut Lamprey | S / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Todd | Fishes | <i>Lepomis miniatus</i> | Redspotted Sunfish | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Todd | Amphibians | <i>Hyla gratiosa</i> | Barking Treefrog | S / | G5 / S3 | 4 | 1 | 0 | 0 | 0 |
| Todd | Reptiles | <i>Ophisaurus attenuatus longicaudus</i> | Eastern Slender Glass Lizard | T / | G5T5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Todd | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Todd | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Todd | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Todd | Communities | <i>Calcareous mesophytic forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 0 | 0 |
| Todd | Communities | <i>Limestone prairie</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Todd | Communities | <i>Limestone slope glade</i> | | / | GNR / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Todd County Total: | | | | | | 26 | 19 | 2 | 5 | 0 |
| Trigg | Vascular Plants | <i>Apios priceana</i> | Price's Potato-bean | E / LT | G2 / S1 | 3 | 0 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Armoracia lacustris</i> | Lakecress | T / | G4? / S1S2 | 4 | 0 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Baptisia australis var. minor</i> | Blue Wild Indigo | S / | G5T5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Baptisia bracteata var. glabrescens</i> | Cream Wild Indigo | S / | G4G5T4T5 / S3 | 21 | 1 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Halesia tetraptera</i> | Common Silverbell | E / | G5 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Heracleum lanatum</i> | Cow-parsnip | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Heteranthera dubia</i> | Grassleaf Mud-plantain | S / | G5 / S3 | 3 | 0 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Heteranthera limosa</i> | Blue Mud-plantain | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Hieracium longipilum</i> | Hairy Hawkweed | T / | G4G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Lesquerella lescurii</i> | Lescur's Bladderpod | H / | G4 / SH | 0 | 0 | 0 | 1 | 0 |
| Trigg | Vascular Plants | <i>Matelea carolinensis</i> | Carolina Anglepod | E / | G4 / S1? | 0 | 1 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Muhlenbergia glabrifloris</i> | Hair Grass | S / | G4? / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Najas gracillima</i> | Thread-like Naiad | S / | G5? / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Oenothera linifolia</i> | Thread-leaf Sundrops | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Oldenlandia uniflora</i> | Clustered Bluets | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Prenanthes aspera</i> | Rough Rattlesnake-root | E / | G4? / S1 | 1 | 0 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Prenanthes barbata</i> | Barbed Rattlesnake-root | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------|--------------------|---|-------------------------------|----------|---------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Trigg | Vascular Plants | <i>Ptilimnium capillaceum</i> | Mock Bishop's-weed | T / | G5 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Ptilimnium nuttallii</i> | Nuttall's Mock Bishop's-weed | E / | G5? / S1S2 | 3 | 0 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Rudbeckia subtomentosa</i> | Sweet Coneflower | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Sagittaria graminea</i> | Grassleaf Arrowhead | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Scleria ciliata</i> | Fringed Nutrush | E / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Trepocarpus aethusae</i> | Trepocarpus | S / | G4G5 / S3 | 10 | 0 | 0 | 0 | 0 |
| Trigg | Vascular Plants | <i>Trillium pusillum</i> | Least Trillium | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Trigg | Aquatic Snails | <i>Lithasia armigera</i> | Armored Rocksnail | S / SOMC | G3G4 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Trigg | Aquatic Snails | <i>Lithasia salebrosa</i> | Muddy Rocksnail | S / SOMC | G3G4Q / S3S4 | 0 | 0 | 0 | 1 | 0 |
| Trigg | Aquatic Snails | <i>Lithasia verrucosa</i> | Varicose Rocksnail | S / SOMC | G4Q / S3S4 | 1 | 0 | 0 | 0 | 0 |
| Trigg | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Trigg | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 3 | 0 |
| Trigg | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Trigg | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Trigg | Freshwater Mussels | <i>Quadrula fragosa</i> | Winged Mapleleaf | X / LE | G1 / SX | 0 | 0 | 0 | 2 | 0 |
| Trigg | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Trigg | Freshwater Mussels | <i>Villosa vanuxemensis vanuxemensis</i> | Mountain creekshell | T / | G4T4 / S2 | 1 | 0 | 2 | 0 | 0 |
| Trigg | Crustaceans | <i>Cambarus friaufi</i> | Hairy Crayfish | S / | G4 / S3S4 | 2 | 0 | 0 | 0 | 0 |
| Trigg | Crustaceans | <i>Orconectes pellucidus</i> | Mammoth Cave Crayfish | S / SOMC | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Trigg | Crustaceans | <i>Stygobromus vitreus</i> | An Amphipod | S / | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Trigg | Insects | <i>Nicrophorus americanus</i> | American Burying Beetle | X / LE | G2G3 / SX | 0 | 0 | 0 | 1 | 0 |
| Trigg | Insects | <i>Satyrium favonius ontario</i> | Northern Hairstreak | S / | G4T4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Trigg | Fishes | <i>Erimystax insignis</i> | Blotched Chub | E / SOMC | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Trigg | Fishes | <i>Esox niger</i> | Chain Pickerel | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Trigg | Fishes | <i>Etheostoma microlepidum</i> | Smallscale Darter | E / SOMC | G2G3 / S1 | 3 | 0 | 0 | 0 | 0 |
| Trigg | Fishes | <i>Etheostoma parvipinne</i> | Goldstripe Darter | E / | G4G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Trigg | Fishes | <i>Etheostoma proeliare</i> | Cypress Darter | T / | G5 / S2 | 1 | 1 | 0 | 0 | 0 |
| Trigg | Fishes | <i>Ichthyomyzon castaneus</i> | Chestnut Lamprey | S / | G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Trigg | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Trigg | Fishes | <i>Lepomis miniatus</i> | Redspotted Sunfish | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Trigg | Fishes | <i>Menidia beryllina</i> | Inland Silverside | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Trigg | Fishes | <i>Noturus exilis</i> | Slender Madtom | E / | G5 / S1 | 2 | 1 | 0 | 0 | 0 |
| Trigg | Fishes | <i>Typhlichthys subterraneus</i> | Southern Cavefish | S / SOMC | G3G4 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Trigg | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Trigg | Amphibians | <i>Hyla cinerea</i> | Green Treefrog | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Trigg | Amphibians | <i>Hyla gratiosa</i> | Barking Treefrog | S / | G5 / S3 | 12 | 0 | 0 | 0 | 0 |
| Trigg | Reptiles | <i>Apalone mutica mutica</i> | Midland Smooth Softshell | S / | G5T5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Trigg | Reptiles | <i>Eumeces inexpectatus</i> | Southeastern Five-lined Skink | S / | G5 / S3 | 1 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|--------------------|---|---------------------------|--------------|----------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Trigg | Reptiles | <i>Lampropeltis triangulum elapsoides</i> | Scarlet Kingsnake | S / | G5T5 / S3 | 4 | 0 | 0 | 0 | 0 |
| Trigg | Reptiles | <i>Pituophis melanoleucus melanoleucus</i> | Northern Pine Snake | T / SOMC | G4T4 / S2 | 3 | 0 | 0 | 0 | 2 |
| Trigg | Reptiles | <i>Sistrurus miliarius streckeri</i> | Western Pygmy Rattlesnake | T / | G5T5 / S2 | 1 | 1 | 0 | 0 | 0 |
| Trigg | Reptiles | <i>Thamnophis sauritus sauritus</i> | Eastern Ribbon Snake | S / | G5T5 / S3 | 2 | 1 | 0 | 0 | 0 |
| Trigg | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Trigg | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 1 | 0 | 0 | 1 | 0 |
| Trigg | Breeding Birds | <i>Anas discors</i> | Blue-winged Teal | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Trigg | Breeding Birds | <i>Ardea alba</i> | Great Egret | E / | G5 / S1B | 0 | 0 | 0 | 1 | 0 |
| Trigg | Breeding Birds | <i>Botaurus lentiginosus</i> | American Bittern | H / | G4 / SHB | 0 | 1 | 0 | 0 | 0 |
| Trigg | Breeding Birds | <i>Bubulcus ibis</i> | Cattle Egret | S / | G5 / S1S2B | 0 | 0 | 0 | 2 | 0 |
| Trigg | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 1 | 0 | 0 | 0 | 0 |
| Trigg | Breeding Birds | <i>Egretta caerulea</i> | Little Blue Heron | E / | G5 / S1B | 0 | 0 | 0 | 1 | 0 |
| Trigg | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 9 | 0 | 0 | 1 | 0 |
| Trigg | Breeding Birds | <i>Nycticorax nycticorax</i> | Black-crowned Night-heron | T / | G5 / S1S2B | 1 | 0 | 0 | 2 | 0 |
| Trigg | Breeding Birds | <i>Pandion haliaetus</i> | Osprey | T / | G5 / S2B | 5 | 0 | 0 | 0 | 0 |
| Trigg | Breeding Birds | <i>Podilymbus podiceps</i> | Pied-billed Grebe | E / | G5 / S1B,S4N | 0 | 1 | 0 | 0 | 0 |
| Trigg | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 3 | 0 | 0 | 0 | 0 |
| Trigg | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Trigg | Mammals | <i>Myotis austroriparius</i> | Southeastern Myotis | E / SOMC | G3G4 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Trigg | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 5 | 0 | 0 | 0 | 0 |
| Trigg | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| Trigg | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Trigg | Communities | <i>Tallgrass prairie</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Trigg County Total: | | | | | | 143 | 51 | 2 | 18 | 2 |
| Trimble | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Trimble | Freshwater Mussels | <i>Plethobasus cyphyus</i> | Sheepnose | E / C | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Trimble | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Trimble | Breeding Birds | <i>Falco peregrinus</i> | Peregrine Falcon | E / SOMC | G4 / S1B | 2 | 0 | 0 | 0 | 0 |
| Trimble | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Trimble | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Trimble | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Trimble County Total: | | | | | | 6 | 1 | 0 | 1 | 0 |
| Union | Vascular Plants | <i>Armoracia lacustris</i> | Lakecress | T / | G4? / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Union | Vascular Plants | <i>Matelea carolinensis</i> | Carolina Anglepod | E / | G4 / S1? | 0 | 1 | 0 | 0 | 0 |
| Union | Vascular Plants | <i>Perideridia americana</i> | Eastern Yampah | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Union | Vascular Plants | <i>Silene ovata</i> | Ovate Catchfly | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Union | Aquatic Snails | <i>Lithasia armigera</i> | Armored Rocksnail | S / SOMC | G3G4 / S3S4 | 0 | 1 | 0 | 0 | 0 |
| Union | Terrestrial Snails | <i>Webbhelix multilineata</i> | Striped Whitelip | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------------------------|--------------------|--|----------------------------|--------------|------------------|------------------|----------|----------|----------|----------|
| | | | | | | E | H | F | X | U |
| Union | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Union | Freshwater Mussels | <i>Potamilus capax</i> | Fat Pocketbook | E / LE | G1G2 / S1 | 4 | 1 | 1 | 0 | 0 |
| Union | Freshwater Mussels | <i>Toxolasma texasiensis</i> | Texas Lilliput | E / | G4 / S1 | 0 | 0 | 1 | 0 | 0 |
| Union | Insects | <i>Gomphus hybridus</i> | Cocoa Clubtail | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Union | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Union | Fishes | <i>Ichthyomyzon castaneus</i> | Chestnut Lamprey | S / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Union | Fishes | <i>Ictiobus niger</i> | Black Buffalo | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Union | Amphibians | <i>Hyla avivoca</i> | Bird-voiced Treefrog | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Union | Amphibians | <i>Hyla cinerea</i> | Green Treefrog | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Union | Reptiles | <i>Apalone mutica mutica</i> | Midland Smooth Softshell | S / | G5T5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Union | Reptiles | <i>Nerodia erythrogaster neglecta</i> | Copperbelly Water Snake | S / SOMC | G5T3 / S3 | 5 | 0 | 0 | 0 | 0 |
| Union | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 0 | 0 |
| Union | Breeding Birds | <i>Anas discors</i> | Blue-winged Teal | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Union | Breeding Birds | <i>Ardea alba</i> | Great Egret | E / | G5 / S1B | 2 | 0 | 0 | 0 | 0 |
| Union | Breeding Birds | <i>Certhia americana</i> | Brown Creeper | E / | G5 / S1S2B,S4S5N | 1 | 0 | 0 | 0 | 0 |
| Union | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Union | Breeding Birds | <i>Corvus ossifragus</i> | Fish Crow | S / | G5 / S3B | 2 | 0 | 0 | 0 | 0 |
| Union | Breeding Birds | <i>Fulica americana</i> | American Coot | E / | G5 / S1B | 1 | 0 | 0 | 0 | 0 |
| Union | Breeding Birds | <i>Gallinula chloropus</i> | Common Moorhen | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Union | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Union | Breeding Birds | <i>Ictinia mississippiensis</i> | Mississippi Kite | S / | G5 / S2B | 1 | 0 | 0 | 0 | 0 |
| Union | Breeding Birds | <i>Ixobrychus exilis</i> | Least Bittern | T / | G5 / S1S2B | 1 | 0 | 0 | 0 | 0 |
| Union | Breeding Birds | <i>Lophodytes cucullatus</i> | Hooded Merganser | T / | G5 / S1S2B,S3S4N | 1 | 0 | 0 | 0 | 0 |
| Union | Breeding Birds | <i>Nyctanassa violacea</i> | Yellow-crowned Night-heron | T / | G5 / S2B | 1 | 0 | 0 | 0 | 0 |
| Union | Breeding Birds | <i>Podilymbus podiceps</i> | Pied-billed Grebe | E / | G5 / S1B,S4N | 1 | 0 | 0 | 0 | 0 |
| Union | Breeding Birds | <i>Riparia riparia</i> | Bank Swallow | S / | G5 / S3B | 3 | 0 | 0 | 0 | 0 |
| Union | Breeding Birds | <i>Sternula antillarum athalassos</i> | Interior Least Tern | E / LE | G4T2Q / S2B | 2 | 0 | 0 | 1 | 0 |
| Union | Breeding Birds | <i>Vireo bellii</i> | Bell's Vireo | S / SOMC | G5 / S2S3B | 2 | 0 | 0 | 0 | 0 |
| Union | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Union | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Union | Mammals | <i>Sorex cinereus</i> | Cinereus Shrew | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Union | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Union County Total: | | | | | | 43 | 8 | 2 | 1 | 0 |
| Warren | Vascular Plants | <i>Apios priceana</i> | Price's Potato-bean | E / LT | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Arabis hirsuta</i> | Western Hairy Rockcress | T / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Aureolaria patula</i> | Spreading False Foxglove | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Baptisia bracteata var. glabrescens</i> | Cream Wild Indigo | S / | G4G5T4T5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Bouteloua curtipendula</i> | Side-oats Grama | S / | G5 / S3? | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------|--------------------|--|---------------------------|----------|-------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Warren | Vascular Plants | <i>Carex gigantea</i> | Large Sedge | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Carya carolinae-septentrionalis</i> | Southern Shagbark Hickory | T / | G5? / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Castanea pumila</i> | Allegheny Chinkapin | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Clematis catesbyana</i> | Satin-curles | H / | G4G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Delphinium carolinianum</i> | Carolina Larkspur | T / | G5 / S1S2 | 3 | 0 | 0 | 1 | 0 |
| Warren | Vascular Plants | <i>Didiplis diandra</i> | Water-purslane | S / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Dodecatheon frenchii</i> | French's Shooting Star | S / | G3 / S3 | 4 | 0 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Draba cuneifolia</i> | Wedge-leaf Whitlow-grass | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Forestiera ligustrina</i> | Upland Privet | T / | G4G5 / S2S3 | 5 | 0 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Gentiana flavida</i> | Yellow Gentian | E / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Hedeoma hispidum</i> | Rough Pennyroyal | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Helianthus eggertii</i> | Eggert's Sunflower | T / | G3 / S2 | 2 | 0 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Heteranthera limosa</i> | Blue Mud-plantain | S / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Hypericum crux-andreae</i> | St. Peter's-wort | T / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Isoetes butleri</i> | Butler's Quillwort | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Isoetes melanopoda</i> | Blackfoot Quillwort | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Leavenworthia torulosa</i> | Necklace Gladecress | T / | G4 / S2 | 7 | 0 | 0 | 3 | 0 |
| Warren | Vascular Plants | <i>Lilium superbum</i> | Turk's Cap Lily | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Lobelia gattingeri</i> | Gattinger's Lobelia | E / | G4G5T4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Ludwigia hirtella</i> | Hairy Ludwigia | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Oenothera triloba</i> | Stemless Evening-primrose | T / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Perideridia americana</i> | Eastern Yampah | T / | G4 / S2 | 1 | 1 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Polygala cruciata</i> | Crossleaf Milkwort | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Sagittaria graminea</i> | Grassleaf Arrowhead | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Silene ovata</i> | Ovate Catchfly | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Silene regia</i> | Royal Catchfly | E / | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Silphium pinnatifidum</i> | Tansy Rosinweed | S / | G3Q / S3 | 5 | 0 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Symphyotrichum priceae</i> | White Heath Aster | T / | G3G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Trifolium reflexum</i> | Buffalo Clover | E / | G3G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Warren | Vascular Plants | <i>Trillium pusillum</i> | Least Trillium | E / SOMC | G3 / S1 | 2 | 0 | 0 | 0 | 0 |
| Warren | Terrestrial Snails | <i>Rabdotus dealbatus</i> | Whitewashed Rabdotus | T / | G5 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Warren | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Warren | Freshwater Mussels | <i>Cumberlandia monodonta</i> | Spectaclecase | E / C | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Warren | Freshwater Mussels | <i>Cyrogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 6 | 1 | 3 | 0 | 0 |
| Warren | Freshwater Mussels | <i>Epioblasma obliquata obliquata</i> | Catspaw | E / LE | G1T1 / S1 | 2 | 0 | 0 | 0 | 0 |
| Warren | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 0 | 1 | 3 | 0 | 0 |
| Warren | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 3 | 1 | 0 |
| Warren | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 11 | 0 | 2 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------|---------------------|---|-----------------------------------|----------|------------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Warren | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 6 | 0 | 2 | 0 | 0 |
| Warren | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 5 | 1 | 4 | 0 | 0 |
| Warren | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 3 | 0 | 0 |
| Warren | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 3 | 1 | 2 | 0 | 0 |
| Warren | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 1 | 1 | 8 | 0 |
| Warren | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 18 | 0 | 2 | 1 | 0 |
| Warren | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 19 | 0 | 1 | 0 | 0 |
| Warren | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 1 | 2 | 0 | 0 |
| Warren | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Warren | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 0 | 1 | 0 | 0 | 0 |
| Warren | Freshwater Mussels | <i>Villosa fabalis</i> | Rayed Bean | X / C | G2 / SX | 0 | 0 | 0 | 1 | 0 |
| Warren | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 4 | 0 | 0 |
| Warren | Freshwater Mussels | <i>Villosa ortmanni</i> | Kentucky Creekshell | T / SOMC | G2 / S2 | 1 | 0 | 8 | 5 | 0 |
| Warren | Crustaceans | <i>Barbicambarus cornutus</i> | Bottlebrush Crayfish | S / | G4 / S2 | 5 | 0 | 0 | 0 | 0 |
| Warren | Crustaceans | <i>Orconectes pellucidus</i> | Mammoth Cave Crayfish | S / SOMC | G4 / S3 | 2 | 0 | 1 | 0 | 0 |
| Warren | Crustaceans | <i>Palaemonias ganteri</i> | Mammoth Cave Shrimp | E / LE | G1 / S1 | 1 | 0 | 0 | 0 | 0 |
| Warren | Insects | <i>Pseudanopthalmus transfluvialis</i> | A Cave Obligate Beetle | S / | G1G2 / S1S2 | 0 | 0 | 0 | 0 | 3 |
| Warren | Other Invertebrates | <i>Kleptochthonius microphthalmus</i> | A Cave Obligate Pseudoscorpion | T / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Warren | Fishes | <i>Etheostoma maculatum</i> | Spotted Darter | T / SOMC | G2 / S2 | 4 | 0 | 0 | 0 | 0 |
| Warren | Fishes | <i>Hybopsis amnis</i> | Pallid Shiner | E / SOMC | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Warren | Fishes | <i>Ichthyomyzon greeleyi</i> | Mountain Brook Lamprey | T / | G3G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Warren | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Warren | Fishes | <i>Percina macrocephala</i> | Longhead Darter | E / SOMC | G3 / S1 | 1 | 1 | 0 | 0 | 0 |
| Warren | Fishes | <i>Phenacobius uranops</i> | Stargazing Minnow | S / | G4 / S2S3 | 2 | 1 | 0 | 0 | 0 |
| Warren | Fishes | <i>Typhlichthys subterraneus</i> | Southern Cavefish | S / SOMC | G3G4 / S2S3 | 1 | 1 | 0 | 0 | 0 |
| Warren | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 2 | 0 | 0 | 0 | 0 |
| Warren | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 1 | 0 |
| Warren | Breeding Birds | <i>Anas clypeata</i> | Northern Shoveler | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Warren | Breeding Birds | <i>Anas discors</i> | Blue-winged Teal | T / | G5 / S1S2B | 2 | 0 | 0 | 0 | 0 |
| Warren | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 1 | 0 | 0 | 0 | 0 |
| Warren | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Warren | Breeding Birds | <i>Fulica americana</i> | American Coot | E / | G5 / S1B | 0 | 1 | 0 | 0 | 0 |
| Warren | Breeding Birds | <i>Gallinula chloropus</i> | Common Moorhen | T / | G5 / S1S2B | 0 | 1 | 0 | 0 | 0 |
| Warren | Breeding Birds | <i>Lophodytes cucullatus</i> | Hooded Merganser | T / | G5 / S1S2B,S3S4N | 1 | 0 | 0 | 0 | 0 |
| Warren | Breeding Birds | <i>Nyctanassa violacea</i> | Yellow-crowned Night-heron | T / | G5 / S2B | 0 | 1 | 0 | 0 | 0 |
| Warren | Breeding Birds | <i>Podilymbus podiceps</i> | Pied-billed Grebe | E / | G5 / S1B,S4N | 2 | 0 | 0 | 0 | 0 |
| Warren | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 3 | 0 | 0 | 0 | 0 |
| Warren | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------------------------------|-----------------|--|----------------------------|----------|-------------|------------------|-----------|-----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Warren | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Warren | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 8 | 0 | 0 | 0 | 0 |
| Warren | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Warren | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Warren | Communities | <i>Limestone barrens</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Warren | Communities | <i>Limestone flat rock glade</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Warren | Communities | <i>Limestone prairie</i> | | / | GNR / S1 | 0 | 0 | 0 | 1 | 0 |
| Warren | Communities | <i>Sandstone barrens</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Warren | Communities | <i>Sandstone prairie</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Warren | Communities | <i>Shawnee hills sandstone glade</i> | | / | GNR / S2 | 2 | 0 | 0 | 0 | 0 |
| Warren County Total: | | | | | | 166 | 97 | 41 | 22 | 3 |
| Washington | Breeding Birds | <i>Aimophila aestivalis</i> | Bachman's Sparrow | E / SOMC | G3 / S1B | 0 | 0 | 0 | 1 | 0 |
| Washington | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Washington | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 1 | 1 | 0 | 0 | 0 |
| Washington | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 5 | 0 | 0 | 0 | 0 |
| Washington County Total: | | | | | | 7 | 1 | 0 | 1 | 0 |
| Wayne | Vascular Plants | <i>Aconitum uncinatum</i> | Blue Monkshood | T / | G4 / S2 | 0 | 0 | 0 | 0 | 1 |
| Wayne | Vascular Plants | <i>Adiantum capillus-veneris</i> | Southern Maidenhair-fern | T / | G5 / S2 | 2 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Aureolaria patula</i> | Spreading False Foxglove | S / | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Baptisia tinctoria</i> | Yellow Wild Indigo | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Calycanthus floridus var. glaucus</i> | Eastern Sweetshrub | T / | G5T5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Carex aestivalis</i> | Summer Sedge | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Carex crawei</i> | Crawe's Sedge | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Ceanothus herbaceus</i> | Prairie Redroot | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Euphorbia mercurialina</i> | Mercury Spurge | T / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Glyceria acutiflora</i> | Sharp-scaled Manna-grass | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Gratiola viscidula</i> | Short's Hedgehyssop | S / | G4G5 / S3 | 2 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Heteranthera dubia</i> | Grassleaf Mud-plantain | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Hydrocotyle americana</i> | American Water-pennywort | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Lonicera dioica var. orientalis</i> | Wild Honeysuckle | E / | G5TNRQ / S1 | 0 | 1 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Muhlenbergia cuspidata</i> | Plains Muhly | T / | G4 / S2 | 2 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Nestronia umbellula</i> | Conjurer's-nut | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Oenothera perennis</i> | Small Sundrops | E / | G5 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Paxistima canbyi</i> | Canby's Mountain-lover | T / SOMC | G2 / S2 | 2 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Potamogeton illinoensis</i> | Illinois Pondweed | S / | G5 / S2 | 10 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Prosartes maculata</i> | Nodding Mandarin | S / | G3G4 / S3? | 0 | 1 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Quercus nigra</i> | Water Oak | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Rhynchospora macrostachya</i> | Tall Beaked-rush | E / | G4 / S1 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|--------|--------------------|---------------------------------------|---------------------------|----------|-------------|------------------|---|---|----|---|
| | | | | | | E | H | F | X | U |
| Wayne | Vascular Plants | <i>Schwalbea americana</i> | Chaffseed | H / LE | G2G3 / SH | 0 | 0 | 0 | 1 | 0 |
| Wayne | Vascular Plants | <i>Spiranthes lucida</i> | Shining Ladies'-tresses | T / | G5 / S2S3 | 4 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Thuja occidentalis</i> | Northern White Cedar | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Trillium pusillum</i> | Least Trillium | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Vallisneria americana</i> | Eelgrass | S / | G5 / S2S3 | 10 | 0 | 0 | 0 | 0 |
| Wayne | Vascular Plants | <i>Vitis rupestris</i> | Sand Grape | T / | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Wayne | Aquatic Snails | <i>Pleurocera curta</i> | Shortspire Hornsnail | S / SOMC | G2 / S2 | 0 | 0 | 0 | 1 | 0 |
| Wayne | Terrestrial Snails | <i>Appalachina chilhoweensis</i> | Queen Crater | S / | G4 / S1S2 | 2 | 0 | 0 | 0 | 0 |
| Wayne | Terrestrial Snails | <i>Fumonelix wetherbyi</i> | Clifty Covert | S / | G2G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Wayne | Freshwater Mussels | <i>Alasmidonta atropurpurea</i> | Cumberland Elktoe | E / LE | G1G2 / S1 | 0 | 0 | 0 | 2 | 0 |
| Wayne | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 0 | 0 | 0 | 10 | 0 |
| Wayne | Freshwater Mussels | <i>Cumberlandia monodonta</i> | Spectaclecase | E / C | G3 / S1 | 0 | 0 | 0 | 4 | 0 |
| Wayne | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 0 | 0 | 2 | 0 |
| Wayne | Freshwater Mussels | <i>Dromus dromas</i> | Dromedary Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 6 | 0 |
| Wayne | Freshwater Mussels | <i>Epioblasma brevidens</i> | Cumberlandian Combshell | E / LE | G1 / S1 | 0 | 0 | 0 | 7 | 0 |
| Wayne | Freshwater Mussels | <i>Epioblasma capsaeformis</i> | Oyster Mussel | E / LE | G1 / S1 | 0 | 0 | 0 | 5 | 0 |
| Wayne | Freshwater Mussels | <i>Epioblasma florentina walkeri</i> | Tan Riffleshell | E / LE | G1T1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Wayne | Freshwater Mussels | <i>Epioblasma obliquata obliquata</i> | Catspaw | E / LE | G1T1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Wayne | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 0 | 0 | 0 | 4 | 0 |
| Wayne | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 0 | 0 | 7 | 0 |
| Wayne | Freshwater Mussels | <i>Hemistena lata</i> | Cracking Pearlymussel | X / LE | G1 / SX | 0 | 0 | 0 | 1 | 0 |
| Wayne | Freshwater Mussels | <i>Lampsilis abrupta</i> | Pink Mucket | E / LE | G2 / S1 | 0 | 0 | 0 | 4 | 0 |
| Wayne | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 0 | 0 | 7 | 0 |
| Wayne | Freshwater Mussels | <i>Leptodea leptodon</i> | Scaleshell | X / LE | G1G2 / SX | 0 | 0 | 0 | 1 | 0 |
| Wayne | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Wayne | Freshwater Mussels | <i>Pegias fabula</i> | Littlewing Pearlymussel | E / LE | G1 / S1 | 0 | 0 | 0 | 15 | 0 |
| Wayne | Freshwater Mussels | <i>Plethobasus cooperianus</i> | Orangefoot Pimpleback | E / LE | G1 / S1 | 0 | 0 | 0 | 2 | 0 |
| Wayne | Freshwater Mussels | <i>Plethobasus cyphus</i> | Sheepnose | E / C | G3 / S1 | 0 | 0 | 0 | 2 | 0 |
| Wayne | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Wayne | Freshwater Mussels | <i>Pleurobema oviforme</i> | Tennessee Clubshell | E / SOMC | G2G3 / S1 | 3 | 0 | 0 | 18 | 0 |
| Wayne | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 0 | 0 | 0 | 6 | 0 |
| Wayne | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 7 | 0 |
| Wayne | Freshwater Mussels | <i>Ptychobranchnus subtentum</i> | Fluted Kidneyshell | E / C | G2 / S1 | 8 | 0 | 1 | 20 | 0 |
| Wayne | Freshwater Mussels | <i>Quadrula cylindrica cylindrica</i> | Rabbitsfoot | T / SOMC | G3G4T3 / S2 | 0 | 0 | 0 | 7 | 0 |
| Wayne | Freshwater Mussels | <i>Toxolasma lividus</i> | Purple Lilliput | E / SOMC | G2 / S1 | 0 | 0 | 0 | 14 | 0 |
| Wayne | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 0 | 2 | 0 |
| Wayne | Freshwater Mussels | <i>Villosa trabalis</i> | Cumberland Bean | E / LE | G1 / S1 | 0 | 0 | 0 | 23 | 0 |
| Wayne | Crustaceans | <i>Orconectes australis packardi</i> | Appalachian Cave Crayfish | T / | G5T2 / S2S3 | 1 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|---------------------|--|-----------------------------------|----------|--------------|------------------|-----------|----------|------------|----------|
| | | | | | | E | H | F | X | U |
| Wayne | Insects | <i>Batrachium quinquemaculatum</i> | A Cave Obligate Beetle | T / | G3G4 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Wayne | Insects | <i>Nannothemis bella</i> | Elfin Skimmer | E / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Wayne | Other Invertebrates | <i>Kleptochthonius erebicus</i> | A Cave Obligate Pseudoscorpion | T / | G1 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Wayne | Fishes | <i>Ammocrypta clara</i> | Western Sand Darter | E / SOMC | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Wayne | Fishes | <i>Erimystax insignis</i> | Blotched Chub | E / SOMC | G4 / S1 | 0 | 0 | 0 | 6 | 0 |
| Wayne | Fishes | <i>Etheostoma cinereum</i> | Ashy Darter | S / SOMC | G2G3 / S3 | 0 | 0 | 0 | 3 | 0 |
| Wayne | Fishes | <i>Hybopsis amnis</i> | Pallid Shiner | E / SOMC | G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Wayne | Fishes | <i>Ichthyomyzon greeleyi</i> | Mountain Brook Lamprey | T / | G3G4 / S2 | 5 | 1 | 0 | 0 | 0 |
| Wayne | Fishes | <i>Notropis albizonatus</i> | Palezone Shiner | E / LE | G1 / S1 | 18 | 0 | 0 | 0 | 0 |
| Wayne | Fishes | <i>Notropis sp. 4</i> | Sawfin Shiner | E / | G4 / S1 | 1 | 1 | 0 | 0 | 0 |
| Wayne | Fishes | <i>Percina macrocephala</i> | Longhead Darter | E / SOMC | G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Wayne | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 2 | 0 | 0 | 0 | 0 |
| Wayne | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Wayne | Breeding Birds | <i>Chondestes grammacus</i> | Lark Sparrow | T / | G5 / S2S3B | 0 | 1 | 0 | 0 | 0 |
| Wayne | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 0 | 1 | 0 | 0 | 0 |
| Wayne | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 5 | 0 | 0 | 0 | 0 |
| Wayne | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 0 | 0 | 0 | 1 | 0 |
| Wayne | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 1 | 1 | 0 | 0 | 0 |
| Wayne | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 3 | 0 | 0 | 0 | 0 |
| Wayne | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 0 | 0 | 1 | 0 | 0 |
| Wayne | Communities | <i>Acidic mesophytic forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Wayne | Communities | <i>Acidic sub-xeric forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 0 | 0 |
| Wayne | Communities | <i>Depression swamp</i> | | / | GNR / S2 | 2 | 0 | 0 | 0 | 0 |
| Wayne | Communities | <i>Floodplain ridge/terrace forest</i> | | / | GNR / S1 | 1 | 0 | 0 | 0 | 0 |
| Wayne | Communities | <i>Limestone slope glade</i> | | / | GNR / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Wayne | Communities | <i>Sinkhole/depression marsh</i> | | / | GNR / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Wayne County Total: | | | | | | 106 | 28 | 2 | 195 | 1 |
| Webster | Vascular Plants | <i>Muhlenbergia glabriflora</i> | Hair Grass | S / | G4? / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Webster | Vascular Plants | <i>Ptilimnium costatum</i> | Eastern Mock Bishop's-weed | H / | G4 / SH | 0 | 1 | 0 | 0 | 0 |
| Webster | Insects | <i>Euphyes dukesi</i> | Dukes' Skipper | S / | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Webster | Amphibians | <i>Rana areolata circumlocata</i> | Northern Crawfish Frog | S / | G4T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Webster | Reptiles | <i>Nerodia erythrogaster neglecta</i> | Copperbelly Water Snake | S / SOMC | G5T3 / S3 | 5 | 0 | 0 | 0 | 0 |
| Webster | Breeding Birds | <i>Ammodramus henslowii</i> | Henslow's Sparrow | S / SOMC | G4 / S3B | 1 | 0 | 0 | 0 | 0 |
| Webster | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Webster | Mammals | <i>Nycticeius humeralis</i> | Evening Bat | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Webster County Total: | | | | | | 9 | 5 | 0 | 0 | 0 |
| Whitley | Mosses | <i>Bryum miniatum</i> | | E / | G3G4 / S1? | 1 | 0 | 0 | 0 | 0 |
| Whitley | Mosses | <i>Dicranodontium asperulum</i> | | E / | G4G5 / S1? | 0 | 1 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------|-----------------|--|---------------------------------|----------|------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Whitley | Vascular Plants | <i>Agalinis obtusifolia</i> | Ten-lobe False Foxglove | E / | G4G5Q / S1 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Ageratina luciae-brauniae</i> | Lucy Braun's White Snakeroot | S / SOMC | G3 / S3 | 6 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Aralia nudicaulis</i> | Wild Sarsaparilla | E / | G5 / S3? | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Baptisia tinctoria</i> | Yellow Wild Indigo | T / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Bartonia virginica</i> | Yellow Screwstem | T / | G5 / S2 | 4 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Calopogon tuberosus</i> | Grass Pink | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Calycanthus floridus var. glaucus</i> | Eastern Sweetshrub | T / | G5T5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Castanea pumila</i> | Allegheny Chinkapin | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Chrysosplenium americanum</i> | American Golden-saxifrage | T / | G5 / S2? | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Collinsonia verticillata</i> | Whorled Horse-balm | E / | G3G4 / S1? | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Coreopsis pubescens</i> | Star Tickseed | S / | G5? / S2S3 | 2 | 0 | 2 | 0 | 0 |
| Whitley | Vascular Plants | <i>Corydalis sempervirens</i> | Rock Harlequin | S / | G4G5 / S3? | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Eupatorium semiserratum</i> | Small-flower Thoroughwort | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Eurybia radula</i> | Rough-leaved Aster | E / | G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Gentiana decora</i> | Showy Gentian | S / | G4? / S3 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Gratiola pilosa</i> | Shaggy Hedgehyssop | T / | G5? / S2 | 4 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Gratiola viscidula</i> | Short's Hedgehyssop | S / | G4G5 / S3 | 0 | 0 | 0 | 1 | 0 |
| Whitley | Vascular Plants | <i>Hexastylis contracta</i> | Southern Heartleaf | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Houstonia serpyllifolia</i> | Michaux's Bluets | E / | G4? / S1 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Hypericum crux-andreae</i> | St. Peter's-wort | T / | G5 / S2S3 | 2 | 0 | 0 | 1 | 0 |
| Whitley | Vascular Plants | <i>Hypericum pseudomaculatum</i> | Large Spotted St. John's-wort | H / | G5? / SH | 0 | 1 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Lathyrus palustris</i> | Vetchling Peavine | T / | G5 / S2 | 3 | 0 | 1 | 0 | 0 |
| Whitley | Vascular Plants | <i>Lathyrus venosus</i> | Smooth Veiny Peavine | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Lilium philadelphicum</i> | Wood Lily | T / | G5 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Liparis loeselii</i> | Loesel's Twayblade | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Lobelia nuttallii</i> | Nuttall's Lobelia | T / | G4G5 / S2 | 8 | 0 | 0 | 1 | 0 |
| Whitley | Vascular Plants | <i>Orontium aquaticum</i> | Golden Club | T / | G5 / S2 | 2 | 1 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Platanthera cristata</i> | Yellow-crested Orchid | T / | G5 / S1S2 | 5 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Platanthera integrilabia</i> | White Fringeless Orchid | E / C | G2G3 / S1 | 1 | 1 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Podostemum ceratophyllum</i> | Threadfoot | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Polygala cruciata</i> | Crossleaf Milkwort | E / | G5 / S1 | 1 | 1 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Rhynchosia tomentosa</i> | Hairy Snoutbean | E / | G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Rhynchospora recognita</i> | Globe Beaked-rush | S / | G5? / S3 | 8 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Sabatia campanulata</i> | Slender Marsh Pink | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Scleria ciliata</i> | Fringed Nutrush | E / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Scutellaria saxatilis</i> | Rock Skullcap | T / | G3 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Silphium wasiotense</i> | Appalachian Rosinweed | S / SOMC | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Solidago gracillima</i> | Southern Bog Goldenrod | S / | G4? / S2? | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|---------|--------------------|---|-------------------------------|--------------|----------------|------------------|---|---|---|---|
| | | | | | | E | H | F | X | U |
| Whitley | Vascular Plants | <i>Solidago puberula</i> | Downy Goldenrod | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Solidago simplex ssp. randii var. racemosa</i> | Rand's Goldenrod | S / | G5T3? / S3 | 6 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Spiraea virginiana</i> | Virginia Spiraea | T / LT | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Stenanthium gramineum</i> | Eastern Featherbells | T / | G4G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Symphotrichum concolor</i> | Eastern Silvery Aster | T / | G5 / S2 | 3 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Tephrosia spicata</i> | Spiked Hoary-pea | E / | G4G5 / S1S2 | 5 | 0 | 0 | 0 | 0 |
| Whitley | Vascular Plants | <i>Trichostema setaceum</i> | Narrowleaved Bluecurls | E / | G5 / S1 | 0 | 0 | 0 | 1 | 0 |
| Whitley | Terrestrial Snails | <i>Fumonelix wetherbyi</i> | Clifty Covert | S / | G2G3 / S2 | 2 | 0 | 0 | 0 | 0 |
| Whitley | Freshwater Mussels | <i>Alasmidonta atropurpurea</i> | Cumberland Elktoe | E / LE | G1G2 / S1 | 5 | 1 | 0 | 1 | 0 |
| Whitley | Freshwater Mussels | <i>Anodontoides denigratus</i> | Cumberland Papershell | E / SOMC | G1 / S1 | 1 | 0 | 0 | 3 | 0 |
| Whitley | Freshwater Mussels | <i>Epioblasma capsaeformis</i> | Oyster Mussel | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Whitley | Freshwater Mussels | <i>Lampsilis ovata</i> | Pocketbook | E / | G5 / S1 | 0 | 0 | 0 | 3 | 0 |
| Whitley | Freshwater Mussels | <i>Ptychobranthus subtentum</i> | Fluted Kidneyshell | E / C | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Whitley | Freshwater Mussels | <i>Villosa lienosa</i> | Little Spectaclecase | S / | G5 / S3S4 | 0 | 0 | 0 | 1 | 0 |
| Whitley | Freshwater Mussels | <i>Villosa trabalis</i> | Cumberland Bean | E / LE | G1 / S1 | 0 | 0 | 0 | 3 | 0 |
| Whitley | Crustaceans | <i>Cambarus parvoculus</i> | Mountain Midget Crayfish | T / | G5 / S2 | 0 | 1 | 0 | 0 | 0 |
| Whitley | Insects | <i>Amphiagrion saucium</i> | Eastern Red Damselfly | E / | G5 / S1 | 0 | 1 | 0 | 0 | 0 |
| Whitley | Insects | <i>Lytrosis permagnaria</i> | A Geometrid Moth | E / SOMC | G3G4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Whitley | Insects | <i>Manophylax butleri</i> | A Limnephilid Caddisfly | S / | G2 / S2 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Insects | <i>Nannothemis bella</i> | Elfin Skimmer | E / | G4 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Whitley | Insects | <i>Polygonia faunus</i> | Green Comma | H / | G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Whitley | Insects | <i>Polygonia progne</i> | Gray Comma | H / | G4G5 / SH | 0 | 1 | 0 | 0 | 0 |
| Whitley | Insects | <i>Pseudanopthalmus calcareus</i> | Limestone Cave Beetle | T / SOMC | G1 / S1 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Insects | <i>Speyeria idalia</i> | Regal Fritillary | H / SOMC | G3 / SH | 0 | 0 | 0 | 1 | 0 |
| Whitley | Insects | <i>Stylurus notatus</i> | Elusive Clubtail | E / SOMC | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Whitley | Fishes | <i>Acipenser fulvescens</i> | Lake Sturgeon | E / SOMC | G3G4 / S1 | 0 | 0 | 0 | 1 | 0 |
| Whitley | Fishes | <i>Etheostoma susanae</i> | Cumberland Darter | E / C | G1G2 / S1 | 9 | 0 | 0 | 0 | 0 |
| Whitley | Fishes | <i>Phoxinus cumberlandensis</i> | Blackside Dace | T / LT | G2 / S2 | 37 | 0 | 2 | 2 | 0 |
| Whitley | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Whitley | Reptiles | <i>Eumeces anthracinus</i> | Coal Skink | T / | G5 / S2 | 3 | 0 | 0 | 0 | 0 |
| Whitley | Reptiles | <i>Eumeces inexpectatus</i> | Southeastern Five-lined Skink | S / | G5 / S3 | 4 | 0 | 0 | 0 | 0 |
| Whitley | Reptiles | <i>Lampropeltis triangulum elapsoides</i> | Scarlet Kingsnake | S / | G5T5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Whitley | Reptiles | <i>Ophisaurus attenuatus longicaudus</i> | Eastern Slender Glass Lizard | T / | G5T5 / S2 | 4 | 0 | 0 | 0 | 0 |
| Whitley | Reptiles | <i>Pituophis melanoleucus melanoleucus</i> | Northern Pine Snake | T / SOMC | G4T4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Whitley | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 2 | 0 | 0 | 0 | 0 |
| Whitley | Breeding Birds | <i>Haliaeetus leucocephalus</i> | Bald Eagle | T / Delisted | G5 / S2B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Whitley | Breeding Birds | <i>Picoides borealis</i> | Red-cockaded Woodpecker | X / LE | G3 / SX | 0 | 0 | 0 | 7 | 0 |
| Whitley | Breeding Birds | <i>Tyto alba</i> | Barn Owl | S / | G5 / S3 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|------------------------------|-----------------|--|------------------------------|----------|---------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Whitley | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 5 | 0 | 0 | 0 | 0 |
| Whitley | Mammals | <i>Myotis leibii</i> | Eastern Small-footed Myotis | T / SOMC | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Mammals | <i>Spilogale putorius</i> | Eastern Spotted Skunk | S / | G5 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Whitley | Mammals | <i>Ursus americanus</i> | American Black Bear | S / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 1 | 0 |
| Whitley | Communities | <i>Appalachian pine-oak forest</i> | | / | GNR / S5 | 2 | 0 | 0 | 0 | 0 |
| Whitley | Communities | <i>Bottomland hardwood forest</i> | | / | GNR / S2 | 2 | 0 | 0 | 0 | 0 |
| Whitley | Communities | <i>Calcareous mesophytic forest</i> | | / | GNR / S5 | 3 | 0 | 0 | 0 | 0 |
| Whitley | Communities | <i>Cumberland plateau gravel/cobble bar</i> | | / | GNR / S2 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Communities | <i>Riparian forest</i> | | / | GNR / S3 | 1 | 0 | 0 | 0 | 0 |
| Whitley | Communities | <i>Xerohydric flatwoods</i> | | / | GNR / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Whitley County Total: | | | | | | 182 | 39 | 5 | 29 | 0 |
| Wolfe | Mosses | <i>Herzogiella turfacea</i> | | E / | G4G5 / S1? | 1 | 0 | 0 | 0 | 0 |
| Wolfe | Mosses | <i>Polytrichum pallidisetum</i> | A Hair Cap Moss | T / | G4 / S2? | 1 | 0 | 0 | 0 | 0 |
| Wolfe | Vascular Plants | <i>Acer spicatum</i> | Mountain Maple | E / | G5 / S1S2 | 0 | 0 | 1 | 1 | 0 |
| Wolfe | Vascular Plants | <i>Aconitum uncinatum</i> | Blue Monkshood | T / | G4 / S2 | 0 | 0 | 0 | 1 | 0 |
| Wolfe | Vascular Plants | <i>Ageratina luciae-brauniae</i> | Lucy Braun's White Snakeroot | S / SOMC | G3 / S3 | 1 | 0 | 0 | 0 | 0 |
| Wolfe | Vascular Plants | <i>Bartonia virginica</i> | Yellow Screwstem | T / | G5 / S2 | 1 | 0 | 0 | 0 | 0 |
| Wolfe | Vascular Plants | <i>Calopogon tuberosus</i> | Grass Pink | E / | G5 / S1 | 0 | 1 | 0 | 1 | 0 |
| Wolfe | Vascular Plants | <i>Carex tosa var. rugosperma</i> | Umbel-like Sedge | T / | G5 / S2? | 0 | 1 | 0 | 0 | 0 |
| Wolfe | Vascular Plants | <i>Circaea alpina</i> | Small Enchanter's Nightshade | S / | G5 / S3 | 9 | 0 | 0 | 0 | 0 |
| Wolfe | Vascular Plants | <i>Cypripedium kentuckiense</i> | Kentucky Lady's-slipper | E / SOMC | G3 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Wolfe | Vascular Plants | <i>Cypripedium parviflorum</i> | Small Yellow Lady's-slipper | T / | G5 / S2 | 2 | 0 | 1 | 0 | 0 |
| Wolfe | Vascular Plants | <i>Juncus articulatus</i> | Jointed Rush | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Wolfe | Vascular Plants | <i>Lesquerella globosa</i> | Globe Bladderpod | E / C | G2 / S1 | 0 | 0 | 1 | 0 | 0 |
| Wolfe | Vascular Plants | <i>Lilium philadelphicum</i> | Wood Lily | T / | G5 / S2S3 | 2 | 0 | 1 | 2 | 0 |
| Wolfe | Vascular Plants | <i>Liparis loeselii</i> | Loesel's Twayblade | T / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Wolfe | Vascular Plants | <i>Maianthemum canadense</i> | Wild Lily-of-the-valley | T / | G5 / S2 | 4 | 0 | 2 | 0 | 0 |
| Wolfe | Vascular Plants | <i>Melampyrum lineare var. pectinatum</i> | American Cow-wheat | E / | G5T5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Wolfe | Vascular Plants | <i>Monotropsis odorata</i> | Sweet Pinesap | T / SOMC | G3 / S2 | 1 | 0 | 1 | 1 | 0 |
| Wolfe | Vascular Plants | <i>Platanthera psycodes</i> | Small Purple-fringed Orchid | E / | G5 / S1 | 1 | 0 | 2 | 0 | 0 |
| Wolfe | Vascular Plants | <i>Podostemum ceratophyllum</i> | Threadfoot | S / | G5 / S3 | 9 | 0 | 0 | 1 | 0 |
| Wolfe | Vascular Plants | <i>Pseudognaphalium helleri ssp. micradenium</i> | Small Rabbit-tobacco | H / | G4G5T3? / SH | 0 | 1 | 0 | 0 | 0 |
| Wolfe | Vascular Plants | <i>Sambucus racemosa ssp. pubens</i> | Red Elderberry | E / | G5T4T5 / S1S2 | 0 | 0 | 0 | 1 | 0 |
| Wolfe | Vascular Plants | <i>Solidago albopilosa</i> | White-haired Goldenrod | T / LT | G2 / S2 | 5 | 0 | 4 | 5 | 0 |
| Wolfe | Vascular Plants | <i>Stellaria longifolia</i> | Longleaf Stitchwort | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|----------------------------|--------------------|---|----------------------------|----------|---------------|------------------|-----------|-----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Wolfe | Vascular Plants | <i>Taxus canadensis</i> | Canadian Yew | T / | G5 / S2S3 | 3 | 0 | 0 | 0 | 0 |
| Wolfe | Vascular Plants | <i>Trientalis borealis</i> | Northern Starflower | E / | G5 / S1 | 2 | 0 | 0 | 0 | 0 |
| Wolfe | Aquatic Snails | <i>Rhodacme elatior</i> | Domed Ancyloid | S / | G1 / S1 | 0 | 1 | 0 | 0 | 0 |
| Wolfe | Freshwater Mussels | <i>Alasmidonta marginata</i> | Elktoe | T / SOMC | G4 / S2 | 8 | 0 | 2 | 0 | 0 |
| Wolfe | Freshwater Mussels | <i>Epioblasma triquetra</i> | Snuffbox | E / SOMC | G3 / S1 | 1 | 0 | 0 | 0 | 0 |
| Wolfe | Freshwater Mussels | <i>Simpsonaias ambigua</i> | Salamander Mussel | T / SOMC | G3 / S2S3 | 2 | 0 | 0 | 0 | 0 |
| Wolfe | Insects | <i>Erora laeta</i> | Early Hairstreak | T / | GU / S1 | 1 | 0 | 0 | 0 | 0 |
| Wolfe | Insects | <i>Manophylax butleri</i> | A Limnephilid Caddisfly | S / | G2 / S2 | 7 | 0 | 0 | 0 | 0 |
| Wolfe | Fishes | <i>Ichthyomyzon fossor</i> | Northern Brook Lamprey | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Wolfe | Fishes | <i>Lampetra appendix</i> | American Brook Lamprey | T / | G4 / S2 | 0 | 1 | 0 | 0 | 0 |
| Wolfe | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Wolfe | Reptiles | <i>Elaphe guttata</i> | Corn Snake | S / | G5 / S3 | 0 | 1 | 0 | 0 | 1 |
| Wolfe | Breeding Birds | <i>Accipiter striatus</i> | Sharp-shinned Hawk | S / | G5 / S3B,S4N | 1 | 0 | 0 | 0 | 0 |
| Wolfe | Breeding Birds | <i>Picoides borealis</i> | Red-cockaded Woodpecker | X / LE | G3 / SX | 0 | 0 | 0 | 1 | 0 |
| Wolfe | Breeding Birds | <i>Sitta canadensis</i> | Red-breasted Nuthatch | E / | G5 / S1B | 1 | 0 | 0 | 0 | 0 |
| Wolfe | Mammals | <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | S / SOMC | G3G4 / S3 | 2 | 0 | 0 | 0 | 0 |
| Wolfe | Mammals | <i>Corynorhinus townsendii virginianus</i> | Virginia Big-eared Bat | E / LE | G4T2 / S1 | 2 | 0 | 0 | 0 | 0 |
| Wolfe | Mammals | <i>Myotis grisescens</i> | Gray Myotis | T / LE | G3 / S2 | 1 | 0 | 0 | 0 | 0 |
| Wolfe | Mammals | <i>Myotis sodalis</i> | Indiana Bat | E / LE | G2 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Wolfe | Mammals | <i>Spilogale putorius</i> | Eastern Spotted Skunk | S / | G5 / S2S3 | 0 | 1 | 0 | 0 | 0 |
| Wolfe | Communities | <i>Appalachian mesophytic forest</i> | | / | GNR / S5 | 3 | 0 | 0 | 0 | 0 |
| Wolfe | Communities | <i>Appalachian pine-oak forest</i> | | / | GNR / S5 | 1 | 0 | 0 | 0 | 0 |
| Wolfe | Communities | <i>Hemlock-mixed forest</i> | | / | GNR / S5 | 7 | 0 | 0 | 0 | 0 |
| Wolfe County Total: | | | | | | 87 | 14 | 15 | 14 | 1 |
| Woodford | Vascular Plants | <i>Elymus svensonii</i> | Svenson's Wildrye | S / SOMC | G3 / S3 | 12 | 0 | 0 | 0 | 0 |
| Woodford | Vascular Plants | <i>Lesquerella globosa</i> | Globe Bladderpod | E / C | G2 / S1 | 1 | 1 | 0 | 1 | 0 |
| Woodford | Vascular Plants | <i>Lonicera prolifera</i> | Grape Honeysuckle | E / | G5 / S1 | 1 | 0 | 0 | 0 | 0 |
| Woodford | Vascular Plants | <i>Malvastrum hispidum</i> | Hispid Falsemallow | T / | G3G5 / S2? | 0 | 1 | 0 | 0 | 0 |
| Woodford | Vascular Plants | <i>Onosmodium hispidissimum</i> | Hairy False Gromwell | E / | G4G5T4 / S1 | 0 | 1 | 0 | 0 | 0 |
| Woodford | Vascular Plants | <i>Perideridia americana</i> | Eastern Yampah | T / | G4 / S2 | 1 | 0 | 0 | 0 | 0 |
| Woodford | Vascular Plants | <i>Philadelphus inodorus</i> | Mock Orange | T / | G4G5 / S1S2 | 1 | 0 | 0 | 0 | 0 |
| Woodford | Vascular Plants | <i>Sagina fontinalis</i> | Water Stitchwort | T / | G3 / S2 | 1 | 1 | 0 | 0 | 0 |
| Woodford | Vascular Plants | <i>Spiranthes odorata</i> | Sweetscent Ladies'-tresses | E / | G5 / S1 | 1 | 0 | 1 | 0 | 0 |
| Woodford | Vascular Plants | <i>Trifolium stoloniferum</i> | Running Buffalo Clover | T / LE | G3 / S2S3 | 3 | 0 | 0 | 7 | 0 |
| Woodford | Vascular Plants | <i>Viburnum molle</i> | Softleaf Arrowwood | T / | G5 / S3? | 2 | 0 | 0 | 0 | 0 |
| Woodford | Vascular Plants | <i>Viola septemloba var. egglestonii</i> | Eggleston's Violet | S / | G4 / S3 | 0 | 1 | 0 | 0 | 0 |
| Woodford | Freshwater Mussels | <i>Cyprogenia stegaria</i> | Fanshell | E / LE | G1Q / S1 | 0 | 0 | 0 | 1 | 0 |
| Woodford | Freshwater Mussels | <i>Epioblasma torulosa rangiana</i> | Northern Riffleshell | E / LE | G2T2 / S1 | 0 | 0 | 0 | 1 | 0 |

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky
 Kentucky State Nature Preserves Commission

| County | Taxonomic Group | Scientific name | Common name | Statuses | Ranks | # of Occurrences | | | | |
|-------------------------------|--------------------|---|---------------------------|----------|------------------|------------------|-----------|----------|-----------|----------|
| | | | | | | E | H | F | X | U |
| Woodford | Freshwater Mussels | <i>Fusconaia subrotunda</i> | Longsolid | S / | G3 / S3 | 0 | 0 | 0 | 1 | 0 |
| Woodford | Freshwater Mussels | <i>Leptodea leptodon</i> | Scaleshell | X / LE | G1G2 / SX | 0 | 0 | 0 | 1 | 0 |
| Woodford | Freshwater Mussels | <i>Obovaria retusa</i> | Ring Pink | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Woodford | Freshwater Mussels | <i>Pleurobema clava</i> | Clubshell | E / LE | G2 / S1 | 0 | 0 | 0 | 1 | 0 |
| Woodford | Freshwater Mussels | <i>Pleurobema plenum</i> | Rough Pigtoe | E / LE | G1 / S1 | 0 | 0 | 0 | 1 | 0 |
| Woodford | Freshwater Mussels | <i>Pleurobema rubrum</i> | Pyramid Pigtoe | E / SOMC | G2G3 / S1 | 0 | 0 | 0 | 1 | 0 |
| Woodford | Crustaceans | <i>Caecidotea barri</i> | Clifton Cave Isopod | E / SOMC | G1 / S1 | 1 | 0 | 0 | 0 | 0 |
| Woodford | Insects | <i>Callophrys irus</i> | Frosted Elfin | T / | G3 / S1 | 0 | 1 | 0 | 0 | 0 |
| Woodford | Insects | <i>Dryobius sexnotatus</i> | Sixbanded Longhorn Beetle | T / SOMC | GNR / S1 | 0 | 1 | 0 | 0 | 0 |
| Woodford | Insects | <i>Pseudanopthalmus abditus</i> | Concealed Cave Beetle | T / | G3 / S2 | 0 | 1 | 0 | 0 | 0 |
| Woodford | Insects | <i>Pseudanopthalmus caecus</i> | Clifton Cave Beetle | T / C | G1 / S1 | 1 | 0 | 0 | 0 | 0 |
| Woodford | Insects | <i>Pseudanopthalmus solivagus</i> | A Cave Obligate Beetle | S / | G1G2 / S1S2 | 0 | 1 | 0 | 0 | 0 |
| Woodford | Amphibians | <i>Cryptobranchus alleganiensis alleganiensis</i> | Eastern Hellbender | S / SOMC | G3G4T3T4 / S3 | 1 | 0 | 0 | 0 | 0 |
| Woodford | Amphibians | <i>Rana pipiens</i> | Northern Leopard Frog | S / | G5 / S3 | 0 | 1 | 0 | 0 | 0 |
| Woodford | Breeding Birds | <i>Cistothorus platensis</i> | Sedge Wren | S / | G5 / S3B | 1 | 0 | 0 | 0 | 0 |
| Woodford | Breeding Birds | <i>Dolichonyx oryzivorus</i> | Bobolink | S / | G5 / S2S3B | 1 | 0 | 0 | 0 | 0 |
| Woodford | Breeding Birds | <i>Passerculus sandwichensis</i> | Savannah Sparrow | S / | G5 / S2S3B,S2S3N | 1 | 0 | 0 | 0 | 0 |
| Woodford | Breeding Birds | <i>Poocetes gramineus</i> | Vesper Sparrow | E / | G5 / S1B | 0 | 1 | 0 | 0 | 0 |
| Woodford | Breeding Birds | <i>Thryomanes bewickii</i> | Bewick's Wren | S / SOMC | G5 / S3B | 2 | 0 | 0 | 0 | 0 |
| Woodford | Mammals | <i>Mustela nivalis</i> | Least Weasel | S / | G5 / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Woodford | Communities | <i>Bottomland hardwood swamp</i> | | / | GNR / S2S3 | 1 | 0 | 0 | 0 | 0 |
| Woodford County Total: | | | | | | 33 | 20 | 1 | 16 | 0 |